


BRASSFOUNDRY

CATALOGUE
No 158



E
A M

SURREY

Telephone 58
Cables: "EVE"

CA

WE
CA
AN
WA
ME
CO
BR

EVERED

AND COMPANY, LTD.

SURREY WORKS, SMETHWICK, BIRMINGHAM

Telephone: SMETHWICK 201, PRIVATE BRANCH EXCHANGE. *Telegrams:* 'EVEREDS, BIRMINGHAM'
Cables: 'EVEREDS, BIRMINGHAM.' *Code:* A.B.C. FIFTH & SIXTH EDITION AND BENTLEYS

CABINET & BUILDERS' BRASSFOUNDRY



WE ARE MANUFACTURERS OF ELECTRIC LIGHT FITTINGS,
GAS FITTINGS, EVERY DESCRIPTION OF CABINET
AND BUILDERS' BRASSFOUNDRY, INCLUDING GAS,
WATER AND STEAM JOINTS AND COCKS, ARCHITECTURAL
METAL WORK FOR SPECIAL REQUIREMENTS, BEDSTEADS,
COTS AND WIRE MATTRESSES, BRASS, COPPER, AND
BRASS CASED TUBES, ROLLED METALS AND MOULDINGS

London Office and Showroom:
20, NEWMAN STREET, OXFORD STREET,
LONDON, W1.

FIXT
but are
DEF
the C

in the
the
DE
the
TE
the
the
the

W
DE
CA

FOREWORD

FIXING SCREWS are sent out with all coloured brass goods other than polished, dipped or sanded finishes but are charged extra.

DEFINITION AND IDENTIFICATION NUMBERS of Finishes with Abbreviations used in this Catalogue.

- No. 1. C. B. & R. = Black and Copper Relief.
- No. 2. A. C. = Brown and Copper Relief.
- No. 3. C. B. = Coinage Bronze, Brown on Real Bronze Metal. No Relief.
- No. 4. C. B. = Coinage Bronze, Brown on Brass. No Relief.
- No. 5. A. B. = Antique Brass, Brown and Brass Relief.
- No. 6. Fire Bronze = Iridescent Bronze on Real Bronze Metal. Not Lacquered unless specially so ordered.
- No. 7. S. B. B. = Sand Blasted and Bronzed Black on Bronze with Dull Relief.
- No. 8. Satin = Dull Finished Brass.
- No. 9. A. S. = Antique Silver, Real Silver Plated Polished Black Bronzed and Relieved.
- No. 10. F. G. = French Grey. Real Silver Plated Satin finished. Grey Bronzed and Relieved.
- No. 11. Flor. = Florentine Bronze, Red Brown. No Relief.
- No. 12. S. B. = Steel Bronze.
- No. 13. B. B. = Black Bronze.
- No. 14. N. P. = Nickel-Plated.

We have purposely left out the term B.M.A. as it conveys so many different meanings. Many of our customers order our No. 3 under this abbreviation, while others intend our No. 6. To avoid errors, please use the

"CROBRITE."

WE WISH TO BRING BEFORE YOUR NOTICE A NEW STAINLESS—UNTARNISHABLE AND RUSTLESS PLATING FOR METALWORK WHICH WE ARE MANUFACTURING UNDER THE REGISTERED NAME OF THE "CROBRITE" FINISH.

"CROBRITE" plating, the hardest and most durable yet invented, is a new process, whereby metal goods are so treated that when polished, the articles possess and retain a degree of lustre hitherto unknown. The bright "blueish" white finish known as "CROBRITE" is absolutely permanent, and requires no polishing whatever.

Price List of Articles which we are supplying in "CROBRITE" will be sent on application.

be found or goods arrive damaged, it is necessary the Railway Company and ourselves be advised within three days, otherwise we cannot accept responsibility. Carrier's Delivery Sheet should be signed "CONTENTS UNKNOWN."

ILLUSTRATIONS.—Illustrations in this Catalogue can be taken as approximately correct, but cannot be guaranteed to be exact.

TEST.—Goods are supplied without any guarantee expressed or implied that they are suitable for use under any special condition (although such condition may be known to us at the time), nor is any guarantee given as to the life or wear of the goods. We will replace any goods which in our opinion are defective, but cannot recognise any claim for loss or consequential damage or charges of any kind. Every purchaser will be deemed to have notice of these conditions, and orders will only be accepted by us upon this basis.

EXPORT TRADE

With the exception of the following conditions, the above will apply.

DELIVERY.—Orders to the nett value of £20 are delivered f.o.b. United Kingdom port.

CASES.—Cases are charged at cost and are NOT returnable.

FIXIN
but are

DEFIN
this

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

N

FOREWORD

FIXING SCREWS are sent out with all coloured brass goods other than polished, dipped or sanded finishes but are charged extra.

DEFINITION AND IDENTIFICATION NUMBERS of Finishes with Abbreviations used in this Catalogue.

- | | | |
|---------|-------------|--|
| No. 1. | C. B. & R. | = Black and Copper Relief. |
| No. 2. | A. C. | = Brown and Copper Relief. |
| No. 3. | C. B. | = Coinage Bronze, Brown on Real Bronze Metal. No Relief. |
| No. 4. | C. B. | = Coinage Bronze, Brown on Brass. No Relief. |
| No. 5. | A. B. | = Antique Brass, Brown and Brass Relief. |
| No. 6. | Fire Bronze | = Iridescent Bronze on Real Bronze Metal. Not Lacquered unless specially so ordered. |
| No. 7. | S. B. B. | = Sand Blasted and Bronzed Black on Bronze with Dull Relief. |
| No. 8. | Satin | = Dull Finished Brass. |
| No. 9. | A. S. | = Antique Silver, Real Silver Plated Polished Black Bronzed and Relieved. |
| No. 10. | F. G. | = French Grey. Real Silver Plated Satin finished. Grey Bronzed and Relieved. |
| No. 11. | Flor. | = Florentine Bronze, Red Brown. No Relief. |
| No. 12. | S. B. | = Steel Bronze. |
| No. 13. | B. B. | = Black Bronze. |
| No. 14. | N. P. | = Nickel-Plated. |

We have purposely left out the term B.M.A. as it conveys so many different meanings. Many of our customers order our No. 3 under this abbreviation, while others intend our No. 6. To avoid errors, please use the numbers.

The price of No. 6 is the same as quoted for No. 3 C.B., except where otherwise stated.

The extra for Antique Brass, where not stated, is two-thirds of the extra for Antique Copper over Brass.

All Bronzed or Plated finishes on light pressed goods (such as pole ends, rings, etc.), entail very heavy extras.

CONDITIONS OF SALE

HOME TRADE.

SETTLEMENT TERMS.—Our Accounts are due in the month following delivery and are subject to 2½ % Discount if so paid. No Discount will be allowed on accounts in arrears, nor on those under £1 per month.

NEW ACCOUNTS.—Credit Accounts cannot be opened without satisfactory trade references.

PRICES.—All prices are subject to alteration without notice.

DELIVERY TERMS.—Orders to the nett value of £10 and upwards are delivered free in Great Britain within the free delivery area of the Railway Companies. Smaller orders, Carriage Forward. Cased Tube and Stair Rods, Nos. 696, 695, 288, 288B, 3931, 3906, 6821 and 6986 are always carriage forward.

IRELAND.—£10 lots delivered F.O.Q. any Port to which there is a direct service from Liverpool, with exceptions as above.

PACKING.—Packing cases will be allowed for in full if returned to us in good condition within reasonable time, Carriage Paid.

EXAMINATION OF GOODS.—Goods should be examined immediately on receipt, and should any error be found or goods arrive damaged, it is necessary the Railway Company and ourselves be advised within three days, otherwise we cannot accept responsibility. Carrier's Delivery Sheet should be signed "CONTENTS UNKNOWN."

ILLUSTRATIONS.—Illustrations in this Catalogue can be taken as approximately correct, but cannot be guaranteed to be exact.

TEST.—Goods are supplied without any guarantee expressed or implied that they are suitable for use under any special condition (although such condition may be known to us at the time), nor is any guarantee given as to the life or wear of the goods. We will replace any goods which in our opinion are defective, but cannot recognise any claim for loss or consequential damage or charges of any kind. Every purchaser will be deemed to have notice of these conditions, and orders will only be accepted by us upon this basis.

EXPORT TRADE

With the exception of the following conditions, the above will apply.

DELIVERY.—Orders to the nett value of £20 are delivered f.o.b. United Kingdom port.

CASES.—Cases are charged at cost and are NOT returnable.

NUMERICAL INDEX.

No.	Page	No.	Page	No.	Page	No.	Page
1	8	R306	29	757	138	3043	43
E1	15	R307	29	762	143	3061	141
2	6	310	11	777	152	3062	141
2	8	321	11	780	155	3073	99
R2	12	R333	9	781	155	3093	99
3	6	341	10	788	155	3101	93
3	8	343	20, 150	835	67	3102	93
R3	12	346	141	837	113	3103	93
R4	12	348	149	844	50	3105	93
R5	12	348 ¹	149	871	23	3106	138
8	4	349	149	874	141	3110	127
10	4	352	150	875	141	3114	29
12	4	353	150	877	28	3115	29
36	4	366	150	879	21	3116	48
42	4	370	152	882	67	3117	48
45	54	371	150	884	50	3118	48
48	4	372	152	892	152	3119	29
57	6	R375	3	893	152	3122	19
59	4	R375 ¹	3	894	28	3135	84
68	52	R376	3	898	33, 36	3142	127
69	21	376	146	899	32, 36	3151	95
85	50	R377	3	900	33	X3151	135
100	4	R377 ¹	3	904	33, 35	X3153	135
100	23	383	28	914	33	3154	95
121	23	384	153	919	33	X3154	135
124	8	386	153	920	33	X3155	135
126	19	391	146	921	32, 36	3156	94
149	39	392	22, 23	925	33, 36	3156 ¹	94
150	6	394	150	937	33, 36	3160	117
153	18	402	22	940	33, 36	3161	117
162	38	403	22	944	33, 36	3162	117
162 ¹	38	407	23	945	33, 36	3175	114
163	19	408	142	952	149	3188	106
164	116	420	20, 150	953	149	3214	104
168	37	426	148	954	149	X3214	136
173	37	433	155	955	149	3215	104
179	24	458	28	956	36	3225	116
191	24	459	28	957	9	3229	104
R196	25	473	22, 23	965	140	3231	115
R197	25	473L	22	R983	7	3232	116
199	18	474	150	985	149	3233	116
R199	25	482	66	987	151	3249	129
R201	25	485	142	990	15	3251	92
202 ¹	26	509-532	14	993	15	3252	129
203	19	509S-531S	14	997	15	3257	126
208	18	509H-532H	14	R1617	4	3258	8
210	18	R521	5, 34	1830	118	3259	126
216 ¹	18	546	29, 30	1864	129	3260	126
217A	159	549	86	1865	129	3261	126
220	18	566	152	R1949	12	3264	128
224	18	570	14	R2020	51	3265	127
245	50	608	137	R2149	10	3266	127
251	23	623	137	R2150	10	3274	127
252	23	627	137	R2151	10	3280	5
R252	15	635	137	R2154	10	3282	5
253	22	637	28	3000	120	3283	5
270	30	647	138	3006	120	3284	5
275	29, 30	656	138	3012	47	3291	96
285	32	0656	138	3013	47	3292	9
285B	32	660	50	3014	112	3300	130
288	31	673	137	3015	47	3307	128
288B	31	681	137	3016	47	3311	9
289	29	685	137	3017	115	3315	92
300	11	695	31	3022	129	3317	9
302	20	696	31	3029	129	3323	5
304	11	700	148	3038	140	3327	5

3328
3331
3332
3337
3338
3360
3353
3354
3358
3360
3361
3371
3391
3395
3413
3415
3419
3435
3443
3444
3445
3446
3448
3450
3451
3454
3456
3458
3487
3490
3497
3500
3503
3505
3507
3515
3520
3521
3528
3528A
3530
3532
3534
3535
3541
3562
3565
3567
3573
3580
3586
3587
3588
3596
3600
3612
3618
3618
3622
3623
3643
3644
3653
3655
3660
3664
3666
3668
3671
3673
3688

Numerical Index—continued.

No.	Page	No.	Page	No.	Page	No.	Page
3328	5	3689	95	4343	32, 35	4931	11
3331	112	3720	94	4339	116	4934	33, 36
3332	112	3728	73	4346	116	4942	33, 36
3337	126	3768	136	4349	91	4948	33, 37
3338	128	3773	33, 36	4350	32, 35	4949	33, 36
3350	130	3774	75	4353	117	4950	33, 36
3353	44	3780	73	4356	101	4951	33, 37
3354	138	3801	64	4361	117	4952	34
3358	120	3804	77	4367	25	4953	131
3360	120	3881	91	4378	74	4953 ₁	131
3361	138	3888	156	4380	55	4954	131
3371	5	3894	57	4383	55	4954 ₁	131
3391	97	3906	32, 35	4385	26	4956	26
3395	112	3910	34	4388	58	4961	136
3413	117	3915	33, 35	4390	11	4962	129
3415	117	3918	34	4393	117	4963	129
3419	43	3920	34	4394	57	4964	129
3435	100	3922	35	4396	119	4965	129
3443	124	3923	33, 35	4397	32, 35	4974	133
3444	124	3924	34	4398	117	4975	133
3445	124	3927	35	4400	24	4978	58
3446	130	3928	35	4405	76	4979	131
3448	43	3931	32, 35	4409	24	4979 ₁	131
3450	126	3932	32, 35	4436	10	4983	131
3451	95	3933	42	4502	3	4983 ₁	131
3454	95	3935	33	4505	34	4984	132
3456	45	3942	35	4540	37	4984 ₁	132
3458	10	3948	34	4587	91	4986	132
3487	138	3952	32, 35	4592	86	4986 ₁	132
3490	116	3963	112	4595	84	4995	30
3497	116	3968	57	4602	53	4998	30
3500	49	3988	51	4603	53	4999	30
3503	123	3989	54	4617	153	5004	68
3505	123	3996	36	4633	84	5005	68
3507	123	4003	115	4638	10	5007	105
3515	49	4004	52	4641	11	5008	55
3520	49	4028	25	4656	90	5015	134
3521	49	4031	115	4657	66	5029	4
3528	10	4044	101	4658	66	5030	4
3528A	10	4060	103	4659	66	5030 ₁	4-34
3530	49	4073	30	4678	90	5033	4
3532	49	4076	32, 35	4679	90	5034	29
3534	48	4082	51	4687	90	5035	5
3535	48	4088	20	4693	52	5036	5
3541	48	4093	20, 150	4695	90	5039	3
3562	114	4094	101	4696	37	5040	3
3565	43	4099	101	4697	33, 36	5044	29
3567	27	4122	10	4701	34	5045	29
3573	140	4136	137	4702	3	5046	36
3580	141	4159	25	4708	91	5077	29
3586	53	4169	25	4728	102	5105	29
3587	141	4182	56	4746	63	5106	29
3588	140	4193	136	4747	64	5108	102
3596	112	4230	100	4748	64	5111	102
3600	53	4234	100	4750	76	5123	101
3612	104	4250	49	4751	136	5173	105
3613	43	4257	119	4762	26	5174	105
3618	5	4262	117	4796	120	5190	105
3622	130	4268	153	4840	120	5199	105
3623	130	4271	24	4843	120	5200	67
3643	145	4272	60	4844	17	5204	67
3644	114	4275	35	4850	120	5215	140
3653	114	4278	117	4851	86	5221	68
3655	114	4282	24	4855	25	5228	78
3660	49	4289	116	4856	86	5239	45
3664	64	4306	56	4878	136	5253	45
3666	135	4312	58	4888	12	5271	53
3668	69	4321	50	4894	136	5272	71
3671	77	4323	91	4907	90	5276	53
3673	10	4330	115	4915	51	5300	41
3688	96	4337	115	4929	17	5302	70

Numerical Index—continued.

No.	Page	No.	Page	No.	Page	No.	Page	No.	Page
5305	40	5944	13	6707	7	9824	154	10119	
5314	32, 35	5946	12	6723	6	9825	154	10124	
5317	35	59461	12	6725	84	9827	32, 35	10126	
5341	41	59468	12	6730	106	9828	33, 37	10134	
5344	41	5946 $\frac{1}{2}$	12	6738	111	9829	33	10136	
5355	41	5947	12	6758	99	9832	37	10153	
5372	91	59471	12	6759	99	9835	10	10165	
5388	74	5947 $\frac{1}{2}$	12	6760	99	9836	118	10170	
5394	58	5950	13	6761	99	9837	95	10171	
5402	111	5954	13	6765	98	9844	104	10209	
5404	111	5955	13	6766	95	9846	104	10258	
5417	35	5956	39	6769	95	9861	74	10298	
5420	47	5976	38	6775	94	9865	79	10299	
5431	110	5976 $\frac{1}{2}$	38	6785	16	9865 $\frac{1}{2}$	79	10301	
5440	140	6033	117	6786	16	9866	122	10311	
5488	110	6038	41	6787	16	9868	122	10318	
5524	87	6039	41	6789	16	9878	75	10321	
5547	87	6051	64	6801	16	9882	134	10328	
5608	116	6057	11	6821	32	9883	134	10335	
5610	44	6064	41	6825	33, 36	9884	71	10401	
5614	156	6071	118	6826	33, 36	9900	54	10403	
5624	41	6089	6	6827	33, 36	9900 $\frac{1}{2}$	54	10404	
5625	41	6099	100	6833	55	9902	51	10406	
5634	40	6103	154	6835	84	9904	51	10408	
5644	55	6118	10	6836	26	9933	100	10414	
5650	41	6118 $\frac{1}{2}$	10	6839	26	9935	100	10415	
5652	78	6126	137	6859	127	9940	103	10416	
5653	78	6127	98	6864	55	9941	101	10419	
5655	47	6128	98	6865	56	9942	119	10420	
5657	70	6129	97	6879	10, 151	9949	27	10421	
5685	65	6130	97	6926	71	9950	149	10422	
5709	25	6136	103	6947	140	9951	150	10423	
5713	25	6145	66	6956	21	9952	150	10424	
5723	25	6176	136	6961	152	9955	151	10425	
5730	67	6192	108	6986	32	9958	156	10426	
5739	30	6197	116	6994	113	9967	105	10427	
5751	25	6219	68	7009	101	9970	105	10428	
5754	25	6238	10	7010	101	9976	113	10429	
5767	24	6285	8	8060	71	10009	60	10430	
5768	109	6290	115	8528	4	10022	135	10438	
5772	30	6301	103	8548	4	10023	62	10441	
5775	30	6304	63	8550	4	10026	55	10451	
5778	67	6308	91	9383	4	10027	62	10460	
5780	24	6321	142	9386	4	10034	55	10479	
5784	30	6323	141	9407 $\frac{1}{2}$	4	10035	56	10480	
5790	30	6326	27	9434	4	10044	103	10481	
5795	102	6529	135	9487	4	10046	103	10495	
5798	102	6533	16	9700	10	10055	66	10496	
5849	102	6541	135	9704	22, 23	10056	151	10504	
5856	34	6542	135	9729	90	10057	121	10505	
5857	101	6546	42, 156	9730	90	10058	121	10556	
5858	34	6549	108	9731	85	10062	135	10558	
5864	34	6558	86	9733	60	10063	135	10568	
5867	153	6582	108	9735	60	10067	121	10569	
5877	102	6589	110	9741	78	10068	121	10570	
5883	34	6600	68	9745	92	10070	105	10575	
5890	98	6620	68	9746	73	10071	104	10574	
5892	52	6622	68	9747	71	10074	62	10575	
5896	54	6628	45	9748	92	10075	60	10576	
5900	153	6630	45	9749	92	10078	97	10577	
5908	13	6636	45	9750	92	10079	97	10579	
5909	13	6638	45	9751	92	10086	115	10601	
5910	13	6684	15	9752	63	10087	115	10603	
5910S	13	6695	16	9778	11	10090	50	10605	
5927	67	6699	7	9801	109	10091	50	10606	
5935	13	6700	7	9814	148	10093	50	10608	
5935 $\frac{1}{2}$	13	6701	7	9816	146	10097	151	10609	
5936F	13	6702	7	9820	154	10106	27	10610	
5940	13	6703 $\frac{1}{2}$	7	9821	154	10107	28	10611	
5942	13	6704	7	9822	154	10115	63	10612	
5943	13	6706	7	9823	154	10116	63	10615	

Numerical Index—*continued.*

No.	Page	No.	Page	No.	Page	No.	Page
10119	62	10616	142	10925	156	11012	29
10124	120	10617	142	10928	156	11013	81
10126	120	10618	76	10929	80	11014	81
10134	113	10619	76	10930	80	11015	98
10136	27	10621	91	10931	80	11016	102
10153	21	10622	142	10933	85	11017	102
10165	115	10715	72	10934	66	11019	112
10170	76	10716	72	10935	105	11020	70
10171	76	10717	72	10936	61	11021	104
10209	47	10721	75	10937	53	11022	66
10258	10	10729	85	10938	53	11023	66
10298	21	10730	85	10939	53	11024	46
10299	21	10731	86	10940	53	11025	46
10301	139	10732	86	10941	53	11026	46
10311	17	10736	17	10942	65	11027	46
10318	10	10737	17	10945	156	11028	46
10321	21	10738	17	10946	156	11029	46
10328	18	10739	69	10949	64	11030	46
10335	5	10740	69	10950	63	11031	46
10401	23	10747	108	10951	114	11032	46
10403	32	10748	108	10952	85	11033	46
10404	32	10786	61	10953	63	11034	46
10406	149	10787	66	10954	88	11035	46
10408	149	10788	74	10955	88	11036	46
10414	72	10790	114	10956	88	11037	46
10415	72	10792	87	10957	88	11038	46
10416	72	10793	87	10958	88	11039	46
10419	73	10794	74	10959	88	11040	46
10420	73	10795	59	10960	89	11041	46
10421	134	10796	59	10961	89	11042	46
10422	134, 135	10845	108	10962	89	11043	82
10423	102	10850	62	10963	89	11044	82
10424	102	10851	74	10964	89	11045	83
10425	102	10855	88	10965	89	11046	83
10426	102	10856	88	10966	108	11047	83
10427	52	10857	88	10967	109	11048	83
10428	52	10859	88	10968	79	11050	80
10429	52	10860	88	10969	79	11051	156
10430	48	10861	88	10970	79	11052	143
10438	75	10877	57	10971	79	14001	121
10441	134	10880	104	10972	79	14002	17
10451	156	10881	38	10973	79	14003	17
10460	21	10882	38	10974	79, 80	14004	147
10479	153	10885	38	10975	79, 80	14005	25
10480	153	10886	38	10976	79, 80	14006	147
10481	153	10887	39	10977	61	14010	146
10497	110	10888	39	10978	70	14011	146
10498	106	10889	122	10979	65	14012	39
10504	39	10890	111	10980	59	14021	145
10505	156	10892	70	10981	42	14022	147
10556	21	10893	70	10984	134	14030	144
10558	110	10897	106	10985	134	14036	144
10568	100	10898	109	10987	134	14039	10
10569	21	10900	80	10988	134	14042	160
10570	73	10903	107	10991	85	14043	10
10573	48	10904	80	10992	59	14045	20
10574	21	10907	70	10993	75	14049	94
10575	48	10908	87	10994	75	14053	94
10576	54	10909	80	10995	105	14054	94
10577	54	10910	81	10996	106	14060	144
10579	110	10911	81	10999	81	14061	161
10601	54	10912	81	11000	80	14064	161
10603	29	10913	80	11001	80	14065	161
10605	104	10914	78	11002	80	14066	160
10606	26	10917	156	11003	98	14067	20
10608	96	10919	104	11004	65	14070	144
10609	21	10920	61	11005	65	14072	115
10610	111	10922	79	11006	61	14073	107
10611	111	10922 ¹	79	11007	61	14075	161
10612	105	10923	70	11008	61	14077	161
10615	28	10924	106	11010	79	14078	160

Numerical Index—continued.

No.	Page	No.	Page	No.	Page	No.	Page
14079	160	14307	145	16100	101	16185	148
14140	94	14308	145	16101	101	16186	8
14141	94	14309	144	16102	101	16187	8
14143	144	14310	144	16103	123	16190	68
14144	157	14311	144	16104	114	16191	68
14145	157	14312	144	16105	114	16195	48
14146	157	14313	115	16108	119	16197	100
14147	157	14318	122	16109	119	16198	99
14154	159	14319	108	16111	114	16199	20
14160	157	14320	146	16112	43	16200	104
14161	157	14323	108	16113	44	16210	42
14162	157	14324	160	16114	43	16211	9
14172	160	16000	44	16115	49	16212	41
14174	69	16001	44	16116	49	16213	41
14175	69	16028	140	16117	49	16214	8
14176	69	16029	114	16118	116	16215	3
14178	161	16030	114	16119	100	16215	3
14186	144, 147	16031	114	16120	101	16220	50
14187	144, 147	16032	114	16121	27	16221	94
14192	122	16033	114	16122	102	16222	45
14193	109	16034	114	16135	15	16228	16
14194	160	16041	44	16136	12	16316	114
14195	20	16042	11	16139	131	16327	126
14196	20	16045	112	16140	131	16336	124
14199	158	16047	40	16142	45	16337	125
14200	149	16048	40	16147	44	16340	7
14210	55, 158	16049	41	16148	44	16341	40
14211	43	16049	41	16149	44	16342	124
14212	43	16059	125	16151	44	16342	124
14213	55, 158	16060	129	16152	44	16343	125
14214	162	16061	130	16152	44	16343	125
14216	162	16062	128	16157	42	16344	128
14217	162	16063	129	16158	42	16344	128
14219	116	16064	128	16159	45	16345	40
14220-266	20	16066	125	16160	45	16346	41
14234-276	20	16067	125	16174	128	16365	40
14236	138	16068	125	16176	101	16372	130
14301	145	16069	128	16178	42	16389	30
14302	146	16070	40	16181	42	16390	116
14304	144	16071	40	16183	43		
14305	145	16072	41	16184	43		

Index—continued.

	Page
C	
Chains and Wheels, Bell	137
Chains, Curtain	25
Door	100
Chair Nails, fancy	4
Chandelier Chain	7
Check Springs	138
Chest Handles	49
China Cistern Pull	9
Door Knobs	68
Finger Plates	68
Furniture	68
Grip Handles	56
Cigar Ash Trays	140
Cistern Pull, China	9
Cleat Hooks	29, 30
Climax Patent Barrel Bolts	93
Clips, Carpet	37
Close Joint Cased Tube	1
Coat and Hat Hooks	100 to 103
Collars, Screw	3
Column Clamp	148
Combined Stay and Fastener	107
Connectors, Hose	139
Cord Holders	29, 30
Picture	6
Sash	119
Cornice Poles	12
Pole Fittings	11 to 25
Brackets	17 to 23
Ends	16
Rings	15
Counter Hinges	130
Measures	148
Cranks, Bell	137
Cup Hooks	3
Cupboard Bolts	96
Buttons	48
Hooks	100, 101
Knobs	44, 45
Turns	44, 45, 159
Cups for Screws	2
Cur End for Hand Rail	141
Curtain Bands	23, 24
Chain Hooks	25
Chains	25
Holders	24
Hooks	12, 13
Poles and Furniture	11 to 25
Rings	14
Rod Brackets	21 to 23
Ends	11, 12, 16
Rods	11 to 23
Cut, Gimp Pins	4

D	
D Brackets	29, 30
Desk Rails and Fittings	142, 143
Display Fixtures	151 to 155
Door Bolts	93 to 98
Chains	100
Curtain Rods	26, 27
Furniture Sets	68 to 83
Handles	56 to 65
Knobs, Centre	66
Knockers	90 to 92
Letters and Figures	67
Numbers	67
Plates	67

	Page
Door Rod Brackets	26, 27
Springs	131 to 133
Stays	112
Stops and Slams	92
Drapery Rails	27
Arms	152 to 154
Drawer Handles	49 to 56, 158
Lifts or Pulls	43, 44
Drawing Pins	4
Dresser Hooks	3
Driving Cranks	137
Drop Handles	50 to 54
Rings	119
Drops Sash	118
Drugget Pins	3

E	
Ebony Grip Door Handles	57
Electric Bell Pushes	134 to 136
Electric Light Switch Plates	134
Ends, Blind Roller	29, 30
Cornice Pole	16
Curtain Rod	20
Picture Rod	11, 12
Pulley	23
Push-on	12
Escutcheon Pins	4
Escutcheons	45
Tread	45
Espagnolette Bolts	113
Ess Hooks	6
Evered's Machine-made Stair Treads	37 to 39
Patent Adjustable Shoe	133
Patent Curtain Rod and Lath	
Brackets	23
Patent Looking Glass Move-	
ments	47
Patent Fanlight Openers	121
Patent Stair Rod Fastener	34
Registered Expanding Rod	
Fixing	19
Everite Mechanical and Turn Bells	160, 161
Expanding Rod Fixings	19
Extending Cornice Pole Bracket	17, 18
Wardrobe Rails	162
Eyes, Sash	116
Screw	5 and 34
Stair Rod	34 to 37
and Plates for Sashes	116
Eyelets, Sail	9

F	
Fancy Nails	4
Fanlight Adjustments	121 to 123
Catches	120
Cord	123
Openers	121 to 123
Fasteners, Casement	104 to 106
Sash	114
and Catches (Showcase)	156
Figures and Letters	67
Finger Plates, Brass	69 to 77
China	68
Fittings, Church	140
Floor Door Springs	133

Index—continued.

	Page		Page
F			
Flush Bolts ..	96	Hinges, Stop Butt ..	130
" Catches ..	42, 120	" Strap ..	128
" Handles ..	49	" Swing Door ..	131, 132
" Lifts ..	116	" Table and Tray ..	129
" Rings ..	120	" W.C. Seat ..	129
Frame Pulleys ..	119	Hit-and-Miss Ventilators ..	138
Frames, Card ..	43	Hitchman's Rising Portiere Rods ..	26
French Rod Ends and Hooks ..	23	Holdings, Card ..	43
" Window Bolts ..	113	" Cord ..	29, 30
Furniture, Bell ..	136 to 138	" Knot ..	29, 30
" Blind ..	29, 30	" Muslin Rod ..	20 to 23
" Lock ..	68 to 83	" Ticket ..	43
G		" Umbrella ..	140
Gate Pulls ..	136	Hodge's Patent Brackets ..	20
Gig Apron Knobs ..	5	" Showcase Fastener ..	156
Gilt Chair Nails ..	4	Hopkinson's Sash Fasteners ..	114
Gimp Pins ..	4	Hooks, Blind ..	29
Glass Grip Door Handles ..	56	" Cabin ..	112
" Movements ..	47	" Ceiling ..	8
" Plates ..	9	" Chain ..	6
" Shutter Knobs ..	45	" Cleat ..	29, 30
H		" Coat ..	100 to 103
Hall Door Bolts ..	93 to 95	" Cupboard ..	100, 101
" Furniture ..	66 to 91	" Cup and Jug ..	3
" Knobs ..	66	" Curtain ..	12, 13
Handles, Cabinet ..	50 to 54	" Curtain Chain ..	25
" Chest ..	49	" Dresser ..	3
" Door ..	56 to 65	" French Rods and Ends ..	23
" Drawer ..	49 to 56, 158	" Hat and Coat ..	100 to 103
" Drop ..	50 to 54	" Lamp ..	8
" Flush ..	49	" Long Arm ..	117
" Latch ..	57, 63 to 65	" Mantle ..	151
" Lever Lock ..	78 to 81	" Moulding ..	10
" Postal ..	84 to 89	Hooks, Picture Frame ..	6 and 10
" Sash Bar ..	55 to 56	" Rod ..	10
" Swing Door ..	57 to 64	" and Plates, Sash Chain ..	119
" Tray ..	48	" Pulley Rod ..	23
Handrail Brackets ..	141	" Ruler ..	3
Hasps and Staples ..	99	" S ..	6
Hat and Coat Hooks ..	100 to 103	" Sash Stick ..	117
" Rail Brackets ..	141	" Screw ..	3
Helical Springs and Hinges ..	131, 132	" Side ..	5
Hinged Stair Eyes ..	34 to 37	" Square ..	3
Hinges, Various ..	124 to 130	" Swivel ..	101
" Back Flap ..	128	" Tassel ..	25
" Card Table ..	129	" Venetian Blind ..	29, 30
" Centre ..	130	" Wall ..	9
" Counter ..	130	" Wardrobe ..	100, 101
" Desk ..	128	Hose-Fixing, " Tourniquet ..	139
" Evered's Solid Machine-Made ..	124 to 126, 128, 130	House Bells ..	138
" Hasp and Staple ..	99	I	
" Helical Spring ..	131, 132	India-rubber Tyre Castors ..	40, 41
" Lift-off ..	130	Indicating Bolts ..	98
" Lock Joint ..	125	Iron Pans for Umbrella Holders ..	140
" Parliament ..	130	Iron Wood Screws ..	2
" Projecting Butt ..	127	J	
" Pianoforte ..	131	Jack Chain ..	8
" Reflex ..	128	Jackson's Patent Hose Fixing ..	139
" Rising or Skew ..	127	Joints, Bay Pole ..	11
" Screen ..	129	" Picture Rod ..	11
" Seat ..	128, 129	" Stay ..	97
" Steel Washered ..	126, 127	K	
		Kicking Plates ..	66
		Knobs, Apron ..	5
		" Bedstead ..	8
		" Cupboard ..	44, 45
		" Door, Centre ..	66

Index—continued.

	Page		Page
K			
Knobs, Rail	8	Openers, Fanlight	121 to 123
" Sash	5	" Sash	118
" Shutter	44, 45	Outside Blind Furniture	29, 30
Knockers, Door	90 to 92	" Door Furniture	66, 81 to 91
Knot Holders	29	Oven Ventilators	138
L		P	
Label Plates for Doors	67	Pans, Umbrella	140
Lamp Hooks	8	Parliament Hinge	130
Latch Escutcheons	45	Pedestal Handles	50 to 54
" Handles	57, 63 to 65	Pew Card Frames	43
Latches, Bale's	42	" Umbrella Holders	140
" Lavatory Bolt	98	Picture Chain and Hooks	6, 8
Lavatory Bolts	98	" Cord	6
Lazy Pulley	24	" Hooks	6, 9, 10
Leader Cranks	137	" Rings	5
Letter Box Plates	84 to 89	" Rod Brackets	10
Letters and Numbers for Doors	67	" " Ends	11, 12
Lever Flush Bolt	96	" " Furniture	9 to 11
" Lock Handles	68 to 81	" " Joints	11
Levers, Bell	136	" Wall Hooks	9
Lift-off Hinges	130	" Wire	6
Lifts for Sashes	115	Pillar Cranks	137
Linoleum Plates	37	Pins and Sockets, Carpet	3
Lock Escutcheons	45	" Curtain	12, 13
" Furniture, Brass	68 to 83	" Drawing	4
" " China	68	" Dragget	3
" Handles	68 to 81	" Escutcheon	4
" Joint Hinges	125	" Gimp	4
Lock Plates	77	" Stair Eye	34
" Sets	79 to 83	Pivots, Sash	117
" " Wardrobe	46	Plate Rings	5
Locking Bars	99	Plates, Carpet	37
Long Arm Hooks	117	" Door	68 to 77
Looking Glass Movements	47	" Finger	68 to 77
" " Plates	9	" Glass	9
M		" Kicking	66
Machine-made Butts	124 to 126, 128, 130	" Letter Box	84 to 89
" " Spring Bolts	97	" Linoleum	37
Mantle Hook	151	" Lock	77
Meaking's Sash Opener and Fastener	118	" Looking Glass	9
Measures, Counter	148	" Number	67
Mechanical Bells	136, 137, 160, 161	" Oil Cloth	37
Mortise Cranks	137	" Sill	38, 39
" Lock Furniture	68 to 83	Plugs, Spring	11
Moulding Hooks for Pictures	10	Poles, Brackets, Rings and Ends	11 to 23
Movements, Looking Glass	47	" Joints for	11
Music Hall Ash Trays	140	" Cornice	12
Muslin Bands	23	Portiere Rod Brackets	26
" Rod Brackets	20 to 23	" Rods and Arms	26, 27
" Rod End	22	Postal Door Handles and Knockers	84 to 89
N		Preston's Openers	123
Nails, various	4, 5	Projecting Butts	127
" Brass Headed	5	Pulley Brackets	20 to 23
" Carpet	3	" Pole Ring	15
" Chair	4	" Rings	15
" Fancy	4	" Rods, Hooks and Ends	23
Nosing, Stair	38, 39	" Axle	119
Number Plates	67	" Curtain Rod Brackets	20 to 23
Numbers and Letters for Doors, etc.	67	" Frame	119
O		" Lazy	24
Oil Cloth Plates	37	" Rack	30
One-cord Blind Furniture	29, 30	" Screw	24
		" Side	24
		" Upright	24
		Pulls, Bell	136, 137
		" Drawer	43, 44
		" Gate	136
		Purchase Cranks	137

Index—continued.

x

P	Page
Push Bell, Everite	161
Push-on Ends	12
Pushes, Bell	135, 136

R	Page
Rack Pulleys, All Kinds	30
Rail Brackets	141
Knobs	8
and Shelf Suspenders	155
Rails, Umbrella	140
Desk, etc.	142, 143
Towel	27, 28
Rims, Castor	41
Ring Lifts	115, 119, 120
Rings, Castor	41
Cornice Pole	15
Curtain	14
Drop and Flush	119, 120
Picture	5
Plate and Screw	5
Pulley	15
Screw	5
Rising or Skew Butts	127
Portiere Rods	26
Rod Brackets	20 to 23
Ends	11, 12
Eyes, Stair	34 to 37
Fittings, Expanding	19
Rods, Curtain	20 to 23
Portiere	26
Rising Portiere	26
Stair	31 to 33
Roller Blind Furniture	29, 30
Ends, Blind	29, 30
Rollers, Sash and Frame	117
Roses, Lamp Hook	8
Rubber-tyred Castors	40, 41
Runner and Track	157


S	Page
S Hooks	6
Sail Eyelets	9
Sash Bar, Slotted	144
Centres and Studs	117
Chain	119
Cord	119
Drops	118
Eyes and Plate	116
Fasteners	114, 118
Bar Handles	55, 56
Hooks and Plates	119
Knobs	5
Lifts	115, 116
Opener	118
Pivots	117
Rollers	117
Screws	117
Sockets	144 to 146, 149
Stick Hooks	117
Stops	117, 118
Screen Hinges	129
Screw Castors	40
Collars or Cups	3
Eyes	5

S	Page
Screw Hooks	3
Pulleys	24
Rings	5
Screws	2
Sash	117
Shutter	117
Wood	2
Secret Axle Pulleys	119
Seat Hinges	128, 129
Shelf and Rail Suspenders	155
Shelf Brackets	28, 144 to 147, 158
Strips and Studs	47
Ship Bolts	95
Shop Window Fittings	144 to 156
Showcase Fasteners and Catches	156
Shutter Bars	99
Knobs	44, 45
Lifts	119
Rings	119
Screws	117
Side Hooks and Eyes	5
Pulleys	24
Sill Plates	38, 39
Single Cord Blind Furniture	29, 30
Skew Butts	127
Skylight Opener	121 to 123
Sliding Hooks	10
Sockets	149
Slides, Bell	137
Slotted Sash Bar	144
" " " T	146, 147
Smith's Floor Springs	133
Socket Bolts	93 to 95
Castors	41
Sockets, Carpet Pins and	3
Sash	144 to 146, 149
Window	150
Solid Stair Rods	31, 32
Spring Joints	11
Leader Cranks, Bell	137
Plugs	11
Springs for Bells	138
Doors	131 to 133
Square Hooks	3
Stair Eye Pins	34
Nosing	38, 39
Plates	38, 39
Rod Eyes	34 to 37
Rods	31 to 33
Treads	38, 39
Staples, Hasps and	99
Stays, Casement	107 to 111
Joint	97
Window and Door	112
Steel Washered Butts	126
Step Tread	38, 39
Stop Butts	130
Stops, Door	92
Sash	117, 118
Stops or Slams for Doors	92
Strap Hinges	128
Sunk Bell Pulls	136
Suspenders, Picture	10
Shelf	155
Swing Door Hinges	131, 133
Handles	56 to 64
Swinging Curtain Rods	27
Swivel Wardrobe Hooks	101

Index—continued.

	Page		Page
T		W	
T-Slotted Sash Bar	146, 147	Wall Picture Hooks	9, 10
Table Bell	159	Wardrobe Handles	49, 50 to 54
Table Hinges	129	Hooks	100, 101
Tassel Hooks	25	Lock Sets	46
Telescopic Casement Stays	108	Extending Rails	162
Ticket Holders	43	Water Closet Bolt	98
"Tourniquet" Hose Fixing	139	Seat Hinge	128 to 129
Towel Rails and Brackets	27, 28	Welded Steel Shelf Bracket	158
Track and Runner	157	Wheel and Chain Cranks	137
Tray Handles	48	Window Bolts, French	113
Trays, Ash	140	Brackets	144 to 148
for Music Halls	140	Sockets	149, 150
Treads, Stair	38, 39	Stays	105 to 112
Tubes, Lacquered Brass	12	Wire Gimp Pins	4
Cased	1	Picture	6
Turn Bells	160	Wood Screws	2
Turnbuttons	48		
Turnover Cranks	137		
Turns, Cupboard	44, 45, 159	Y	
		Young's Cord Holders	29, 30
U			
Umbrella Holders	140		
Pans	140		
Upright Pulleys	24		
V			
Valance Rod Bracket	21		
Vases, Bedstead	8		
Venetian Blind Cord Holders	29, 30		
Hooks	29, 30		
Ventilators	138		
Vestibule Door Sets	82, 83		

EVERED'S BEST QUALITY BRASS CASED TUBE.




LIST PRICES, PER FOOT.

Nearest equivalents in m/m	7	8	10	11	13	16	19	22	26	29	32	35	38	45	51	m/m
Diameter	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	Inch.
Pol'd & Lac'd	5½d.	5½d.	5½d.	6d.	6d.	6¾d.	8½d.	10d.	1/-	1/2	1/4	1/7	1/9	2/4	3/-	%
Rough	4½d.	4½d.	4½d.	4½d.	4½d.	5½d.	6½d.	8d.	9d.	10½d.	1/0½	1/2½	1/4½	1/10	2/4	%

Nearest equivalents in m/m	10	13	16	19	22	26	29	32	35	38	45	51	m/m
Diameter	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	Inch.
Polishing only Extra to Rough	3/9	3/9	4/6	5/3	6/-	7/6	9/-	9/-	12/-	12/-	17/3	23/3	Gross ft. Nett.
Joints	—	—	8d.	10d.	1/-	1/-	—	1/4	—	1/8	—	2/-	ea. nett.

EVERED'S CLOSE JOINT BRASS CASED TUBE.



LIST PRICES, PER FOOT.

Nearest equivalents in m/m	10	13	16	19	22	26	m/m.
Diameter	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	Inch.
Polished & Lacquered	5½d.	6d.	6¾d.	8½d.	10d.	1/-	%

CUTTING. Lengths of 10in. and under, 10% extra. Lengths over 10in. no extra.

Prices vary without notice.

WOOD SCREWS (Nettlefolds).

Size.	1 to 4	5	6	7	8	9	10	12	14	16
$\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$ in.	8d.	9d.	9d.	11d.	1/-	1/1	—	—	—	—
$\frac{5}{8}$ in.	9d.	10d.	11d.	1/-	1/1	1/2	1/3	1/5	—	—
$\frac{3}{4}$ in.	10d.	11d.	1/-	1/1	1/1 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/3	1/5 $\frac{1}{2}$	—	—
$\frac{7}{8}$, 1 in.	1/0 $\frac{1}{2}$	1/1	1/1 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/3	1/3 $\frac{1}{2}$	1/4 $\frac{1}{2}$	1/7 $\frac{1}{2}$	—	—
1 $\frac{1}{4}$ in.	—	1/3 $\frac{1}{2}$	1/4	1/5	1/5 $\frac{1}{2}$	1/6 $\frac{1}{2}$	1/7 $\frac{1}{2}$	1/11	2/4	3/-
1 $\frac{1}{2}$ in.	—	—	1/6	1/6 $\frac{1}{2}$	1/7 $\frac{1}{2}$	1/8 $\frac{1}{2}$	1/9	2/1	2/8	3/4
1 $\frac{3}{4}$ in.	—	—	—	1/10 $\frac{1}{2}$	1/11	1/11 $\frac{1}{2}$	2/-	2/4	3/-	—
2 in.	—	—	—	—	2/-	2/1	2/2	2/8	3/4	4/-
2 $\frac{1}{4}$ in.	—	—	—	—	—	2/5	2/6	3/-	3/8	4/5
2 $\frac{1}{2}$ in.	—	—	—	—	—	—	2/8	3/4	4/-	4/9
3 in.	—	—	—	—	—	—	—	4/-	4/9	5/10

Priced per Gross.

Special Discounts



IRON

(Countersunk).

All Countersunk
Screws are
measured Over
Head.

Intermediate sizes
supplied.

Size.	1 to 4	5	6	7	8	9	10	12	14
$\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$ in.	1/6	1/7	1/9	2/-	2/3	—	—	—	—
$\frac{5}{8}$ in.	1/8	1/10	2/-	2/3	2/5	—	—	—	—
$\frac{3}{4}$ in.	1/10	2/-	2/3	2/6	2/8	3/-	3/4	4/4	—
$\frac{7}{8}$, 1 in.	—	—	2/9	3/-	3/4	3/8	4/1	5/-	—
1 $\frac{1}{4}$ in.	—	—	3/3	3/7	4/-	4/5	4/11	6/-	—
1 $\frac{1}{2}$ in.	—	—	4/-	4/4	4/8	5/2	5/9	7/-	8/7
2 in.	—	—	—	—	6/3	6/9	7/5	9/-	10/11

BRASS

(Countersunk)

Size.	1 to 4	6	8	10	12	14	16
$\frac{1}{2}$ in.	10d.	1/-	1/2	1/4	—	—	—
$\frac{5}{8}$ in.	11d.	1/-	1/2	1/5	—	—	—
$\frac{3}{4}$ in.	1/-	1/2	1/4	1/7	—	—	—
1 in.	—	1/5	1/7	1/9	2/1	—	—
1 $\frac{1}{4}$ in.	—	—	1/9	1/11	2/4	3/-	3/8
1 $\frac{1}{2}$ in.	—	—	1/11	2/2	2/8	3/4	4/-
1 $\frac{3}{4}$ in.	—	—	2/1	2/4	3/-	3/8	4/5
2 in.	—	—	—	2/8	3/4	4/-	4/9



IRON

(Round Head).

All Roundhead
Screws are
measured from
Under Head.

Intermediate sizes
supplied.

Size.	1 to 2	3	4	5	6	7	8	10	12
$\frac{5}{8}$ in.	1/7	1/7	1/7	1/9	2/-	2/3	—	—	—
$\frac{3}{4}$ in.	1/10	1/10	1/10	2/-	2/3	2/5	2/8	—	—
$\frac{7}{8}$ in.	—	—	2/-	2/3	2/6	2/8	3/-	—	—
1 in.	—	—	2/6	2/9	3/-	3/4	3/8	4/6	5/7
1 $\frac{1}{4}$ in.	—	—	—	—	3/7	4/-	4/5	5/5	6/8

BRASS

(Round Head).



$\frac{1}{4}$ in.
 $\frac{3}{8}$ in.
1 in.

R 37
R 37
R 37
R 37
R 37



SCREW CUPS.

	16215	16215 $\frac{1}{2}$
	From Brass Bar.	Pressed.
No. 6	4/6	2/3
" 7	5/-	2/6
" 8	5/6	2/9
" 9	6/6	3/-
" 10	7/-	3/3
" 12	7/6	4/6
	gross.	



IMPROVED CARPET PIN AND SOCKET.

4702		
2in.	...	22/- gross.
Pins only	...	17/- gross.

Covered Head.

DRUGGET PINS.

Patent Rivet Head.



Steel Spike.

4502

$\frac{1}{4}$ in.	...	2/6 gross.
$\frac{3}{8}$ in.	...	2/8 "
$\frac{1}{2}$ in.	...	4/- "



Brass Head,
Wire Spike.

5040

$\frac{1}{4}$ in.	...	2/4 gross.
$\frac{3}{8}$ in.	...	2/8 "
$\frac{1}{2}$ in.	...	3/8 "



Solid Brass Head,
Steel Spike.

5039

$\frac{1}{4}$ in.	...	3/8 gross.
$\frac{3}{8}$ in.	...	4/3 "
$\frac{1}{2}$ in.	...	5/6 "
1 or 1 $\frac{1}{4}$ in. Pins, 9d. extra.		
Ant. Copper, 1/- "		

SHOULDERED RULER, CUP AND SQUARE HOOKS.

Brass is R 375, R 376, R 377

Electro Brassed is R 375 $\frac{1}{2}$, R 377 $\frac{1}{2}$

Measured as indicated.



R 376

A

$\frac{3}{4}$ in.

V



R 375

A

$\frac{3}{4}$ in.

V



R 377

A

$\frac{3}{4}$ in.

V

	$\frac{1}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$ in.	
R 375 Brass	8/2	9/-	10/-	13/-	15/9	20/8	22/6	26/-	gross.
R 376 "	8/2	9/-	10/-	13/-	15/9	20/8	22/6	26	"
R 377 "	5/10	7/2	9/6	10/10	14/6	15/4	20/3	21/6	"
R 375 $\frac{1}{2}$ Electro Brassed	4/-	4/6	5/-	5/6	6/6	7/6	8/-	9/-	"
R 377 $\frac{1}{2}$ " "	—	4/6	5/-	5/6	6/6	7/6	8/-	9/-	"

ESCUTCHEON PINS.

Brass.
5030 $\frac{1}{2}$ in. 2/6
 $\frac{3}{4}$ in. 2/6
1 in. 2/6 lb.

Brassed Steel.

5030 $\frac{1}{2}$ in. 11d.
 $\frac{3}{4}$ in. 11d.
1 in. 11d. lb.

GIMP PINS.



Wire

Black. 1 8 lb.
Brass. 3 lb.**5029** $\frac{1}{2}$ in.Cut.
1 6 lb.

GILT CHAIR NAILS.

Per Thousand.

**100**

Pol'd. 7/-

A.C. 8/-

**8**

7/6

8/6

**10**

7/6

8/6

**12**

8/-

9/-

DRAWING PIN.

**5033** $\frac{1}{2}$ in. 3/- $\frac{3}{4}$ in. 3/3

gross.

BRASS FANCY NAILS.

Per Gross.

**9407** $\frac{1}{2}$ in. 4/-
 $\frac{3}{4}$ in. 4/6
1 in. 5/-**8548** $\frac{1}{2}$ in. 4/6
 $\frac{3}{4}$ in. 5/-
1 in. 6/-**R 1617** $\frac{1}{2}$ in. 4/6**8550** $\frac{1}{2}$ in. 4/6
 $\frac{3}{4}$ in. 5/-**8528** $\frac{1}{2}$ in. 4/6
 $\frac{3}{4}$ in. 5/-**36** $\frac{1}{2}$ in. 4/3
 $\frac{3}{4}$ in. 4/6
1 in. 5/9**42** $\frac{1}{2}$ in. 4/6
 $\frac{3}{4}$ in. 5/9
1 in. 8/6**59** $\frac{1}{2}$ in. 4/6
 $\frac{3}{4}$ in. 5/9
1 in. 8/6**48** $\frac{1}{2}$ in. 4/3
 $\frac{3}{4}$ in. 4/6
1 in. 5/9
1 1/4 in. 8/6**9383** $\frac{1}{2}$ in. 6/-
 $\frac{3}{4}$ in. 7/-
1 in. 9/-**9386** $\frac{1}{2}$ in. 6/-
 $\frac{3}{4}$ in. 7/-
1 in. 9/-**9434** $\frac{1}{2}$ in. 6/-
 $\frac{3}{4}$ in. 7/-
1 in. 9/-**9487** $\frac{1}{2}$ in. 6/-
 $\frac{3}{4}$ in. 7/-
1 in. 9/-

BRASS SCREW EYES.



R 521

Per gross.

1	2	3
1/9	2/-	2/9
4	5	6
3/9	4/10	6/3



PLATE RING.

3323 Per gross.

$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{4}$ in.
17/4	21/-	24/10	38/10



Per gross.

BRASS SCREW RINGS.

3282 Light.

in.	...	4/9
in.	...	5/-
in.	...	6/3
in.	...	7/2

3283 Medium.

$\frac{1}{2}$ in.	...	6/-
$\frac{3}{4}$ in.	...	7/4
$\frac{1}{2}$ in.	...	9/3
1 in.	...	12/-
1 in.	...	15/3

3284 Strong.

$\frac{1}{2}$ in.	...	7/4
$\frac{3}{4}$ in.	...	11/2
$\frac{1}{2}$ in.	...	13/6
$\frac{3}{4}$ in.	...	18/6
1 in.	...	23/-
1 $\frac{1}{4}$ in.	...	32/6
1 $\frac{1}{2}$ in.	...	47/6



BRASS HEAD NAILS.

Special Discounts.

Per gross.

	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{2}$	3 in.
5035 Wrought Spike, Solid Head, Burnished	—	—	2/2	2/5	2/9	4/-	5/6
5036 Best Quality, Wire Spike, Covered Head	1/8	1/10	2/2	2/5	2/9	4/-	5/6
5036 Second Quality, ditto	1/8	1/10	2/2	2/5	2/9	4/-	5/6

BRASS SIDE HOOKS AND EYES.

GIG APRON KNOB.



3618

$\frac{3}{4}$	$\frac{1}{2}$	$\frac{5}{8}$ in.
10/-	12/-	18/-

gross.



3327 Pressed.

$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2 in.
10/-	12/-	14/-	16/-	30/-

gross pairs.



3328 Cast.

1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{2}$	3 in.
36/-	44/-	54/-	78/-	110/-

gross pairs.

CAST SASH OR APRON KNOB.



3280

$\frac{3}{4}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{1}{2}$ in.
7/6	8/6	14/-	22/-

gross.

SASH OR APRON KNOB.

Brass, Machine Burnished.



10335

$\frac{3}{4}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{1}{2}$ in.
8/6	12/-	16/-	21/-

gross.

Complete with Brass Screws to fix.

CADDEE BALLS.








3371

$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$ in.
9/6	11/-	13/-
$\frac{3}{4}$	$\frac{7}{8}$	1 in.
17/-	22/-	26/-

gross.

PICTURE CORD Per 100 Feet.

First Quality, Gilt or Silvered.
Second Quality, Lacquered Brass.

					
First Quality	1	2	3	3½	4
	3 6	7 6	12 6	16 6	21
Second Quality	1 6	2 6	4	8	10

* Special Discounts.



BRASS WIRE ESS HOOKS.

6723 Per gross.

	½	1	1½	1½	1½	2in.
10 W.G.	—	5	—	7	8	10
12 W.G.	—	4	4 6	4 9	5 3	—
14 W.G.	2 4	2 6	—	—	—	—

PICTURE HOOKS AND LINKS.

Per gross.



57
12/-



No. 2
1½in. Hook,
10/-
No. 3
1½in. Hook,
9/-




6089
Cast, 2½in.
33/-



150
1½in. Hook,
24/-

"AUBO-BRONZE" PICTURE CORD.

Absolutely Unaffected by Damp. Marvellous Strength and Flexibility.



	5	6	7	8	9	10	11
For Pictures up to	25	45	55	75	120	250	350 lbs.
Breaking Strain	63	105	120	196	294	600	875 lbs.
Per 100 Feet	3 6	5	8 6	12/-	20/-	35	60/-

Silvered same price. Special Discount.

The Leading Metallurgical Experts of the day report as follows:—

"The addition favourably influences the quality of the metal to a marked extent. The alloy formed is malleable and ductile, withstands a very great tensile strain, and resists the corrosive action of both water and the atmosphere.

The metal pre-eminently for the manufacture of wire ropes and cords."

Supplied in 100, 50 and 25 feet Coils. Stronger than Steel; softer than Copper. No Special Fasteners or Tools required. Can be securely tied in any knot, and cut with ordinary scissors. Permanent rich gold colour.

BYE PASS
CHAIN.



R 983

4

1/8

CHANDELIER AND PICTURE
CHAIN.

Full Size.



6699

4/6

5/4



6700

5/6

6/4



6701

7/-

8/-



6702

8/-

9/9



6703 1/2

14/6

16/4



6704

22/-

24/-

Dipped Brass.

Antique Copper.

Per Dozen Yards.

ROUNDED LINK CHAIN.



6706

18



6707

21/-

dozen yards.

BRAZED BRASS OVAL LINK CHAIN.



16340

	Polished	Ant. Coppered	Ant. Silvered
2 in. x 17 S.W.G.	9/-	10/3	13/-
1 1/2 in. x 15 "	8/-	9/6	13/-
1 1/4 in. x 14 "	7/3	9/4	12/-
1 1/4 in. x 14 "	7/-	8/4	11/-
1 1/4 in. x 13 "	8/8	10/2	13/6
1 1/4 in. x 13 "	8/4	10/2	13/2
1 1/4 in. x 12 "	11/6	13/-	16/2
1 1/4 in. x 12 "	11/-	12/6	16/-
1 1/4 in. x 11 "	13/-	14/6	18/-
1 1/4 in. x 10 "	17/-	19/-	22/-
1 in. x 10 "	15/-	17/-	20/-
1 1/4 in. x 10 "	15/-	17/-	20/-
1 1/4 in. x 9 "	18/-	20/-	24/-

dozen yards.

Other Gauges and Sizes to order. Prices on application.

IRON AND BRASS JACK CHAIN.*

Double
Link.Single
Link.

Dozen Yards.*




No. W.G.	Single. Iron.	Brass.	Double. Iron.	Brass.
8	3/9	17/-	4/4	27/6
9	2/7½	14/-	3/10	24/6
10	2/4½	11/6	3/4	19/-
11	2/1½	9/-	2/9	15/-
12	1/10½	7/-	2/5	12/6
13	1/7½	5/4	2/2	10/-
14	1/6	4/4	1/10	7/3
15	1/4½	3/6	1/7	5/7
16	1/3	3/-	1/6	4/7
17	1/2½	2 1/4	1/4	3/7
18	1/1½	2 1/4	1/3	3/2

*Special Discounts.

PICTURE CHAIN.

Dozen Yards.



RAIL KNOBS.



16214

2	1/2	3/16	1/8	1/4 in.
7/-	8/-	9/-	15/-	27/-

gross.

No. 1 (Full Size).

Bright Antique
Brass 15/- Copper 18/-

No. 2 (1in. Link).

Bright Antique
Brass 10/6 Copper 13/-

No. 3 (3/4in. Link).

Bright Antique
Brass 9/6 Copper 11/6

BED KNOBS.



Cast Neck.

16187

1½	2	2½	2½ in.
8/-	9/-	11/-	15/-

dozen.



16186

1½	1½	2	2½	2½ in.
3/9	4/3	5/-	6/6	8/3

dozen.

LAMP HOOKS AND ROSE.



3258

1 in.	2/6
1½ in.	2/9
1¾ in.	4/-
2 in.	7/-
2½ in.	12/-

dozen.



6285

1½ in.	5/-
2 in.	6/6
2½ in.	8/-
2¾ in.	11/6
3 in.	17/-

dozen.



124


Rose for

3258

1½	2	2½	3 in.
10/-	12/-	20/-	30/-

gross.

GLASS PLATES.



3292 Pressed

4	1	1 1/4	1 1/2	1 3/4	2	2 1/2 in.
8	8	8	8	8	8	8
22	22	19	19	16	16	14 S.W.G.
3/8	4/4	6/4	8/-	14/-	16/6	29/- gross.
3311 Cast						
	1 1/4	1 1/2	1 3/4	2	2 1/2 in.	
	16/-	22/-	28/-	38/-	48/-	gross.



< 1 1/2 in. >

3317

1 x 22 S.W.G.

4/3 gross.

1 1/4 x 19 S.W.G.

6/6 gross.

1 1/2 x 19 S.W.G.

8/3 gross.

EYELETS AND RINGS.



R 333

Outside.						
3/16	1/8	1/8	1/8	1	1 1/2	1 3/4 in.
Inside when closed.						
3/16	3/16	1/8	1/8	1/8	3/8	1/2 in.
1/9	2/6	3/4	5/6	6/6	7/6	12/- gross.

EVERED'S PATENT "BARNACLE" WALL HOOK.

Fixed to Wall.



957

This Hook is designed to permit the fixing pin entering the hook and piercing the plaster at an angle of about 30°, ensuring maximum carrying power and minimum interference with wall paper or plaster. The pin is readily withdrawn if necessary, leaving only a sharp clean hole, which is practically invisible after removal of hook; damage to plaster occasioned by pins ordinarily in use is entirely avoided.

Does not break the Paper.



Boxed in 13 dozens.

1 dozen carded as shown, and 12 one dozen boxes.

13/- 13 dozen.

CHINA CISTERN PULL.



16211

18/- dozen.

BRASS PICTURE SUSPENDERS, MOULDING HOOKS, ROD HOOKS AND BRACKET.

Per Gross.

**R 2154**

Brass. C.B. & R.
14/- 12/-

**R 2149**

Brass.
1 1/2 in. 20/-
14 17/-
C.B. & R. 11 13/-

**R 2150**

Brass. C.B. & R.
20/- 14/-

**R 2151**

Brass. C.B. & R.
18/- 14/-

**9835**

Machine Burnished,
10 6



Extra for A.C. on any
Brass Moulding Hook 4/- gross.



Dipped.

Complete with Pins.

6238 1 1/2 in. ... 4/4
6118 1/2 1 1/2 in. ... 6/-
6118 2 1/2 in. ... 7/-



Brass, 3/4 in.

3673 ... 15/- 4 1/2 lbs.

9700 Steel Brased.
9/- 3 1/2 lb.

9700 Steel Oxydised.
Copper 10/- 3 1/2 lbs.


Brass.	3/4 in.	Wt.
14043	10 6	3 1/2 lbs.
3458	15 9	4 1/2 lbs.
3528	20/-	6 1/2 lbs.
14039	24/-	8 lbs.
10318	30/-	9 1/2 lbs.
10318	1 in. 40/-	10 1/2 lbs.

10258 1 in.

Steel Brased ... 6/6
Oxydised Copper ... 8/6

Weight, 3 1/2 lbs.

Aluminium.

3528 A 16 W.G. 21/-**4122**

Burnished, Stamped Rose,
Plate Unscrew.

6/9	7/6	9/3	1 1/4 in.	1 1/2 in.
6/9	7/6	9/3	12/-	15/-

dozen.

**341**

Cast, Polished.

3/4	1	1 1/4	1 1/2 in.
2/9	3/3	5/3	9/- 11/6

dozen.

**6879**

Mantle Hook.

3/4	1	1 in.
4/-	4/6	7/-

dozen.

**4436**

Cast, Polished.

3/4	1	1 in.
2/-	2/3	2/9 4/-

dozen.

**4638**

Cast, Polished.

3/4	1	1 in.
3/-	3/9	4/9


dozen.

POLE JOINTS.

**6057**

Cast, Polished.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	lin.
10/6	13/6	18/-	24/-	39/-
dozen.				


**16042**

Pressed.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	lin.
5/6	6/-	7/-	9/-	
dozen.				

POLISHED JOINT FOR CASED RODS.

To fix with Spring Plugs.

**9778**

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	lin.
4/6	4/9	6/3	6/6	6/9
dozen.				

BRASS ROD ENDS.

**4931**

Polished.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	lin.
6/-	6/9	8/-	10/-	12/-
dozen.				

**4390**

Polished.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	lin.
8/-	9/-	11/-	13/-	16/-
dozen.				

**4641**

Pressed, Polished.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	lin.
10/-	11/-	13/-	15/-	
dozen.				

300

Cast and Polished.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	lin.
6/-	6/9	11/-	—	16/6
dozen.				

All these Rod Ends are fitted with Spring Plug Adapters, as illustrated on **4931**, unless otherwise ordered. The advantages of this Plug Adapter are: It adapts itself to the variations in the internal size of cased tube, which the old brass plug did not. It can be pushed into the tube with ease and is perfectly firm when pushed into position.

**304**

Cast, Polished.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	lin.
7/10	10/6	14/-	19/4
dozen.			

**310**

Cast, Burnished. China Ball.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$1\frac{1}{2}$ lin.
9/6	10/-	13/3	17/-	24/-
dozen.				

**321**

Cast, Polished.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	lin.
5/6	7/6	10/-	14/-
dozen.			

BRASS ROD ENDS.



Slip-on-End.

R 1949

Polished.

$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1 in.	
1/4	5/-	5/3	6/6	8/- doz. pairs.

Antique Coppered.

$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1 in.	
5/6	6/6	6/6	8/6	11/- " "

POLISHED AND LACQUERED BRASS TUBE.



Plain Round Tube. (19 S.W.G.)

Prices per dozen feet in 12 foot lengths, approximate.

Diameter	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	1 1/4	1 1/2	2 in.
Plain Tube Polished and Lacquered	7/-	7/6	9/6	12/-	14/-	15/6	19/6	24/- 39/-

If cut to dead length, extra prices charged.

POLISHED BRASS POLES.

Per dozen feet.



Ring 993* > ⊙

⊙ < Ring 990*

All Brass Pole, 4888

1	1 1/4	1 1/2	1 3/4	2	2 1/4	2 1/2	3 in.
16/6	19/6	23/-	28/6	33/9	44/3	56/-	75/-

Prices for Bent Poles on application.

*For prices of Rings, Brackets, etc., see following pages.


Haybands and Wood for packing Cornice Poles are charged at cost price, and cannot be allowed for.

CURTAIN HOOKS.

Per gross.



5946	...	3/8
5946 S	Stronger	4/6
5946 1/2	Lighter	3/-
5946 I	Brassed Steel	2/4



5947	...	6/6
5947 1/2	Lighter...	5/6
5947 I	Brassed Steel	3/-




R 2	R 3	R 4	R 5
4/6	5/3	6/-	7/6


16136 Aluminium.

1 1/4	1 1/2	2 1/4	2 3/4 in.
4/-	4/6	5/-	7/-


CURTAIN HOOKS—Per gross.



5954 ... 7/-




5955 ... 9/-



5950 ... 9/-



5936 F ... 4/3



5940 ... 12/-




5935 $\frac{1}{2} \times 14$ W.G. ... 2/4
 Small for Casement Curtains,
 5935 $\frac{1}{2} \times 16$ W.G. ... 1/8

5908 $1\frac{1}{2} \times 14$ W.G. ... 3/-5909 $1\frac{1}{2} \times 13$ W.G. ... 4/3

5910 $1\frac{1}{2} \times 12$ W.G. ... 5/-
 5910 S $1\frac{1}{2} \times 11$ W.G. ... 6/-



5942 ... 6/-



5943 ... 6/6



5944 ... 8/-

SOLID & HOLLOW CURTAIN RINGS IN BRIGHT BRASS.

Priced per Gross.

(Special Discounts).



531 —Solid Ring.
531 H—Hollow Ring.



531 S—Strong Solid Ring.

No.	Inside size and thickness.		Brass.	No.	Inside size and thickness.		Brass.	No.	Inside size and thickness.		Brass.
	In.	S.W.G.			In.	S.W.G.			In.	S.W.G.	
509	$\frac{3}{8}$	19	9d.	517	$\frac{1}{2}$	15	2/2	525	$1\frac{3}{16}$	13	5/-
510	$\frac{7}{16}$	19	10d.	518	$\frac{13}{16}$	15	2/4	526	$1\frac{1}{2}$ B	12	5/6
511	$\frac{1}{2}$	18	1/-	519	1B	15	2/6	527	$1\frac{5}{8}$	12	6/6
512	$\frac{9}{16}$	18	1/2	520	1	14	2/8	528	$1\frac{7}{8}$	11	8/-
513	$\frac{5}{8}$	17	1/4	521	$1\frac{1}{16}$	14	3/-	529	$1\frac{1}{2}$	11	9/-
514	$\frac{11}{16}$	17	1/8	522	$1\frac{1}{2}$	13	3/6	530	$1\frac{3}{4}$	11	10/-
515	$\frac{3}{4}$	16	1/10	523	$1\frac{3}{8}$	13	4/-	531	$1\frac{1}{2}$ B	11	12/-
516	$1\frac{1}{8}$	16	2/-	524	1 $\frac{1}{2}$	13	4/6	532	$1\frac{3}{4}$	10	14/-

(Hollow Curtain Rings same prices as above).

STRONG SOLID RINGS.

No.	Inside size and thickness.		Brass.	No.	Inside size and thickness.		Brass.	No.	Inside size and thickness.		Brass.
	In.	S.W.G.			In.	S.W.G.			In.	S.W.G.	
509 S	$\frac{3}{8}$	16	1/2 $\frac{1}{2}$	517 S	$\frac{3}{8}$ B	14	2/10	525 S	$1\frac{1}{4}$	11	7/3
510 S	$\frac{7}{16}$	16	1/4	518 S	$\frac{1}{2}$	14	3/-	526 S	$1\frac{3}{8}$	11	7/6
511 S	$\frac{1}{2}$	16	1/5	519 S	$\frac{13}{16}$	13	3/9	527 S	$1\frac{1}{2}$	11	7/10
512 S	$\frac{9}{16}$	16	1/6	520 S	1	13	3/10	528 S	$1\frac{5}{8}$	10	9/9
513 S	$\frac{5}{8}$	16	2/-	521 S	$1\frac{1}{16}$	13	4/1	529 S	$1\frac{3}{4}$	10	10/6
514 S	$\frac{11}{16}$	15	2/1	522 S	$1\frac{1}{2}$	12	5/3	530 S	$1\frac{3}{4}$	10	10/10
515 S	$\frac{3}{4}$	15	2/2	523 S	$1\frac{3}{8}$ F	12	5/6	531 S	$1\frac{1}{2}$ B	10	13/3
516 S	$\frac{3}{4}$ F	14	2/8	524 S	$1\frac{3}{8}$	12	5/7				

HEAVY SOLID RINGS.

No.	Inside size and thickness.			Brass.	No.	Inside size and thickness.			Brass.	No.	Inside size and thickness.			Brass.
	In.	In.	S.W.G.			In.	In.	S.W.G.			In.	In.	S.W.G.	
570	$\frac{3}{4}$	$\frac{9}{16}$	13	2/9	570	$1\frac{1}{2}$	$\frac{3}{8}$	11	5/4	570	$1\frac{1}{2}$	$1\frac{1}{4}$	10	9/-
570	$\frac{7}{8}$	$\frac{5}{8}$	12	3/9	570	$1\frac{1}{4}$	1	11	6/-	570	$1\frac{3}{4}$	$1\frac{1}{8}$	9	12/-
570	1	$\frac{3}{4}$	11	4/11	570	$1\frac{3}{8}$	$1\frac{1}{8}$	10	8/-	570	2	1 $\frac{1}{8}$	8	15/9

BRASS POLE RINGS—Polished.



R 252 Round.

R 252

$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$ in.
6/6	8/-	9/-	10/6	13/-	15/-	21/-	28/- gross.

E 1 Stronger.

$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
8/-	10/-	13/-	15/-	18/-	20/-	27/-	31/-	43/- gross.

993 (Medium)

$\frac{1}{2}$	$\frac{3}{4}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
15/-	18/-	21/-	25/-	30/-	34/-	43/-	50/-	66/- gross.

990 (Strong).

$\frac{1}{2}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
24/-	28/-	36/-	42/-	52/-	57/-	72/-	84/- gross.



993 Oval.



16135 Heavy Round.

16135

1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
19/-	23/-	30/-	35/-	40/-	52/-	62/-	72/- gross.

997 Very Heavy Round.

1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
4/-	4/6	6/2	7/8	9/3	10/6	12/-	15/- doz.

BRASS PULLEY POLE RINGS.

ONE PAIR IS AS
ILLUSTRATED

6684


$\frac{3}{4}$	$\frac{1}{2}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2 in.
18/-	19/6	24/-	27/-	30/-	36/-

dozen pairs.




BRASS CURTAIN POLE ENDS.

The size given is the diameter of the Pole for which the end is suitable.

**6785**

Polished.

1	1 1/4	1 1/2	2 in.
7/6	10/-	12/-	30/-
dozen pairs.			

**6533**

Polished.

1/2	1	1 1/4	1 1/2	2 in.
1/-	1/2	1/6	2/-	3/-
pair.				

**6695**

Polished.

10d.	1	1 1/4	1 1/2	2 in.
	11d.	1/4	1/6	2/8
pair.				

**6787**


Polished.

1	1 1/4	1 1/2	2 in.
1/-	1/6	2/-	3/-
pair.			

**6789**

Polished.

1	1 1/4	1 1/2	1 3/4	2 in.
1/2	1/6	2/-	2/6	1/-
pair.				

**6786**

Polished.


1	1 1/4	1 1/2	2	2 1/2 in.
1/2	1/6	2/-	4/-	6/-
pair.				

**16228**

Polished.

Extra Strong.

1 1/4	1 1/2	2 in.
3/-	3/3	4/6
pair.		

**6801**


Very Heavy, Polished.

1 1/4	1 1/2	2 in.
6/-	8/6	16/-
pair.		

BRASS CORNICE POLE BRACKETS.

1in. and upwards take 1½in. Rose.

A.C. Finish, plus 15% this page.



*14002 now takes the place of 4844.

FINISHED DIPPED.

		$\frac{3}{8}$ & $\frac{1}{2}$	$\frac{5}{8}$ & $\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2in.
1½in. Projection,	14002	6/6	6/9	7/-	8/3	8/6	10/6
2in. " "	10311	7/3	7/6	8/-	9/6	10/6	13/-
3in. " "	14003	8/9	9/-	9/9	10/9	12/-	15/-

dozen pairs.



Centre Brackets to match above.

		$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2in.
1½in. Projection,	10736	7/-	7/6	8/3	9/-	10/9	11/6	14/-
2in. " "	10737	7/9	8/3	9/-	10/-	12/-	13/-	15/6
3in. " "	10738	8/9	9/3	10/3	11/6	13/9	15/3	18/-

single dozen.

EVERED'S PATENT EXTENDING BRACKET

**4929**

Machine made.

As Strong as any Cast Bracket.

Projection:

Extended,
5ins.Closed,
 $3\frac{1}{2}$ in.

	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2in.
Polished Brass,	18/9	19/3	20/-	21/6 doz. pairs.

BRASS CORNICE POLE BRACKETS.

A.C. Finish, plus 15% this page except where marked *



Cast Polished,
220
216
 Lighter,
208 and 210
 Stronger.



153
 Stronger
224



Stamped Rose.
216



Stamped Rose.
210



Heavy Pressed Rose.
220



Cast Rose.
208

Cast Polished Brackets.

	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	2 $\frac{1}{2}$	2 $\frac{1}{2}$ in.
*216	11/-	11/3	11/6	14/-	15/4	16/6	17/6	18/6	24/-	28/-
220	—	—	13/-	15/-	18/6	21/-	22/6	24/-	28/-	36/-
*210	12/-	13/-	14/-	17/-	22/-	24/-	—	31/-	—	—
208	—	—	15/-	18/-	23/-	25/-	—	33/-	—	45/-

dozen pairs.


Centre Brackets to match.

	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	2 $\frac{1}{2}$	2 $\frac{1}{2}$ in.
*153/216	—	—	7/6	8/6	9/6	11/-	—	—	—	—
224/220	—	—	9/-	9/6	11/-	12/-	13/-	14/-	16/-	18/-
224/208	—	—	10/-	10/6	12/-	13/-	15/-	16/-	18/-	20/-

single dozen.

* A.C. on these Nos., plus 25%.


EXTENDING BRACKET.

Projection: Closed, 2 $\frac{1}{2}$ in. Open, 4in.

10328 CAST and POLISHED.
 Stamped Rose.

$\frac{1}{2}$	1	$1\frac{1}{4}$	1 $\frac{1}{2}$ in.
27/6	28/6	29/6	31/-

single dozen.




Cast Rose.

199 VERY HEAVY.

$\frac{1}{2}$	1	$1\frac{1}{4}$	1 $\frac{1}{2}$ in.
23/-	30/-	33/-	36/-
2	2$\frac{1}{2}$	3$\frac{1}{2}$	3in.
45/-	60/-	80/-	90/-

dozen pairs.

BRASS CORNICE POLE BRACKETS.



216 $\frac{1}{2}$
Stamped Rose.

163 Cast and Polished.
Projection 3in.

$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{2}$	2in.
19/6	21/6	25/6	30/-	36/-


dozen pairs.

203 is 2in. projection.

$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{2}$	$1\frac{1}{2}$	2in.
15/-	15/6	18/3	22/-	24/-	27/6

dozen pairs.

A.C. ... plus 20%.



216 $\frac{1}{2}$
Stamped Rose.


126 Cast and Polished.
Projection 4in.

$\frac{1}{2}$	1	$1\frac{1}{2}$	$1\frac{1}{2}$ in.
27/-	30/-	34/-	36/-

dozen pairs.

A.C. ... plus 20%.

EVERED'S REGISTERED EXPANDING ROD FIXING.



3122

	$\frac{1}{2}$	1	$1\frac{1}{2}$ in.
	30/-	40/-	50/-
A.C. ...	34/6	46/-	57/6

dozen.

BRASS ROD FIXINGS.

**4093**

Cast. To unscrew.


$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1 in.	1 1/2 in.	2 in.
8/3	10/9	11/6	20/-	30/-
dozen.				

**343**

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1 in.	1 1/2 in.	2 in.
8/3	8/9	12/9	18/-	27/-
dozen.				

**420**

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1 in.	1 1/2 in.	2 in.
2/6	3/6	4/6	6/-	
1	1 1/2	1 1/2	1 1/2	
8/-	12/-	15/-		
dozen.				

**16199**

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1 in.
1/-	1/9	2/4
dozen.		


CAST BRASS
CURTAIN ROD END.**302**

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1 in.	1 1/2 in.
2/8	3/-	3/9	4/6
dozen.			

**14067**

Pulley Bracket.


$\frac{3}{8}$ in.	1 in.	1 1/2 in.	2 in.
19/9		20/9	
dozen pairs.			



Double Bracket.

Adjustable between limits
shewn.**14045 A.C.**

$\frac{3}{8}$ in.	1 in.	1 1/2 in.
15/9	18/-	20/-
dozen pairs.		


**14196** $\frac{1}{2}$ in.

15/6

14195 $\frac{1}{2}$ in.

11/6

14195 is without pulleys.

 $\frac{1}{2}$ in.

17/4


13/4

dozen pairs.


HODGES' BRACKETS.

**14220/266**

$\frac{3}{8}$ in.	1 in.	1 1/2 in.
5/3		6/9
dozen pairs.		

**14234/276**

2 1/2 dozen pairs.

**4088**

Cast and Sanded.

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1 in.
5/3	6/3	8/-
dozen, single.		

BRASS POLE BRACKETS AND FIXINGS.

(HALF SIZE.)

A.C. Finish plus 20% this page.

**10153**

Projection, 2in.

$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$ in.
6/3	6/6	7/6	9/-
dozen.			

10569

Projection, 3in.

$\frac{3}{8}$	$\frac{1}{2}$ in.
7/-	7/6 dozen.

**879**Projection, $\frac{1}{2}$ in.

$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$ in.
5/-	5/6	6/-	7/6
dozen.			

**10298**

Back to revolve.

Projection, 2 $\frac{1}{2}$ in.

$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$ in.
8/6	9/-	10/-	11/6
dozen.			

10321Projection, 1 $\frac{3}{4}$ in.

$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$ in.
6/9	7/3	9/-	10/6
dozen.			

**69**

Back to revolve.

Projection, $\frac{1}{4}$ in.


$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$ in.
7/-	7/6	8/-
dozen.		

Cast Valance
Bracket.

Bright Finish.


10556

6/- dozen.

**10574**


Cast Back.

$\frac{3}{8}$	$\frac{1}{2}$ in.
11/-	13/-
dozen.	

**10299**

Back to revolve.

$\frac{3}{8}$	$\frac{1}{2}$ in.
12/-	13/- dozen.

**10460** Plate revolves.
 $\frac{3}{8}$ or $\frac{1}{2}$ in. 16/6 dozen.**6956**

Projection, 2in.


$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$ in.
24/-	26/-	33/-	36/-
dozen.			

**10609**


Bracket for overlapping Curtains.

$\frac{3}{8}$	$\frac{1}{2}$ in.
12/-	13/- dozen.


BRASS MUSLIN ROD BRACKETS.

**392**


	Pressed.	A.C.
1/4 in.	4/-	5/-
3/8 in.	4/-	5/-
1/2 in.	6/-	7/-
5/8 in.	9/-	11/-
3/4 in.	10/6	13/6
dozen pairs.		

**403 Strong.**

	Polished.	A.C.
3/8 in.	9/6	11/6
1/2 in.	11/3	13/6
5/8 in.	14/-	16/9
3/4 in.	17/-	21/-
7/8 in.	27/-	32/-
1 in.	34/-	40/-
dozen pairs.		



**253**

	Pressed.	A.C.
1/4 in.	4/-	5/-
3/8 in.	4/-	5/-
1/2 in.	6/-	7/-
5/8 in.	9/-	11/-
3/4 in.	10/6	13/6
dozen pairs.		

**402 Strong.**

	Polished.	A.C.
1/4 in.	8/-	9/6
3/8 in.	9/6	11/3
1/2 in.	11/6	13/9
5/8 in.	14/6	18/-
3/4 in.	23/-	27/-
1 in.	27/-	32/-
dozen pairs.		

EVERED'S PATENT ROD BRACKETS.

**9704—Open.****473L****473**

For Rods diameter		4	5	1	2	3	Inches.	
		6	11	13	16	20	Millimetres.	
No.	Description.	Prices.					Quantity.	Boxed in
9704	Steel, Brassed Bright	36/-	36/-	—	—	—	gross pairs.	3 doz. pairs.
9704	Copper Bronzed	48/-	48/-	—	—	—	" "	" "
473L	Light Brass	4/-	4/-	5/-	7/6	10/-	doz. pairs.	" "
473L	Light Brass, A.C.	5/-	5/-	6/6	12/6	18/-	" "	" "
473	Strong Brass, "The Original 473"	—	6/6	7/9	—	—	" "	1 doz. pairs.
473	Ditto, "The Original 473" A.C.	—	12/-	14/-	—	—	" "	" "

EVERED'S PATENT CURTAIN BRACKETS. WITH PULLEYS TO ADAPT FOR CORD ACTION.




392 10401
Pulley, with
392 Bracket combined.



10401
Registered.
10 - doz. set of four pulleys.


These Pulley Blocks can be used alone to adapt any existing curtain rod to pull with cords, or by removing the screws of the existing brackets they can be fixed behind them and make combined pulley brackets by using slightly longer screws (3/4 in. x No. 4).



473 10401
Pulley, with
473 Bracket combined.

EXTENDING RODS.


871 1/2 in., 80/- 3/4 in., 110/- gross.



9704 Brackets only. 1 & 3/4 in.
Brassed 3/- doz. prs.
Oxydised Coppered 4/- "

ROD AND BAND BRACKET.

PULLEY ROD ENDS.




100 Burnished.
28/6 31/6 1 in.
dozen pairs. 60/-

PULLEY ROD HOOKS.




121 Polished.
1 1/2 1 1/4 2 1/4 in.
5/- 5/4 6/3
single dozen.




The original **407**
For 3/4 in. Rod and Band,
12/- dozen pairs.

Band.
17 W.G. **251** 1/- per ft.
19 W.G. **252** 10d. "

PULLEYS.



	4400	4409
	Single.	Double.
$\frac{1}{2}$ in.	6/6	10/- dozen.
$\frac{3}{4}$ in.	8/-	11/- "
$\frac{1}{2}$ in.	9/3	12/6 "
1 in.	11/6	18/- "
1 $\frac{1}{4}$ in.	15/9	25/- "
1 $\frac{1}{2}$ in.	19/9	30/- "
2 in.	34/-	54/- "



LAZY PULLEYS.

179


	Single.	Double.
$\frac{1}{2}$ in.	15/-	24/-
$\frac{3}{4}$ in.	17/-	27/-
1 in.	20/-	32/-
	dozen.	



Burnished.

Brass Bowls.

	4271	4282
	Single.	Double.
$\frac{1}{2}$ in.	4/-	7/6 dozen.
$\frac{3}{4}$ in.	5/-	8/9 "
$\frac{1}{2}$ in.	6/9	10/6 "
1 in.	7/9	14/- "
1 $\frac{1}{4}$ in.	11/6	18/- "
1 $\frac{1}{2}$ in.	13/2	22/- "
2 in.	26/-	42/- "



191

Burnished Top. All Brass.

	$\frac{1}{2}$	$\frac{3}{4}$	1 in.
Single	6/-	9/-	12/3
Double	8/6	14/-	24/-
	dozen.		

CURTAIN CLIPS OR BANDS.

A.C. Finish plus 15%.


< 1 1/2 in. >



5780

Double 10/- dozen.

< 1 1/2 in. >



5780

Single 6/- dozen.

< 1 1/2 in. >



5767 9/- dozen.

5767

Double.

14/- dozen.

BRASS TASSEL HOOKS.

Pressed Plates with Cast Hooks. Polished.
Per Dozen. A.C. Finish plus 25%.



5709

Polished.

2in., 3/- 3in., 4 6

All Pressed.

14005

2in. ... 1/10



5754

Polished.

2in., 3 3 3in., 5/-



4367

Polished.

2 1/2 3 1/2 4 1/2 in.
2/9 4/3 6/-



5713

Polished.

3in. ... 5/6



5751

2 1/2 in. ... 5/6

Cast Dead and Burnished.



5723

2 1/2 in. ... 3/9



4169

3in. ... 7/6



4159

3in. ... 7/-




4028

3in. ... 6/6

BRASS CURTAIN CHAINS.

Per Pair.

A.C. Finish plus 25%.



Length, 24in.

R 199 ... 1/8


R 201 ... 2/-



Length, 24in.

R 196 Light ... 1/2

R 197 Stronger ... 1/4




Length, 27in.

4855

1/-

PORTIÈRE RODS.

Polished.

**202**

Cast Brass Brackets.
 $\frac{1}{2}$ x 3ft. 6in., 4/- each.
 A.C., 5/- "

**4762** Brackets only.

$\frac{1}{2}$ in. 14/9 $\frac{1}{2}$ in. 15/- doz. pairs.
 A.C. 17/9 A.C. 18/- "

4762 Cast Brass Brackets.

3ft. 6in.	4ft.	3ft. 6in.	4ft.
$\frac{1}{2}$ in. 49/6	55/6 doz.	$\frac{1}{2}$ in. 54/-	61/6 doz.
A.C. 97/6	103/6 "	A.C. 102/-	109/6 "



Hinged.

4385

3ft. 6in.	4ft.	3ft. 6in.	4ft.
$\frac{1}{2}$ in. 67/6	72/- doz.	$\frac{1}{2}$ in. 75/-	81/- doz.
A.C. 115/6	120/- "	A.C. 123/-	129/- "

Stronger. **4956**

$\frac{1}{2}$ in. 91/6	96/- doz.	$\frac{1}{2}$ in. 111/-	117/- "
A.C. 139/6	144/- "	A.C. 159/-	165/- "

Brackets Only.

4385

$\frac{1}{2}$ in. 20/3	$\frac{1}{2}$ in. 23/3
A.C. 23/3	26/9

4956


$\frac{1}{2}$ in. 33/-	$\frac{1}{2}$ in. 37/6
A.C. 38/-	43/-

10606 Extra Heavy.

$\frac{1}{2}$ in. 52/-	$\frac{1}{2}$ in. 54/-
A.C. 59/9	A.C. 62/-

dozen pairs.

HITCHMAN'S RISING ROD.


Brackets.
only.**6836**

6/- pair.

A.C. 7/- "

6836 $\frac{1}{2}$ in. Brass.

3ft. 6in.	4ft.
12/-	12/6 each.
A.C. 16/-	16/6 "

**6839** $\frac{1}{2}$ in. Brass.

3ft. 6in.	4ft.
12/9	13/3 each.
A.C. 16/9	17/3 "

Brackets
only.**6839**

7/6 pair.


A.C. 8/8 "

RAILS FOR TOWELS AND LIGHT DRAPERY.



To Swing.
10136

3ft. long \times $\frac{5}{8}$ in. Tube.
Polished, 15/- each.
A.C. ... 19.6 ..

**6326**

Solid Cased Rod, 2ft. 6in. \times $\frac{1}{2}$ in., with 6 Rings.
10.6 each.

A.C. ... 14/-



18in. long.

9949

	Single.	Double.	Treble.	
Polished	2/9	4/6	7/-	each.
A.C. or N.P.	3/9	6/-	9/-	"



Half size.

TOWEL RAIL BRACKETS.

3567

	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	$\frac{1}{2}$ in.	
Polished	17/-	21/-	29/6	doz. pairs.
A.C. or N.P.	20/3	24/3	32/9	"

16121 Electro Brassed or C.B. & R.
 $\frac{1}{2}$ in., 4/6 dozen pairs.

3567 RAILS COMPLETE WITH TUBE up to 24in. long.

	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	$\frac{1}{2}$ in.	
Polished	25/9	28/6	31/6	dozen.
A.C. or N.P.	32/-	37/3	48/9	"

**10106**

$\frac{1}{2}$ \times 24in. N.P.

7/6 each.


BATHROOM FITTINGS.



10107


 $\frac{1}{2}$ in. \times 24 in., N.P.

9— each.



10615

Nickelled, for shelf, 5 in. \times $\frac{3}{4}$ in.
8/6 pair.



877

	4	5	6 in.
Polished	36/-	45/-	51/- dozen.
Nickelled	38/6	48/6	57/- "




458

Strong.

Dead.

Size	Price
1 $\frac{1}{2}$ in. \times 1 $\frac{1}{2}$ in.	4/9 dozen.
2 in. \times 1 $\frac{1}{2}$ in.	5/- "
2 $\frac{1}{2}$ in. \times 2 in.	6/- "
3 in. \times 2 $\frac{1}{2}$ in.	8/3 "
3 $\frac{1}{2}$ in. \times 3 in.	10/- "
4 in. \times 3 $\frac{1}{4}$ in.	12/- "
4 $\frac{1}{2}$ in. \times 3 $\frac{1}{2}$ in.	13/6 "



Dead and Relieved.


383

3	4	5	6 in.
13/-	17/-	21/-	23/9

dozen.

Strong 894

8	10	12 in.
60/-	72/-	96/- dozen.



Strong 459

4	5	6 in.
24/-	28/-	36/-

dozen.

Stronger 637

10	12 in.
120/-	156/- dozen.

WELDED STEEL SHELF BRACKETS.

See page 158.

BRASS CLEATS AND CORD HOLDERS AND BLIND FURNITURE.

**3119**

Polished.

3	3½	4in.
4/9	6/3	8/-

11012

Lighter.

2½	3	3½	4in.
3/-	3/6	4/3	5/6
A.C.	4/3	4/9	5/6 6/9

dozen.

**5077**

Polished.

2½	2½	3	3½ in.
2/9	3/6	4/3	4/9

dozen.

**3114**

Dead.

3	3½	4in.
2/3	3/-	3/9

dozen.

**5106**

Polished.

3in.	4/6
------	-----

dozen.

**3115**Dead and
Burnished

3in.	5/6
------	-----

dozen.



Cast in one piece.

5105

Polished.

1½	2	2½ in.
3/3	4/3	5/3

dozen.



KNOT HOLDERS.

R 307

Bright Brass,	5/6 gross.
A.C.,	9/- "
Ivory,	15/- "

Prices with Name
on application.

**5034**

Boxwood	10/-
With Rubber Ring,	16/-
Vegetable Ivory, with	
Rubber Ring	45/-

gross.

**10603**

Brass, 1¼ x ¾ in.
6/9 dozen.

**R 306**

Brass, 17/-
gross.

**5045**

All Cast in one.

1½	2in.
3/3	4/9

dozen.

**5044**

Polished Front.

1½	1½ in.
23/6	24/-

gross.


**289** Cast

5/- dozen pairs.

275	Cast Sanded	...	9/6
546	" Heavy	...	18/-

dozen pairs.

BLIND FURNITURE.



ENDS, BRACKETS,
AND CORD HOLDERS.

16389

1 1/2 in.	1 1/2 in.
16/-	16/6

dozen sets.

Packed in boxes of one dozen



4995/275

Strong Cast, Sanded. Single Cord.

270/4999

Cast Burnished.

1 1/2 in.	2 in.
15/-	16/6

dozen sets.

4999

Brackets only, 2/- dozen pairs.

4998/4999

Stout Pressed, Dipped.

1 1/2 in.	2 in.
7/6	8/6

4995 Rollers

275 Brackets

546

4995/275 Complete

4995/546

1 1/2 in.	1 3/4 in.	1 1/2 in.	1 3/4 in.	2 in.
24/-	27/-	36/-	45/-	50/-

9/6	—	—	—	—
-----	---	---	---	---

—	18/-	18/-	18/-	18/-
---	------	------	------	------

33/6	—	—	—	—
------	---	---	---	---

—	45/-	54/-	63/-	68/-
---	------	------	------	------

dozen pairs.

RACK PULLEYS.

Per Dozen.



5772

Cast, Dead.
Brassed Iron Screw.

9/6



5739

Pressed, Polished.
Brassed Iron Screw.

7/6



5784

Pressed, Polished.

4 1/2 in.
5/-

5775

Cast, Burnished.

4	4 1/2	5 in.
10/-	11/-	11/6



4073

Cast, Polished.

4	4 1/2	5 in.
12/-	12/6	13/-

5790 Stronger.

5	6 in.
18/-	24/-

EVERED'S SOLID STAIR RODS. TIPPED ENDS.



695

Prices per dozen Rods.*

Diam.	18	20	21	22	23	24	25	26	27	28	30	32	33	34	36	38	40	42" long
$\frac{1}{2}$ in. or No. 3	2/4	2/6	2/8	2/9	2/11	3/-	3/1	3/3	3/4	3/6	3/9	4/-	4/1	4/3	4/6	4/9	5/-	5/3
$\frac{3}{8}$ in. or No. 6	—	—	—	4/2	4/4	4/6	4/8	4/10	5/-	5/3	5/7	5/11	6/1	6/3	6/8	7/-	7/3	7/6
$\frac{1}{2}$ in.	—	—	—	5/6	5/9	6/-	6/3	6/6	6/9	7/-	7/6	8/-	8/3	8/6	9/-	9/6	10/-	10/6
$\frac{3}{4}$ in.	—	—	—	7/2	7/4	7/6	7/10	8/2	8/5	8/9	9/4	10/-	10/3	10/8	11/-	11/6	12/-	12/6
$\frac{7}{8}$ in.	—	—	—	9/6	10/-	10/3	10/7	11/-	11/4	11/10	12/8	13/6	13/10	14/4	15/-	15/6	16/6	17/-

STAMPED ACORN ENDS.



696

Prices per dozen Rods.*

Diam.	22	23	24	25	26	27	28	30	32	33	34	36	38
$\frac{1}{2}$ in.	5/6	5/9	6/-	6/3	6/6	6/9	7/-	7/6	8/-	8/3	8/6	9/-	9/6
$\frac{3}{8}$ in.	7/2	7/4	7/6	7/10	8/2	8/5	8/9	9/4	10/-	10/3	10/8	11/-	11/6
$\frac{1}{2}$ in.	9/6	10/-	10/3	10/7	11/-	11/4	11/10	12/8	13/6	13/10	14/4	15/-	15/6

CAST TURNED ENDS.



288

288 B

Prices per dozen Rods.*

Diam.	24	25	26	27	28	30	32	33	35	36	38	40	42
$\frac{3}{8}$ in.	6/-	6/3	6/6	6/9	7/-	7/6	8/-	8/3	8/6	9/-	9/6	10/-	10/6
$\frac{1}{2}$ in.	8/-	8/4	8/9	9/-	9/3	10/-	10/6	10/9	11/-	11/6	12/3	13/-	13/6
$\frac{3}{4}$ in.	10/-	10/6	11/-	11/3	11/6	12/6	13/3	13/6	14/-	14/6	15/6	16/3	17/-
$\frac{7}{8}$ in.	—	—	—	15/3	15/9	16/9	17/9	18/3	18/9	19/6	21/-	22/-	23/-

Prices vary without notice.

*Not subject to the general discount.

POLISHED ROUND BRASS CASED TUBE RODS.



285 B

13/6

16/-

1 in.
22/6 dozen feet.

285

13/6

16/-

1 in.
22/6 dozen feet.

BEST POLISHED SOLID BRASS CASED RODS.

Per Foot.

Special Discount.



6986

Half Round, 1/2 x 1/2 in.

4 1/2 d.

Eyes are 4397



3931

Half Round, 1/2 x 1/2 in.

4 1/2 d.

Eyes are 3932 and 9827



6821

As above, with End

7 d.

Eyes are 904



3906

As above, with End

7 d.

Eyes are 3915, 3932, 5314 and 3952

BEST SOLID BRASS RODS.—Per Foot.



10404

Without End, 1/2 in.

9 d.

Eyes are 1076

10403

With End, 1/2 in.

10 d.

Eyes are 4350 and 4343.

BEST POLISHED BRASS TUBE RODS.—Per Foot.



921

1/2 in.

10 d.

1 in.

1 1/4

Eyes are 904 and Hinged 4949.

899

1 1/2 in.
11 d.1 in.
1/61 1/4 in.
2/21 3/4 in.
2/6

Eyes are 904, 944 and Hinged 4949

A.C. on Brass Rods.

2/2

2/10

1 1/2 in.
3/8

1 1/2 in.

4/4 doz. feet extra.

BEST POLISHED BRASS TUBE RODS.

Per Foot.

**898**

$\frac{3}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
1/1	1/8	2/6	2/10

Eyes are 937 and Hinged 4950

920

With Stopped End is 900

$\frac{3}{8}$	1	$1\frac{1}{2}$ in.
1/1	1/8	2/6



Eyes are 945 and Hinged 4951

**925**

$\frac{3}{8}$	1 in.
1/8	2/6

Eyes are 940 and Hinged 4697

9829

$\frac{1}{2}$	1 in.
1/3	1/7



Hinged Eye only is 9828

**6825**

1 in.	1/3
-------	-----

Eyes are 6826 and Hinged 6827

3935

$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$ in.
1/10	2/6	3/6



Eyes are 4942 and Hinged 4948 or 3773

**919**

$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$ in.
1/6	1/9	2/4	3/4

Eyes are 4934 and Hinged 4948

914

$\frac{3}{8}$	$\frac{1}{2}$ in.
1/3	1/8



Eyes are 3923 and Hinged 4948 or 3773

A.C. on Angle Rods	in.	in.	in.	in.	doz. ft.
Hexagon & Twisted	$\frac{3}{8}$ }	$\frac{1}{2}$ }	$1\frac{1}{4}$ }	$1\frac{1}{2}$ }	extra.
	2/2	2/10	3/8	4/4	

EVERED'S PATENT SECURE STAIR ROD FASTENERS.

This fastener comprises a secure stair rod eye and end combined, which allows the rod to be removed by lifting the polished front. The fastener itself forms the end of the rod. No fitting is necessary; all that is required is to cut the rods to the length desired, see 4952. It is also made to suit the ordinary or common solid stair rod, see 4701. The principal parts being made of one piece of metal, there is no possibility of derangement, and no strain of the carpet, however great, can remove the rods; and the fastener is so designed that even if the front or cover is pulled off, the rod remains securely held, an advantage which can be claimed by no other similar contrivance.

4701

For Ordinary Round Rod.



4701

$\frac{1}{2}$ in. 4/- 4/6
dozen singles.

4952

$\frac{1}{2}$ in. 10/6 12/-
dozen pairs.

4952

For Cased Tube.



BURNISHED STAIR ROD EYES.

Gross.



		$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{7}{8}$	$\frac{1}{2}$ in.
Light	5856	6/-	6/8	10/-	—	—
Medium	5858	7/-	7/9	12/6	14/-	16/6
Strong	3948	8/6	9/6	14/-	—	18/-
	3920	—	—	30/-	33/-	45/-

R 521 Dipped.

	1	2	3	4	5	6 in.
	1/9	2/-	2/9	3/9	4/10	6/3



5864

$\frac{1}{4}$ in. 12/- $\frac{1}{2}$ in. 15/- $\frac{3}{4}$ in. 26/- 36/-



5883

$\frac{1}{4}$ in. 10/- $\frac{1}{2}$ in. 14/- $\frac{3}{4}$ in. 19/6 $\frac{1}{2}$ in. 22/6



3924

$\frac{1}{4}$ in. 34/- $\frac{1}{2}$ in. 42/- $\frac{3}{4}$ in. 58/- $\frac{1}{2}$ in. 80/-

STAIR EYE PINS.



4505

Steel Pins,
Brass Heads,
 $\frac{1}{2}$ and $\frac{3}{4}$ in.
1/6 gross.

5030 $\frac{1}{2}$

Brassed Steel.
 $\frac{1}{2}$ and $\frac{3}{4}$ in.
11d. lb.



3910

$\frac{1}{4}$ in. 10/- $\frac{1}{2}$ in. 11/- $\frac{3}{4}$ in. 13/4 22/-



3918

$\frac{1}{4}$ in. 43/- $\frac{1}{2}$ in. 60/- $\frac{3}{4}$ in. 80/- 100/-

Polished.

CAST STAIR ROD EYES.

Dozen.



$\frac{1}{2}$ in.
3922
4/-

Burnished.



Burnished	Light	3927	$\frac{3}{8}$ in. 30/-	$\frac{1}{2}$ in. 45/-	$\frac{5}{8}$ in. 54/-	$\frac{3}{4}$ in. 69/-	$\frac{7}{8}$ in. —	1 in. —	gross
"	Med.	5417	40/-	51/-	78/-	108/-	—	—	"
	Pol'd.	3923	3/9	5/-	7/6	10/-	—	—	doz.
	Strong	3942	—	—	—	—	16/-	20/-	"
	Heavy								
	Pol'd.								



One Plain, One Hinged,
Stopped Ends.



$\frac{3}{4}$ in.
3932
3/4

Light	5314	3/-	
Medium	3915	4/-	Burnished.
Strong	3952	5/6	"

The above for 3931 and 3906 Rods, page 32.

$\frac{1}{2}$ in.
9827
9/6 doz. pairs.




3928
Burnished.
 $\frac{3}{8}$ in. 36/- $\frac{1}{2}$ in. 43/- $\frac{5}{8}$ in. 57/- 1 in. 80/- gross.



For Rod **10403**
4350
 $\frac{1}{2}$ in., 3/3

A.C. Finish plus 15%

Minimum 1/- dozen.



For Rod **6986**
page 32
One Hinged,
One Plain,
Stopped Ends.
4397

 $\frac{1}{2}$ in., 11/6 dozen pairs


904
 $\frac{1}{2}$ in. 4/- 1 in. 5/6



For Rod **10403**
4343
 $\frac{1}{2}$ in. 5/6
4275 Hinged, 9/-



5317
 $\frac{1}{2}$ in. 8/- 1 in. 10/6



For Rod **10404**
page 32
One Hinged,
One Plain,
Stopped Ends.
4076

$\frac{1}{2}$ in.
11/- dozen pairs.

Polished.

CAST STAIR ROD EYES.

Dozen.

* 30% extra for $\frac{1}{2}$ in. deep back.**940**

$\frac{1}{2}$	1 in.
7/-	12/-

* **4697** Hinged.For oval rods, **925**

$\frac{1}{2}$	1 in.
19/-	24/-

**4942**


$\frac{1}{2}$	$\frac{3}{4}$	1 in.
9/-	10/6	15/-

**6826**

1 in., 8/-

6827 Hinged.For hollow faced rods **6825**

1 in., 18/-

**4934**


$\frac{1}{2}$	$\frac{3}{4}$	1	1 in.
5/-	7/-	9/6	11/6

**3773**

$\frac{1}{2}$	$\frac{3}{4}$	1	1 in.
7/6	9/-	11/6	15/-

**945**

$\frac{1}{2}$	1	1 in.
6/6	9/-	12/-

**944**

$\frac{1}{2}$	1	1 in.	1 in.
6/-	8/-	9/-	10/6

Lighter if **956**

1 in., 4/- 1 in., 6/-

**5045**

$\frac{1}{2}$	1 in.
12/-	20/-

**937**

$\frac{1}{2}$	1	1 in.	1 in.
6/6	8/6	11/6	14/-

**4949*** **4950** Hinged.For bevel edge rods, **398**

$\frac{1}{2}$	1	1 in.	1 in.
16/-	26/-	29/-	32/-

* **4949** Hinged.For angle rods, **899** and **921**

$\frac{1}{2}$	1	1 in.	1 in.
15/-	25/-	27/-	30/-

**3996**

$\frac{1}{2}$	$\frac{3}{4}$	1 in.
9/-	11/-	14/-

A.C. Finish Plus 15%; Minimum 1/- dozen.

Polished.

CAST STAIR EYES.

Dozen.

* 30% extra for $\frac{1}{2}$ in. deep back.

A.C. Finish plus 15% any of these patterns.




*4948

$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.	1 $\frac{1}{2}$ in.
10/6	11/4	14/6	18/-

Above eyes for hexagon rod should be ordered $\frac{1}{2}$ in. larger than rods.

4696

$\frac{1}{2}$ in.
15/-




*4951

$\frac{1}{2}$ in.	1 in.	1 $\frac{1}{2}$ in.
18/-	28/-	32/-




9828

$\frac{1}{2}$ in.	1 in.
16/-	19/-



4540

1 in.	1 $\frac{1}{2}$ in.	1 $\frac{3}{4}$ in.
18/-	24/-	33/-




9832

$\frac{1}{2}$ in.
24/-

OIL CLOTH PLATE AND CARPET CLIP.

Full Size. Per dozen feet.



168

Sanded and Lacquered.
23 S.W.G.

1 in.	1 $\frac{1}{2}$ in.	1 $\frac{3}{4}$ in.	2 in.
12/-	14/-	16/6	21/6



173

Polished.
16 S.W.G.

1 $\frac{1}{2}$ in.	2 in.	2 $\frac{1}{2}$ in.	3 in.
13/9	17/9	22/3	26/9

MACHINE-MADE BRASS STAIR TREADS AND SILL PLATES.

16218 S.W.G. Polished Nose. $\frac{1}{2}$ in.2 $2\frac{1}{2}$ 3 $3\frac{1}{2}$ in.**13/6 16/- 18/9 21/9**

dozen feet, stock lengths.

16/10 20/- 23/6 27/3

dozen feet, cut lengths.

All Treads measured overall, thus:

**5976**


16 S.W.G. Polished Nose. 1 in.

 $2\frac{1}{2}$ 3 4 5 6 in.**21/6 24/4 31/6 38/6 45/-**


dozen feet, stock lengths.

26/10 30/6 39/4 48/2 56/3

dozen feet, cut lengths.

**10886**

16 S.W.G. Flat, Chequered.

 $1\frac{1}{2}$ 2 $2\frac{1}{2}$ in.**13/6 16/6 21/-** doz. ft. stock lengths.**16/6 19/6 24/-** " cut lengths.**10885**18 S.W.G. $\frac{1}{2}$ in. Square Nose.
 $1\frac{1}{2}$ in. Chequered Top.**18/-** doz. ft. stock lengths.**22/6** " cut lengths.**162 $\frac{1}{2}$** 18 S.W.G. $\frac{1}{2}$ in. Nose. Diamond Chequered.2 $2\frac{1}{2}$ 3 in. overall.**13/6 16/6 19/6** doz. ft. stock lengths.**16/6 19/6 22/6** " cut lengths.**5976 $\frac{1}{2}$** 16 S.W.G. Diamond Chequered.
1 in. Nose. $2\frac{1}{2}$ 3 4 5 6 in. overall.**22/6 25/6 31/6 39/- 49/6** doz. ft. stock lengths.**25/6 28/6 36/- 45/- 58/6** " cut lengths.**10881**


16 S.W.G. Plain Polished 2 in. Nose.

6 7 8 9 in. overall.
48/- 57/- 63/- 69/- doz. ft. ***10882**

16 S.W.G. Diamond Chequered 2 in. Nose.

72/- 84/- 96/- 108/- doz. ft.

MACHINE MADE BRASS STAIR TREADS.

**10887**

2½ in. overall.

19 S.W.G. Plain Polished, ½ in. Nose.

21/- dozen ft. Stock lengths.

24/- dozen ft. Cut lengths.


**10888**

3 in. overall.

16 S.W.G. Plain Polished, 1 in. Nose.

27/- dozen ft. Stock lengths.

31/6 dozen ft. Cut lengths.

**5956**

14 S.W.G. Dead.


2	2½	2½	3	3½ in.
16/2	17/6	18/9	22/-	24/9 Stock lengths.
20/2	21/10	23/6	27/6	31/- Cut lengths.

dozen feet.

Polished Nose.

2	2½	2½	3	3½ in.
17/6	18/9	20/-	23/3	26/- Stock lengths.
22/-	23/6	25/-	28/-	32/6 Cut lengths.

dozen feet.

**10504**

3 x 1 x ½ in.

27/- dozen feet, Stock lengths.

33/9 dozen feet, Cut lengths.

149

2½ x ½ x ½ in.

16/2 dozen feet, Stock lengths.

20/2 dozen feet, Cut lengths.

**14012**

13 W.G. Dipped.

3	4	5 c.m. wide.
13/6	15/9	18/-

dozen feet, Stock lengths only.

CASTORS.

Per Set.

**16047**

Electro Brassed.

$\frac{1}{4}$	$\frac{1}{2}$	1	$1\frac{1}{2}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ in.
11d.	11d.	1/-	1/4	1/6	1/9	2/3

**16048**

Brass Plate, Sanded Horn.

$\frac{1}{4}$	$\frac{1}{2}$	$1\frac{1}{2}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ in.
2/5	2/8	3/3	4/-	5/-	

**16341**

Cast Plate, Polished, Brown Bowl.

1	$1\frac{1}{2}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ in.
2/4	2/7	2/10	3/6	4/9

Brass Bowl is **16345**

1	$1\frac{1}{2}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ in.
3/3	3/8	4/3	4/9	6/-



Polished Horn.

Stronger. Brass Bowl

	16070	5305	16071
$\frac{1}{4}$ in.	2/6	3/9	3/6
$\frac{1}{2}$ in.	2/9	4/6	4/-
$1\frac{1}{2}$ in.	3/3	5/-	4/3
$1\frac{1}{4}$ in.	3/9	5/9	4/8
$1\frac{3}{8}$ in.	4/9	6/6	6/6
$1\frac{1}{2}$ in.	6/-	7/3	8/3


RUBBER-TYRED WAGON CASTOR.

Brass, Sanded.

 $1\frac{1}{4}$ in. or $1\frac{3}{8}$ in. Plate.**5634**

Polished, with Rubber-covered Bowl.

$\frac{1}{4}$	1	$1\frac{1}{2}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ in.
7/-	7/6	8/-	9/9	10/9	11/9

**16365**

2	$2\frac{1}{2}$	3 in. Wheel.
8/9	10/9	16/6

CASTORS AND RIMS.

Per Set.

**16049**

Brassed Horn.

1	1½	1¼	1½	1½in.
3/-	3/4	3/9	4/3	5/-

16049½Electro Brassed Socket
and Horn.

1	1½	1¼	1½	1½in.
2/3	2/6	2/9	3/3	4/-

**16346**

Brass, Polished.

1	1½	1¼	1½	1½in.
3/3	3/8	4/3	4/9	6/-

16072 Heavy.

Brass, Polished.

1	1½	1¼	1½	1½in.
4/-	5/-	5/9	6/6	7/6

**5300**

Polished.

1½	1¼	1½	1½in.
6/6	7/9	8/9	9/9

**5650**

Polished, Brass Bowl.

¾	1	1¼	1½	1½in.
4/8	5/-	5/3	6/2	6/9
1½	1½	1¼	2in.	
7/9	8/6	13/6	15/-	



Polished.

6039 **6064**

China Bowl. All Brass.

¾in.	4/9	5/6
1 in.	5/3	6/-
1½in.	6/-	7/-
1¾in.	8/-	8/6
2in.	8/9	9/6
2½in.	9/6	10/6



With Rubbered Bowl.

Polished.

Socket **5624** Pin **5625**

1½	1¼	1½	2in.
5624	28/-	30/-	39/- 43/-
5625	27/-	29/-	38/- 42/-

**5355**Pressed is **5344**

¾	1	1¼	1½	1½in.
5344	7/-	7/6	8/6	10/6
16212	—	—	12/-	14/-
16213	—	—	19/-	20/-

dozen sets.

**6038****5341**

1½	1½	1¼	2in.
1/2	1/2	1/10	2/6

BEDSTEAD CASTOR.


DOOR CATCHES.

Per dozen.




16157

$\frac{7}{8}$ $1\frac{1}{2} \times 1\frac{1}{2}$ 7/3	$\frac{3}{4}$ $1\frac{1}{2} \times \frac{1}{2}$ 8/-	$\frac{1}{2}$ $1\frac{1}{2} \times \frac{1}{2}$ 9/-	$\frac{1}{4}$ $1\frac{1}{2} \times \frac{1}{2}$ 10/-	$\frac{3}{8}$ in. Ball. $2 \times \frac{1}{2}$ in. Plate. 12/- dozen.
$\frac{3}{4}$ $2\frac{1}{2} \times \frac{1}{2}$ 15/-	$\frac{1}{2}$ $2\frac{1}{2} \times 1$ 20/-	$\frac{3}{4}$ $2\frac{1}{2} \times 1\frac{1}{2}$ 26/-		$\frac{1}{2}$ in. Ball. $3 \times 1\frac{1}{2}$ in. Plate. 30/- dozen.



16158 REVOLVING BALL.

$\frac{7}{8}$ $1\frac{1}{2} \times \frac{1}{2}$ 8/-	$\frac{3}{4}$ $1\frac{1}{2} \times \frac{1}{2}$ 9/-	$\frac{1}{2}$ $1\frac{1}{2} \times \frac{1}{2}$ 11/-	$\frac{1}{4}$ $1\frac{1}{2} \times \frac{1}{2}$ 12/-	$\frac{3}{8}$ in. Ball. $2\frac{1}{2} \times \frac{1}{2}$ in. Plate. 15/- dozen.
$\frac{3}{4}$ $2\frac{1}{2} \times 1$ 18/-	$\frac{1}{2}$ $2\frac{1}{2} \times 1\frac{1}{2}$ 24/-	$\frac{3}{4}$ $3 \times 1\frac{1}{2}$ 29/-		1 in. Ball. $3\frac{1}{2} \times 1\frac{1}{2}$ in. Plate. 34/- dozen.



16210 Improved Type.


Size of Plate ins.	Size of Ball ins.	
$1\frac{1}{2} \times 2$	$\frac{1}{4}$	8/-
$1\frac{1}{2} \times \frac{1}{2}$	$\frac{3}{8}$	9/-
$1\frac{1}{2} \times 3$	$\frac{1}{2}$	10/-
$1\frac{1}{2} \times \frac{3}{4}$	$\frac{3}{4}$	12/-
$2 \times \frac{1}{2}$	$\frac{1}{2}$	14/-
$2\frac{1}{2} \times \frac{1}{2}$	$\frac{3}{4}$	18/-
$2\frac{1}{2} \times 1$	$\frac{1}{2}$	24/-



6546

Cast.

Dead 6/-




16181

Machine Made.


$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$ in.
1/9	2/-	3/8	4/6 doz.



16178

Sanded,
28/- dozen.

10981

Polished 16/6 doz.
Nickelled 18/10 "

3933


Full Size.

Machine Made. Very Strong.
Polished Brass 7/3 doz.
Antique Coppered 8/- "

POLISHED CARD FRAMES, Etc.

Half Size.

*Sizes given are those of Cards the Frames will take.



3613

Dipped.

*1 1/2 x 2 in., 9/-

*2 1/2 x 3 in., 9/4

Stronger.

Pol.

*2 1/2 x 1 in., 24/-

*2 1/2 x 1 1/2 in., 26/-

3448

A.C.

33/- gross.

35/- "



3419

Cast, Polished.

Also any other sizes and patterns on application.

Pol.

A.C.

1 1/2 x 2 in., 4/-

5/6

1 1/2 x 1 1/2 in., 5/6

7/2

2 1/2 x 1 1/2 in., 6/6

8/2

3 1/2 x 1 1/2 in., 7/6

9/2

3 1/2 x 2 1/2 in., 9/6

11/2

dozen.



16184

Machine Made.

Pol.

*1 1/2 x 2 1/2 in.

2/10

A.C.

3/8 doz.



3565

Cast.

Pol.

A.C.

*1 1/2 x 1 in.

8/6

10/3 doz.

*2 1/2 x 1 in.

12/-

13/9 "



16183

Machine Made.


Polished.

*2 1/2 x 1 1/2 in.

3/6 doz.

Electro Brassed "

2/- "



With Rolled Edge.

14211

4 in.

Polished.

8/-

A.C.

9/9 doz.

for Card 2 1/2 x 1 in.

DRAWER PULLS.



16114

Pol.

A.C.

Light, 24 S.W.G.


2/4

2/10 doz.

Heavy, 19 S.W.G.

3/4

3/10 "



With Rolled Edge.

14212

4 in.

Pol.

5/9

A.C.

7/6 dozen.



3043

18 S.W.G.

3

3 1/2

4 in.

Machine Burnished

2/6

2/8

2/10

Antique Copper

3/-

3/2

3/4

16112

Lighter.

3 1/2 in.

23 S.W.G.

Pol.

2/-

A.C.

2/6

Half-size.



DRAWER PULLS. Dozen


5610

Cast, Polished 10/6



16041

Polished 2/6
Ant. Copper 3/-



3353

3 1/2 in. Pol'd A.C.
18 S.W.G. 3/4 3/10
Lighter. 16113
23 S.W.G. 2/2 2/8

SHUTTER KNOBS and CUPBOARD TURNS. Dozen.



16147

Polished Brass.


1 1/2 2 1/2 3 1/2 4 1/2 5 1/2 6 1/2
1 11 2/2 2/5 2/10 3/2 3/10 4/6

Antique Copper.

1 1/2 2 1/2 3 1/2 4 1/2 5 1/2 6 1/2
2/11 3/2 3/5 3/10 4/2 4/10 5/6

Nickel Plated.

1 1/2 2 1/2 3 1/2 4 1/2 5 1/2 6 1/2
2/11 3/2 3/5 3/10 4/2 4/10 5/6



16148

1 in. 5/3
1 1/2 in. 5/6
1 3/4 in. 6/2

16149

With Perfect Turn.

1 1 1/2 1 3/4 1 1/2 in.

Pol'd. Brass 6/- 6/6 7/- 9/6

Antique Copper 7/- 7/6 8/- 10/6

Nickel-Plated 7/- 7/6 8/- 10/6



16151

Pol'd. Brass 2/3 2/6 2/9 3/6 4/6
Antique Copper 2/10 3/- 3/3 4/1 5/3
Nickel-Plated 2/10 3/- 3/3 4/1 5/3


EVERED'S IMPROVED CUPBOARD TURN.

See Page No. 159.



16001

1 1/2 in. Polished Brass 4/-
Ant. Copper 5/3



16000

1 1/2 in. Polished Brass 5/6
Ant. Copper 6/9



16152

Polished Brass.

Heavy Cast Neck.

1 1/2 1 3/4 1 1/2 in.
10/- 11/6 14/-

Antique Copper or Nickel-Plated.

1 1/2 1 3/4 1 1/2 in.
11/- 12/6 15/-

Lighter 16152 1/2

1 in. 4/6 1 1/2 in. 5/6

Antique Copper or Nickel-Plated.

1 in. 5/6 1 1/2 in. 6/6

SHUTTER KNOBS AND CUPBOARD TURNS.

Half Size.

Dozen.

**16160**


Oval.

Polished	6/6
A.C.	7/3

**16159**

Oval.

Polished	5/3
A.C.	6/-

**16222**

Cast, 1/2 in. Head.

Polished	5/-
A.C.	5/9

Moulded Glass.

**6628**

Crystal	17/-
Amber	19/6

Cut Glass.

**6636**

Crystal	24/6
Amber	28/-

**5253**

Cast.

Polished	2/3 each.
A.C.	2/6 "

**6630**

Crystal	20/-
Amber	22/6

**6638**

Crystal	28/-
Amber	31/6

**5239**

Cast.

Polished	2/- each.
A.C.	2/3 "

STAMPED THREAD
ESCUTCHEON.**16142**

1/2 in.	4/6
3/8 in.	4/9
1/4 in.	5/-
5/6 in.	5/6 gross.



STAMPED ESCUTCHEON.

3456

1	1 1/2	1 1/2 in.
7/-	10/-	11/6
		gross.

WARDROBE LOCK SETS, Etc.

Per dozen sets.

All Pressed Plates and Cast Furniture.

**11040**Plate, $3\frac{1}{2} \times 1\frac{1}{2}$ in.With Dropper and Latch,
 2×2 in.

Pol'd.	A.B.	A.C.
34/-	36/-	36/6



Oblong Plate.

 $6\frac{1}{2} \times 1\frac{1}{2}$ in. with

Lever

& Lock	11034	...	49/-
& Latch	11038	...	32/-

Oval Knob


& Lock	11032	...	52/-
& Latch	11036	...	34/-

Round Knob

& Lock	11033	...	52/-
& Latch	11037	...	34/-

Dropper

& Lock	11035	...	54/-
& Latch	11039	...	37/-

With
Wardrobe
Lock

Oval Plate.

 $6\frac{1}{2} \times 1\frac{1}{2}$ in. with

Oval Knob

& Lock	11024	...	52/-
& Latch	11028	...	34/-

Lever

& Lock	11026	...	49/-
& Latch	11030	...	32/-

Round Knob


& Lock	11025	...	52/-
& Latch	11029	...	34/-

Dropper

& Lock	11027	...	54/-
& Latch	11031	...	37/-

**11041**Plate, $3\frac{1}{2} \times 1\frac{1}{2}$ in.Turn Key and Latch,
 2×2 in.

Pol'd.	A.B.	A.C.
26/-	28/-	28/6

**11042**

All Priced in Polished Brass.

Extra for A.B. if with Lock	2/6	} Any Plate or Furniture.
Latch	2/-	
Extra for A.C. if with Lock	5/-	
Latch	2/6	

Plate		Lever & Lock	
$4\frac{1}{2} \times 1\frac{1}{2}$ in.	Pol'd.	A.B.	A.C.
11042	48/-	51/-	53/-

LOOKING GLASS MOVEMENTS.



Assorted
Screws
for
5420
2/6 dozen.

5420

$1\frac{1}{4} \times \frac{1}{8}$	$2 \times \frac{5}{16}$	$2\frac{1}{2} \times \frac{3}{8}$ in.
17/6	18/-	21/-
$2\frac{3}{8} \times \frac{7}{8}$	$2\frac{1}{2} \times \frac{9}{16}$ in.	
27/-	39/-	

dozen pairs.



10209

Machine Made, Glass Movement.

Brass, Small	...	6/3
" Large	...	7/6

dozen pairs.

5655

Cast Brass, Dead.

No. 1 ... 15/- dozen pairs.



5655

No. 2 ... 18/- dozen pairs,
(No. 3 Heavier than No.
2 and better finished) . 21/- " "

BOOK CASE STRIP & STUDS.

Particularly adapted for Bookshelves for Public or Private Libraries. Sufficiently strong when in proper use to bear 10 cwt. Made in Bronzed Iron or Sanded Brass. Only 6 feet lengths are stocked.

3013	Iron Strip	...	3/- doz. ft.
3016	Brass "	...	10/6 "
3012	Iron Stud	...	6/9 gross.
3015	Brass "	...	12/- "



POLISHED BRASS TRAY HANDLES.

Half Size.

A.C. Finish plus 15%.

Per Dozen.

**16195**


Electro Brassed or C.B. and R.

2/-

10575


Cast Brass, Polished.

7/-

**10430**

Ebonized Grip.

27/-

**10573**

4in., 7/6

4 1/2 in., 10/6

CAST BRASS BUTTONS.

*A.C. Finish plus 15%.

§A.C. Finish plus 25%.

**3535 §**

Burnished

1/2	1	1 1/2 in.
9/-	12/-	20/-
	gross.	

**3116 §**

Polished.

1	1 1/2	1 1/2	1 1/2 in.
12/-	13/-	16/-	22/- gross.
	2	2 1/2	2 1/2 in.
	28/-	36/-	42/- gross.

**3117 §**

Polished.

1 1/2	1 1/2	2	2 1/2 in.
22/-	26/6	31/-	40/-
		gross.	

**3118 ***

Dipped and Burnished.

1 1/2	1 1/2	2	2 1/2 in.
5/-	6/3	7/6	10/-
		dozen.	

***3541**

Dipped and Burnished.

1 1/2	1 1/2	2	2 1/2 in.
6/-	6/9	7/6	12/6

***3534**

Cast Plate.

1 1/2	2	2 1/2 in.
6/9	8/3	10/9
	dozen.	

BRASS HANDLES.

Half Size.

Per Dozen.

**3515**


	2 7/8 in.	12/-	3 1/2 in.	15/-	4 1/2 in.	20/-
A.C.	11/3		17/3		22/3	
Ward.	18/6		Pedestal with Turn		19/-	
A.C.	20/9		"	"	21/3	
Riv. Pedestal	15/-		A.C.		17/3	

**16116** Light.

2 1/2	3	3 1/2	4 in.
7/3	9/6	11/9	16/9

3532 Heavy Cast.

3	3 1/2	4	4 1/2 in.
14/6	16/-	20/-	23/-

**16115**Dipped and Burnished.
Pressed 3/3**16117**

Pressed, Polished 5/-

**3660**

2 1/2	3	3 1/2	4 in.
6/-	7/6	10/6	12/-

3500 Stronger.

3	3 1/2	4	4 1/2 in.
9/6	12/-	18/3	21/-

**4250**Dipped and Burnished.
9/-**3520**

Cast, Sanded, Burnished Grip

3	3 1/2	4	4 1/2	5 in.
13/6	11/6	17/6	28/-	36/-

**3521** Pressed Cast Grip.**3530** Cast, Sanded.

	2 1/2	3	3 1/2	4 in.
3521	5/8	6/4	7/6	9/-
A.C.	7/9	8/6	9/6	11/3
3530		15/-	18/3	21/6

BRASS CABINET HANDLES.

Half Size.

Polished or Antique Brass.

Per Dozen.

A.C. Finish plus 15%.

A.S. Finish plus 25%.

**16220**

Polished.

1½	1½	1½	2in.
2/-	3/-	4/-	8/-

**245**

Polished.

1½	1½	2in.
16/-	19/-	24/-

**844**

2½in., 8/-	3½in., 10/-	4in., 12/-
Wardrobe, 11/6; Pedestal with turn, 12/-		
Riveted Pedestal, 8/-		

**85**

2½in., 9/6	3in., 11/6	4in., 14/6
Wardrobe, 16/-; Pedestal with turn, 18/-		
Riveted Pedestal, 13/-		

**660**

2½in., 8/6	3½in., 10/6	4½in., 13/-
Wardrobe, 12/-; Pedestal with turn, 13/6		
Riveted Pedestal 10/6		

**884**

2½in., 8/6	3½in., 11/6	4in., 13/6
Wardrobe, 13/6; Pedestal with turn, 14/-		
Riveted Pedestal, 10/6		

**10093**

2½in., 8/6	3½in., 9/6	4½in., 12/6
Wardrobe, 12/-; Pedestal with turn, 12/6		
Riveted Pedestal, 10/-		

**10090**

2½in., 10/6	3½in., 12/6	4½in., 15/6
Wardrobe, 15/-; Pedestal with turn, 15/6		
Riveted Pedestal, 10/6		

**10091**

2½in., 8/6	3½in., 9/6	4½in., 12/6
Wardrobe, 12/-; Pedestal with turn, 12/6		
Riveted Pedestal, 10/-		

BRASS CABINET HANDLES.

Half Size

Polished or Antique Brass.

Per Dozen.

A.G. Finish plus 15%

A.S. Finish plus 25%

**R 2020**

A.C. or A.B.

2½ in., 15/9 3½ in., 18/- 4½ in., 20/6

Wardrobe, 22/- Pedestal with turn, 22/-


Riveted Pedestal, 19/9

Polished Brass.

2½ in., 14/3 3½ in., 16/6 4½ in., 19/-

Wardrobe, 20/6 Pedestal with turn, 20/6

Riveted Pedestal, 18/3

**3988**

Antique Coppered.

2½ in., 15/6 3½ in., 18/- 4½ in., 21/-

Wardrobe, 21/- Pedestal with turn, 20/6

Riveted Pedestal, 18/6

Polished Brass.

2½ in., 14/- 3½ in., 16/6 4½ in., 19/6

Wardrobe, 19/6 Pedestal with turn, 19/-

Riveted Pedestal, 17/-

**9902**

2½ in., 10/6 3½ in., 12/- 4½ in., 13/-

Wardrobe, 13/- Pedestal with turn, 13/6

Riveted Pedestal, 10/3

**9904**

2½ in., 10/6 3½ in., 12/- 4½ in., 13/3

Wardrobe, 13/- Pedestal with turn, 13/6

Riveted Pedestal, 10/3

**4915**

2½ in., 10/- 3½ in., 12/6 4 in., 15/-

Wardrobe, 16/- Pedestal with turn, 15/6

Riveted Pedestal, 11/-

Escutcheon, 2/3

**4082**

2½ in., 10/6 3½ in., 13/6 4 in., 15/-

Wardrobe, 16/6 Pedestal with turn, 16/6

Riveted Pedestal, 12/6

BRASS CABINET HANDLES.

Half Size

Polished or Antique Brass.

Per Dozen.

A.C. finish plus 15%. A.S. finish plus 25%.



10427

2 1/2 in.	3 in.	4 in.
12/6	15/-	19/6
Wardrobe 15/-		Pedestal with turn 15/6
Riveted Pedestal, 13/6		



10429

1 1/2 in., 8/6	2 in., 10/-	2 1/2 in., 11/-
Wardrobe, 13/6		Pedestal with turn, 14/-
Riveted Pedestal, 11/6		



10428

1 1/2 in., 11/-	2 in., 12/6	2 1/2 in., 15/-
Wardrobe, 13/6		Pedestal with turn, 13/9
Riveted Pedestal, 12/6		



4004

1 1/2 in., 8/6	2 1/2 in., 12/-	2 3/4 in., 13/6
Wardrobe, 14/6		Pedestal with turn, 13/6
Riveted Pedestal, 10/-		



68

1 1/2 in., 6/9	2 in., 9/-	2 1/2 in., 11/6
Wardrobe, 12/-		Pedestal with turn, 12/9
Riveted Pedestal, 8/6		



4693

1 1/2 in., 6/9	2 1/2 in., 9/-	2 3/4 in., 11/6
Wardrobe, 13/6		Pedestal with turn 14/-
Riveted Pedestal, 9/6		



5892

1 1/2 in., 8/6	1 3/4 in., 9/-	2 1/2 in., 12/-
Wardrobe, 14/-		Pedestal with turn, 14/6
Riveted Pedestal, 10/6		

BRASS CABINET HANDLES.

Half Size.

Polished or Antique Brass.

Per Dozen.

A.C. Finish plus 15%.

A.S. Finish plus 25%.

3586

1 in.	9/9
1 1/2 in.	12/6
2 in.	15/-
Wardrobe	18/-
Pedestal	16/-
with turn	16/-
Riveted	16/-
Pedestal	14/6



4602

1 in.	9/6
1 1/2 in.	11/6
2 in.	14/-
Wardrobe	18/-
Pedestal	16/-
with turn	16/-
Riveted	16/-
Pedestal	14/6



4603

1 in.	9/6
1 1/2 in.	11/6
2 in.	14/-
Wardrobe	18/-
Pedestal	16/-
with turn	16/-
Riveted	16/-
Pedestal	14/6

5276

1 in.	8/-
1 1/2 in.	9/6
2 in.	11/6
Wardrobe	15/6
Pedestal	15/-
with turn	15/-
Riveted	15/-
Pedestal	13/-



1 in.	9/6
1 1/2 in.	11/6
2 in.	14/-
Wardrobe	18/-
Pedestal	16/-
with turn	16/-
Riveted	16/-
Pedestal	14/6



3600

1 in.	9/9
1 1/2 in.	12/6
2 in.	16/-
Wardrobe	18/-
Pedestal	16/-
with turn	16/-
Riveted	16/-
Pedestal	14/6

5271

1 1/2 in.	7/6
2 in.	9/3
2 1/2 in.	12/-
Wardrobe	15/6
Pedestal	15/-
with turn	15/-
Riveted	13/-
Pedestal	13/-



10939



10941



10940



10937



10938

10937, 10938, 10939, 10940, 10941, only in the finishes priced.

Jewel.	Medium.	Chest.	Wardrobe.	Pedestal Turn.	Riveted Pedestal.
A.B. 8/8	9/6	10/10	14/9	16/3	12/-
A.C. 10/-	11/-	12/6	17/-	18/9	13/9

BRASS CABINET HANDLES.

Half Size. All Cast. Per Dozen.
 Polished or Antique Brass.
 A.C. Finish plus 15%. A.S. Finish plus 25%.



10577

1½	2	2½in.
20/-	24/-	33/-
Wardrobe		28/-
Pedestal with turn		24/-
Riveted Pedestal		21/-



5896

1	1½	2in.
15/-	17/-	20/-
Wardrobe		21/-
Pedestal with turn		20/-
Riveted Pedestal		18/-



10601

1½	2	2½in.
15/-	20/-	29/-
Wardrobe		26/-
Pedestal with turn		24/-
Riveted Pedestal		22/6



45

2in., 18/-	2½in., 21/-	3in., 31/-
Wardrobe, 24/-	Pedestal with turn, 26/-	
Riveted Pedestal, 18/6		



10576

2½in., 15/-	3½in., 19/6	4½in., 24/-
Wardrobe, 25/-	Pedestal with turn, 21/-	
Riveted Pedestal, 17/6		



9900

2½in., 20/-	3½in., 32/-	4½in., 45/-
Wardrobe, 28/-	Pedestal with turn, 24/-	
Riveted Pedestal, 19/-		
Escutcheon, 9900½	5/-	



3989

2½in., 19/-	3½in., 26/-	4½in., 34/-
Wardrobe, 25/-	Pedestal with turn, 25/-	
Riveted Pedestal, 20/-		

SASH BAR OR DRAWER HANDLES.

One-Third Size.

Dozen.

Copper Bronzed
Steel.**14210**

3½ in. 5 in. 7 in.

2 screw holes each end
in 5 in. and 7 in. sizes.Polished
Brass.**14213**

3½ in. 5 in. 7 in.

For prices see *Evered's Specialities*, p. 158.**4380**

4½	5	6	7 in.
5/6	6/-	7/6	11/-

Stronger **5644** 6½ in. only.
Polished 16/-
A.C. 18/-

**4383**

5	5½	6 in.
7/-	7/6	8/6

**6833**

	3	5 in.
Polished	9/-	14/-
A.C.	10/6	15/6

**10026**


	4	5	6 in.
Polished	8/3	11/9	18/-
A.C.	9/9	13/3	20/6

**5008**

	5	5½ in.
Polished	18/-	24/-
A.C.	20/6	27/-

**10034**

	4	5½ in.
Polished	10/6	27/-
A.C.	12/-	30/6

**6864**

	12	15	18 in.
Polished	45/-	47/-	48/6
A.C.	53/-	55/6	57/6

BRASS DRAWER AND DOOR HANDLES.

One-third Size.

each.

**6865**

Polished (Ebony Grip).

11½	17½ in.
8/-	11/-
A.C. 9/3	12/6

To fix with screws and nuts.

**10035**

	6	8	10	12 in.
Polished	3/6	4/3	5/6	7/-
A.C.	4/4	5/1	6/4	7/10

CHINA AND GLASS GRIP HANDLES.

each.



Burnished.

4182

White China 5/6



Burnished.

4321

Cut Glass.

Crystal or Amber 14/-



Burnished.

4306

Cut Glass.

Crystal or Amber 8/-

DOOR HANDLES.

One third Size.



Ebony Grip.

3894

14½ × 11 in.

Pol'd ... 21/- each.

**4394**

For either hand.

**10877** 5 in.

Pol'd ... 16/6 doz.

A.C. ... 19/6 "



8½ × 11½ in.



Ebony Grip.

3968

15 × 2 in.

Pol'd ... 21/- each.

4394

Pol'd ... 7/6


A.C. ... 8/3

C.B. ... 9/8

Set with Furniture.

DOOR HANDLES Each.

One inch Square Grip 21 in. long.

**4312**

Polished.


$\frac{5}{8} \times 1\frac{1}{2} \times 10$ in.	...	5/-
„ $1\frac{1}{2} \times 12$ in.	...	5/6
„ $1\frac{3}{4} \times 10$ in.	...	5/6
„ $1\frac{3}{4} \times 12$ in.	...	6/-
$\frac{3}{4} \times 2 \times 15$ in.	...	8/6
„ $2\frac{1}{2} \times 12$ in.	...	9/-

**5394**

Pol'd.	...	12/-
A.C.	...	13/6
C.B.	...	15/-

**4978**

Pol'd	...	4/9
A.C.	...	5/3
C.B.	...	6/3

**4388**

	Pol'd.	
$\frac{3}{4} \times 12$ in.	...	5/-
$\frac{3}{4} \times 15$ in.	...	5/3
1×15 in.	...	8/6

SWING DOOR HANDLES.

One-Third Size.

Each.



Cast in One Piece.

10795

10½ in. × 2 in.

Polished	7/9
A.C.	8/8
C.B.	9/9

10980

11 in. × 2 in.

Polished	6/-
A.C.	7/-
C.B.	7/9

**10796**

10 in.

Polished	5/6
A.C.	6/4
C.B.	6/10

**10992**

	8	10	12 in.
Polished	4/6	5/4	8/3
A.C.	5/3	6/8	9/4
C.B.	5/9	7/8	10/6



DOOR HANDLES.

each.

**9735**

2½ in. wide.

Pol'd	15/-
A.C.	16/9
C.B.	19/-

**4272**

For Telephone Cabinet.

Pol'd	14/6
C.B.	19/-

**9733**

2½ in. wide.

Pol'd	16/-	17/6
A.C.	17/9	19/6
C.B.	20/-	22/-

**10075**

Pol'd	3/9
A.C.	4/1
C.B.	5/-

**10009**

Pol'd	4/6
A.C.	5/3
C.B.	6/-

HEAVY CAST DOOR HANDLES.

each.

Plate to match.

10786

15 × 3 in.

11006

Pol'd	7/9
A.C.	9/-
C.B.	10/-

**10786** **10977**

15 × 3 in. 12 × 2½ in.

Pol'd	14/6	10/9
A.C.	16/6	12/3
C.B.	18/-	13/3

**10920**

Pol'd	15/9
A.C.	17/9
C.B.	19/6

Plate only.

15½ × 2½ in.

11007

Pol'd	8/-
A.C.	9/-
C.B.	10/-

Plate to match.

10936

15 × 2½ in.

11008

Pol'd	6/3
A.C.	7/-
C.B.	7/9

**10936**

15 × 2½ in.

Pol'd	14/-
A.C.	16/6
C.B.	18/-

POLISHED BRASS DOOR HANDLES.

One-Third Size.

Each.

**10850**

Polished	6/10
A.C.	8/-
C.B.	9/-

**10074**

Polished or Dull Brass	28/-
A.C.	33/-
C.B.	39/-

**10119**

Polished	10/-
A.C.	11/6
C.B.	12/6

**10023**

10 x 1 3/4 in.	6/-
12 x 2 1/4 in.	7/10
A.C.	
10 x 1 3/4 in.	7/2
12 x 2 1/4 in.	9/-
C.B.	
10 x 1 3/4 in.	8/3
12 x 2 1/4 in.	10/3

10027

Polished	5/6
A.C.	6/3
C.B.	7/3



**9752**

Pol'd	16/-
A.C.	17/3
C.B.	20/-

**6304**

	14	18in.
Pol'd	32/-	52/-
A.C.	35/-	57/-
C.B.	40/-	65/-

**10116**

Pol'd	6/9
A.C.	7/6
With Latch Hole, 10115	
Pol'd	6/9
A.C.	7/6

**10953**

Pol'd,	20/- doz.
A.C.,	22/3 "
C.B.,	27/6 "

**10950**

Pol'd	2/6
A.C.	2/10
C.B.	3/3

**4746**

Pol'd	2/6
A.C.	2/10
C.B.	3/3

Holes for Cylinder Latches, $1\frac{1}{8}$ in. recessed, $1\frac{1}{2} \times \frac{1}{8}$ in.

One-third size.

DOOR HANDLES.

WITH $1\frac{1}{2}$ in. HOLE FOR CYLINDER LATCHES.Recessed $1\frac{1}{4}$ x $\frac{1}{2}$ in.**3801**

Pol'd	7/- each
A.C.	8/- "
C.B.	9/- "

**4747**

Pol'd	31/6 doz.
A.C.	35/6 "
C.B.	40/- "

**3664**

Pol'd	6/- each
A.C.	7/- "
C.B.	7/9 "

**4748**

Pol'd	31/6 doz.
A.C.	35/6 "
C.B.	40/- "

**10949**

Pol'd	2/11 each.
A.C.	3/3 "
C.B.	4/11 "

**6051**

Pol'd	3/3 each.
A.C.	3/7 "
C.B.	4/4 "

THUMB LATCH LOCK SETS.


One-third Size.

Per Set of 2 HANDLES, with SPRING
MORTISE LOCK, and FIXING SCREWS.



10979

Pol'd	17/-
A.C.	18/6
C.B.	19/6



5685

Pol'd	31/-
A.C.	35/-
C.B.	38/-



10942

Pol'd	35/6
A.C.	39/6
C.B.	42/-

Priced with Lock **11004**.

EXTRA with better Lock **11005**—

Pol'd	A.C.	C.B.
5/9	5/9	6/6

When supplied C.B.,
Lock **11004** is with
BRASS FACE, Coloured C.B.

Lock **11005** is with
REAL BRONZE FACE.

CENTRE KNOBS FOR DOORS.

Each.



4659

	2½ in.
Pol'd	4/6
A.C.	5/-
C.B.	5/10



4658

	3 in.
Pol'd	5/-
A.C.	5/8
C.B.	6/6



482

	2½	2½	3	3½ in.
Pol'd	4/3	4/6	6/-	7/6
A.C.	4/9	5/2	6/9	8/6
C.B.	5/6	6/3	8/3	10/6



6145

	2½	3 in.
Pol'd	5/-	6/9
A.C.	5/8	7/6
C.B.	6/6	8/9



10787

Pol'd	4/2
A.C.	4/8
C.B.	5/3

MORTISE
FURNITURE is

10934

Pol'd	7/8 Set.
A.C.	8/6 "
C.B.	9/9 "



4657

	2½ in. Knob.
Pol'd	5/3
A.C.	5/10
C.B.	6/9


WITH
SQUARE
ROSE is

10055

Pol'd	4/8
A.C.	5/2
C.B.	6/-

2½ in. Oval Knob. Rose, 3½ in.

KICKING PLATES.



11023

14 Imperial Standard Wire Gauge.

	24	30	36 in. long.
6 in. wide, Pol'd	12/-	14/-	15/9 each.
A.C.	13/6	16/-	18/- "
C.B.	15/-	18/-	20/9 "
8 in. wide, Pol'd	13/6	16/9	19/6 "
A.C.	15/6	19/3	22/6 "
C.B.	18/-	21/9	24/9 "

PLAIN, NOT SHAPED.

11022

	24	30	36 in. long.
6 in. wide, Pol'd	11/3	13/3	15/- each.
A.C.	12/9	16/-	18/9 "
C.B.	14/3	17/3	20/- "
8 in. wide, Pol'd	12/9	16/-	18/9 "
A.C.	14/9	18/6	21/9 "
C.B.	17/3	20/9	24/- "

FIGURES, LETTERS, Etc.

5200 and 5204 to fix with screws.



Letters, 5200

1	1½	Pol'd,	2½	3in.
2/9	3/3	3/9	5/-	8/-
3/3	4/-	A.C.	6/6	9/9
3/9	4/6	C.B.	7/6	11/-
		dozen,		



Figures, 5204



5927

Also "Out" "Pull" "Push"
3 x 2½ in. wide.

5927

Pol'd	2/-
A.C.	2/4
C.B.	2/6
each.	



835

2½ x 2½ in.

Bronzed and Relieved.

From 1 to 9	12/- doz
From 10 to 99	13/- "
From 100 to 999	14/- "



5730

1½ x 1 in. Sank Letters,
Pull or Push.

Pol'd	6/6 doz.
A.C.	7/6 "
C.B.	8/9 "



882

Burnished with Dead Ground.

2½ x 1½ in.	"Out" or "In", "Ring"	8/6 doz.
3½ x 1½ in.	"Knock"	10/6 "
4½ x 1½ in.	"Servants"	12/- "
5½ x 1½ in.	"Knock" and "Ring"	13/- "
or		
2½ x 1½ in.		



5778

	Pol'd.	C.B.	
4in.	5/4	6/6	
5in.	6/6	8/2	
6in.	8/9	11/-	With
8in.	11/4	14/-	Holes
9in.	13/-	16/3	or
10in.	17/6	21/-	Lugs.
12in.	23/3	28/9	
	each.		

LOCK FURNITURE.

Half-size.

Raised Brass Knobs.

**5005 16191**

Mace's.	Drilled through.	
	Rim.	Mortise.
6 in.	17/-	27/-
7 in.	19/-	29/-
8 in.	21/-	31/-
9 in.	25/-	—
10 in.	28/-	50/-

Dozen sets.



Drilled through.

5004 16190

4 in. Spindle.

	Larch.	Ram.	Mortise.
4 in.	8/-	—	—
5 in.	9/-	10/-	16/-
6 in.	10/-	11/-	18/-
7 in.	—	13/-	22/-
8 in.	—	14/6	24/-

Dozen sets.



China.

5221

Mortise.

Pitt's.

W.	52/-
B.	51/-
W. & G.	71/-
B. & G.	75/-

Dozen sets.



China.

6600

Wilke's.

Mortise.

W.	41/-
B.	48/-
W. & G.	68/-
B. & G.	72/-

Dozen sets.



China.

6219

W.	14/-
B.	16/-
W. & G.	19/6
B. & G.	21/6

per dozen.

**6620**

WILKES'S Crystal, 19/6 set.

Amber ... 22/6 "

**6622**

WILKES'S Crystal, 21/- set.


Amber ... 24/- "



14174
11 x 2 1/2 in.
Pol'd, 6/9 A.C., 7/6



14175
11 x 2 1/2 in.
Pol'd, 6/9 A.C., 7/6



14176
11 x 2 1/2 in.
Pol'd, 6/9 A.C., 7/6 doz.



10739
11 x 3 in.
x 25 W.G.
Pol'd, 13/6
A.C., 17/8
dozen.



10740
2 1/2 in. Pair's.
Pol'd 40/- doz. set.
A.C. 47/6 "



3668
12 x 3 in.
x 24 W.G.
Pol'd, 18/-
A.C., 22/2
dozen.

**5302**

12in. x 3in. x 24 W.G.
Polished, 18/- dozen.
A.C. 22 3 "

**5657**

11in. x 3in. x 19 W.G.
Polished, 21/- dozen.
A.C. 25 2 "
C.B. 28/- "



Bevelled,

10978

11in. x 3in. x 17 W.G.
Polished, 32/- dozen.
A.C. 36 6 "
C.B. 45/- "

**10892**

With 2 1/2in. Square Rose **11020**.

**10893**

With 2 1/2in. Square Rose **10923**.

**10907**

Pol'd	A.C.	C.B.
5/3	5/10	6/6 set.

10892 & 10893.

	Phil's	Mace's
Pol'd	4/-	4/4 set.
A.C.	4/4	4/8 "
C.B.	5/-	5/4 "

11020 and 10923 i.e., with
Square Roses
4/- dozen Sets extra.



BRASS LOCK FURNITURE.

Furniture half size.

Plates one third size.

**6926**

Pitt's.

	2	2½	2½ in.
Pol'd	6/6	7/-	8/- set.
A.C.	7/2	7/8	8/8 "
C.B.	8/3	9/3	10/9 "

**6926**

Escutcheon.

**8060**

12 x 3 in. x 16 W.G.

Pol'd	42/- doz.
A.C.	46/6 "
C.B.	56/- "

**9747**

Mace's or Pitt's.

	1½	2	2½ in.
Pol'd	66/-	76/6	92/-
A.C.	73/6	84/-	99/6
C.B.	83/-	100/-	120/-

Dozen sets.

**9747**

Escutcheon.

**9884**

Pitt's or Mace's.

	2½ in.	2½ in.
Pol'd	71/-	78/-
A.C.	78/6	85/6
C.B.	92/-	100/-

Dozen sets.

**5272**

Wilkes.

	2½	2½ in.
Pol'd	7/9	8/3 set.
A.C.	8/5	8/11 "
C.B.	9/8	10/3 "

Rims, 1/8 set less.

BRASS LOCK FURNITURE.

Furniture Hall size.

Plates one-third size.



10414
 11 x 3in. x 19 W.G.
 Pol'd .. 3/6 each
 A.C. .. 3/11 "
 A.S. .. 4/7 "



10416
 12 x 2 1/2 in. x 19 W.G.
 Pol'd .. 4/3 each
 A.C. .. 4/8 "
 A.S. .. 5/4 "



10715
 12 1/2 x 2 1/2 in. x 19 W.G.
 Pol'd .. 4/3 each
 A.C. .. 5/8 "
 A.S. .. 6/8 "



10415
 Pol'd .. 5/-
 A.C. .. 5/9
 A.S. .. 7/8
 set.



10717
 Pol'd .. 12/9
 A.C. .. 14/6
 A.S. .. 17/9
 set.



10716
 Pol'd .. 12/9
 A.C. .. 14/6
 A.S. .. 17/9
 set.



BRASS LOCK FURNITURE.

Furniture half size.

Plates one-third size.

**10420**

11 x 3in. x 19 W.G.
 Pol'd, 24/- A.B., 27/- doz.
 A.C., 28/3 A.S., 37/- "

**3728**

12 x 3in. x 24 W.G.
 Pol'd, 15/- A.B., 18/- doz.
 A.C., 19/3 A.S., 28/- "

**3780**

11 x 3in. x 24 W.G.
 Pol'd, 18/- A.B., 21/- doz.
 A.C., 22/3 A.S., 31/- "

**10419**

Pitt's.

Pol'd, 9/- A.B., 9/6 set
 A.C., 9/8 A.S., 11/2 "

**9746**

Pitt's.

Pol'd, 10/- A.B., 10/6 set
 A.C., 10/8 A.S., 12/2 "

**10570**

Pitt's.

Pol'd, 7/6 A.B., 8/- set.
 A.C., 8/2 A.S., 10/8 "



**9861** Cast.

	1½	2	2½	3½ × 11 in.
Pol'd.	3/9	4/3	4/9	5/3 each.
A.C.	4/2	4/9	5/3	5/9 "
C.B.	5/-	5/6	6/-	6/6 "

**10794**

	Pitt's.	
Pol'd.	8/9	set.
A.C.	10/-	"
C.B.	10/9	"

**10851**

P.W.D. VIII.

Pol'd.	7/9	set.
A.C.	8/6	"
C.B.	10/-	"

**10788**

	Pitt's.	
Pol'd.	7/-	set.
A.C.	8/-	"
C.B.	8/7	"

**5388**

	10½ × 3 in. × 26 W.G.
Pol'd.	10/6 dozen.
A.C.	14/9 "

**4378**

	Cast.	Mace's.	
		Rim.	Mortise.
1½ in.	63/-	72/-	
2 in.	73/6	84/-	
2½ in.	86/-	94/-	
Dozen sets.			



LOCK FURNITURE PLATES.

Furniture Half Size.

One-third Size.



10438

11in. x 3in. x 19 W.G.
 Pol'd A.B. A.C. A.S.
 24/- 28/- 30/- 37/- doz.



9878

Pol'd A.B. A.C. C.B. A.S.
 10/- 11/- 11/6 11/3 14/3 ea.



10994

Pol'd A.C. C.B. A.S.
 4/3 5/- 6/- 6/- each.



10721

Pitt's
 Pol'd A.B. A.C. A.S.
 5/- 5/8 5/9 7/8 set.



3774

Pol'd A.B. A.C. C.B. A.S.
 21/- 22/6 23/- 26/6 26/6 set.



10993

Pol'd A.C. C.B. A.S.
 12/9 14/6 17/9 17/9 set.



**10618**

Pol'd	7/6 each.
A.C.	8/6 "
C.B.	9/6 "

**4405**


Pol'd	11/- each.
A.C.	12/6 "
C.B.	13/9 "

**10170**

Pol'd	11/- each.
A.C.	12/6 "
C.B.	13/9 "

**10619**

Pol'd	16/6 set.
A.C.	18/6 "
C.B.	21/- "

**4750**

Pol'd	22/- set.
A.C.	25/- "
C.B.	27/6 "

**10171**

Pol'd	22/- set.
A.C.	25/- "
C.B.	27/6 "



LOCK PLATES

Prices on Application.

LOCK PLATE.

3671

Note.—Lock Plate is made of rolled metal, with hand-applied moulding, and can be made any size.



LOCK PLATE.

Registered.

3804

Note.—Lock Plate is made of rolled metal and applied cast ornament. Hand chased finish.



Also plain designs in sheet metal and cast to Architects' drawings.

CAST LEVER LOCK HANDLES.

Half-size.

**5228**

Ebony Grip.
6' - each
No Escutcheon.

**5653**

Pol'd	...	6/7 set.
A.C.	...	7/3 "
C.B.	...	9/3 "

**5652**

Pol'd	...	7/10 set.
A.C.	...	8/6 "
C.B.	...	10/9 "

**10914****WROT ROSE.**

Pat's.

Pol'd	...	6/9 set.
A.C.	...	7/9 "
C.B.	...	8/6 "

**9741**

Pol'd	...	14/- set.
A.C.	...	15/6 "
C.B.	...	18/6 "

Escutcheon for **5653, 5652 and 10914**

CAST LOCK SETS. Per Set.

Including Locks and Fixing Screws.

10973

With Oval Knob,
10972

With Round Knob,
10971

Pitt's or Drilled
through Spindles.

All one price
with Lock **10976**.



Plates,
7 x 2 1/4 in.



10969

With Lever,
10970

With Round Knob,
10968

Pitt's or Drilled
through Spindles.

All one price
with Lock **10976**

	Pol'd.	A.B.	A.C.	C.B.
7 x 2 1/4 in.	8/10	9/11	9/11	11/6
8 1/2 x 2 1/4 in.	9/11	11/1	11/1	13/2

Extra if with Lock **10974** Pol'd. A.B., A.C. or C.B., 1/2

" " " **10975** Pol'd. A.B. or A.C., 3/11 C.B., 4/8

Lock Fore-ends and Striking Plates are coloured to match, except Lock
:: **10975** in C.B., when Bronze Fore-ends and Plates are supplied. ::

Plates, 5 1/2 x 1 in.
Knob, 1 1/4 in.



10922

Pol'd.	12/-
A.C.	13/-
C.B.	13/9



Knob and Escutcheon
for other side.

10922 and **9865**

If Plate and Knob
instead.

10922 1/2 **9865** 1/2

Same Prices.



9865

Pol'd.	12/-
A.C.	13/-
C.B.	13/9

Priced with 2 in. Lock, **11010**.

Full Rebated Pol'd. or A.C. 4/- extra.

C.B. 5/- extra.

LOCK SETS.

Per Set.

One-third size.

A Set consists of Two Plates, Two Knobs or Levers,
Lock and Fixing Screws.

With Oval
Knob,
is **11000**

Pol'd	9/9
A.B.	10/6
A.C.	11/-
C.B.	11/9



Lever, with Cast
Oblong Rose,
2½ × 1in.
and separate
Escutcheon,
without Lock
is **10900**

Wrought Plates, 6 × 2in.

	10913
Pol'd	9/9
A.B.	10/6
A.C.	11/-
C.B.	11/9



With Round Knob,
is **11001**

Pol'd	9/9
A.B.	10/6
A.C.	11/-
C.B.	11/9

Wrought Plates, 6 × 2in.

	10900		10904
Pol'd	6/9		10/6
A.B.	7/6		11/3
A.C.	7/9		11/9
C.B.	8/6		12/9

As **10909**

With Oval Knob,

is

10931

Pol'd	A.B.	A.C.	C.B.
12/3	13/3	13/9	15/-

With Round Knob is

11002As **10930**

With Oval Knob,

is

10929

Pol'd	A.B.	A.C.	C.B.
17/6	18/3	18/9	21/-

With Round Knob is

11050**11002****10909****10930****11050**

All Cast, 7 × 2in.

All Cast, 10 × 2½in.

Pol'd	12/3	12/9	18/-	17/6
A.B.	13/3	13/9	19/3	18/9
A.C.	13/9	14/3	20/-	19/6
C.B.	15/-	15/6	21/6	21/-

All priced with Lock **10976**.Extra with Lock **10974**

Polished or A.C., 1/2

C.B., 1/2

" " " **10975**

3/11

" 4/8

Lock Fore Ends and Striking Plates are coloured to match, except Lock **10975** in C.B. when
Bronze Fore Ends and Plates are supplied.

FRONT DOOR SETS IN BEST FIRE BRONZE ONLY.

Including Fixing Screws.

* IF WITH
CAST
PLATE
DESIGN
shown below,
IS
No. **11013**



10910



10912

2in. Knob.

Plates, 1 1/2in. x 2 1/2in.



10911

* IF WITH
CAST
PLATE
DESIGN
shown below,
IS
No. **11014**

Priced with Double-Handed 6in. x 3 1/4in. Cylinder Mortise Lock, Bronze Cylinder, Bolts and Face Plates. Three Nickel Silver Keys. Locking Bolt operated by Key from outside and by Turn from inside. Reversible Bolt No. **10999**.

HEAVY BRONZE CAST KNOBS AND LEVERS, WROUGHT PLATES.

10910 / 10912 / 10999

71/9 Set.

10910 / 10911 / 10999

64/6 "

IF WITH CAST PLATES DESIGN—>
KNOB AND LEVER, as above.



*
10in. x 2 1/4in.

With Two Plates

11014

11013

10999

68/6 Set.

With One Plate, Knob, Escutcheon and Lever

10912

11013

10999

63/- "


CAST VESTIBULE DOOR SETS.

For use with Cylinder Rim Night Latches. Priced including Mortise Latch, as illustrated, Drilled through Spindle, Plate and Knob outside, Knob and Rose inside, and Fixing Screws.

Per set.



2in. Round
Knob
and Rose.



Mortise Latch.

2in. Round
Knob,
Plate, 9 x 2 1/2 in.



11043

Pol'd.
10/-

A.B.
11/1

A.C.
11/1

C.B.
13/2



2 1/2 in. Oval Knob,
and Rose.

With Mortise Latch
as above.

2 1/2 in. Oval Knob,
Plate, 10 x 2 1/2 in.

11044

Pol'd.
12/-

A.B.
13/2

A.C.
13/2


C.B.
15/6

CAST VESTIBULE DOOR SETS.

Per Set.

Including fixing Screws.

WITH MORTISE CYLINDER NIGHT LATCH.



Plate, 9in. x 22in. outside, Design—>

2in. Round Knob outside.

2in. " and Rose inside.



Split Follower and Swivel Spindle.

To Lock with Key from outside, with night work for inside locking.

	Pol'd	A.B.	A.C.	C.B.
11047	39/-	40/6	40/6	45/-

Or it with Plate Design—>

10in. x 22in. outside.

2 1/2 in. Oval Knob outside.

2 1/2 in. " and Rose inside,

	Pol'd	A.B.	A.C.	C.B.
11048	40/6	42/-	42/-	46/6



With Mortise Cylinder Night Latch with Dead Bolt, Follower and Spindle, as above. Key from outside or Turn from inside, operates both Bolts. With night work for inside locking.




<— Plate Design, 9in. x 22in. outside.

" 7in. x 2 1/2 in. inside.

2in. Round Knob outside.

1 1/2 in. " and Turn inside.

	Pol'd	A.B.	A.C.	C.B.
11045	40/6	42/-	42/-	46/6



Design.



<— Or Plates Design.

10in. x 22in. outside.

7in. x 2in. inside.

2 1/2 in. Oval Knob outside.

2 1/2 in. " and Turn inside.

	Pol'd	A.B.	A.C.	C.B.
11046	43/6	45/-	45/-	49/6

LETTER PLATES AND POSTAL HANDLES.

One-third size.

Each.



Size.	Aperture.	Price. Pol'd.
6 x 2½ in.	4½ x 1½ in.	3/9
6½ x 2½ in.	4½ x 1½ in.	4/4
7 x 3½ in.	4½ x 1½ in.	5/3
7½ x 3½ in.	5½ x 1½ in.	5/9
8 x 3½ in.	6 x 1½ in.	5/9
9 x 4 in.	7 x 2 in.	8/-
10 x 4 in.	8 x 2 in.	9/-
11 x 3½ in.	8 x 2 in.	12/6
12 x 4 in.	9 x 2 in.	15/-
13 x 3½ in.	10 x 2 in.	16/-
17½ x 5½ in.	13½ x 3½ in.	36/-

3135 With "Letters" Cast on Flap is **6835**

A.C. plus 15% C.B. plus 33½%

6725

Size	8 x 3½ in.
Aperture	6 x 1½ in.
Pol'd	A.C.
9/-	10/6

**4595**

Size	8½ x 3½ in.
Aperture	6½ x 1½ in.
Pol'd	A.C. C.B.
5/3	6/3 7/-

4633

Size	8½ x 3½ in.
Aperture	5½ x 1½ in.
Pol'd	A.C. C.B.
4/6	5/4 6/-



POSTAL KNOCKERS.

Dozen.

**10933**

Size
7½ × 2½ in.
Pol'd.
57/-

Aperture
4½ × 1½ in.
A.C.
65/-

10991

Size
6½ × 3 in.
Pol'd.
67/-

Aperture
4½ × 1½ in.
A.C.
75/6

**10952**

Size
8½ × 3½ in.
Pol'd.
60/-

Aperture
5½ × 1½ in.
A.C.
68/6

9731

Size
8 × 3½ in.
Pol'd.
57/-

Aperture
5 × 1½ in.
A.C.
65/-

**10730**

Size
7½ × 3½ in.

Aperture
4½ × 1½ in.

Pol'd, 61/6 A.C., 71/- C.B., 82/-

LETTER PLATE is **10729**

Pol'd, 44/- A.C., 51/- C.B., 59/-

POSTAL KNOCKERS



10732 Dozen.

Size.	Aperture.	
7 3/8 x 3	4 1/2 x 1 1/2 in.	
Pol'd	A.C.	C.B.
62/-	71/6	82/-

10731

LETTER PLATE.

Pol'd	A.C.	C.B.
47/6	51/9	61/-

6558

Size.	Aperture.	
7 1/2 x 4 1/2	4 1/2 x 1 1/2 in.	
Pol'd	A.C.	C.B.
69/-	79/6	92/-



4856

Size.	Aperture.	
8 1/2 x 4 1/2	5 1/2 x 1 1/2 in.	
Pol'd	A.C.	C.B.
81/-	93/-	108/-

4851

Size.	Aperture.	
8 1/2 x 4	5 1/2 x 1 1/2 in.	
Pol'd	A.C.	C.B.
81/-	93/-	108/-



4592

Size.	Aperture.	
8 1/2 x 3 1/4	6 x 1 1/2 in.	
Pol'd	A.C.	C.B.
96/-	110/6	128/-

LETTER PLATES, POSTAL HANDLES AND KNOCKERS

One-Third Size.

Each.

**5524**

Size.	Aperture.	
$9\frac{1}{2} \times 2\frac{1}{2}$	$4\frac{1}{2} \times 1\frac{1}{2}$ in.	
Pol'd	A.C.	C.B.
10/-	11/9	13/-

5547**LETTER PLATE.**

Size.	Aperture.	
$8\frac{1}{2} \times 2\frac{1}{2}$	$4\frac{1}{2} \times 1\frac{1}{2}$ in.	
Pol'd	A.C.	C.B.
4/9	5/9	6/4

**10793**

Size.	Aperture.	
$8\frac{1}{2} \times 3\frac{1}{2}$	$5\frac{1}{2} \times 1\frac{1}{2}$ in.	
Pol'd	A.C.	C.B.
7/-	8/-	8/9

**10792**

Size.	Aperture.	
$8\frac{1}{2} \times 3\frac{1}{2}$	$5\frac{1}{2} \times 1\frac{1}{2}$ in.	
Pol'd	A.C.	C.B.
12/-	13/9	15/-

**10908**

Size.	Aperture.	
$8\frac{1}{2} \times 3\frac{1}{2}$	$5\frac{1}{2} \times 1\frac{1}{2}$ in.	
Pol'd	A.C.	C.B.
12/-	13/9	15/-

LETTER PLATES AND POSTAL HANDLES.

WITH MECHANICAL BELLS.

One-third size.

Each.

All Bell Domes are coloured to match Plates when finished in A.C. or C.B.
Push Bells with STEEL DOMES are sent NICKELLED with POLISHED
BRASS PLATES. Turn Bells are sent A.C.

10861
POSTAL HANDLE
WITH
TURN BELL.



POSTAL HANDLES.				Pol'd	A.C.	C.B.
10859	Push Bell with Brass Dome	...		12/-	13/-	14/4
10860	" " Steel "	...		11/3	12/4	13/8
10861	Turn Bell	...		9/6	10/6	12/-

LETTER PLATES TO MATCH.				Pol'd	A.C.	C.B.
10855	Push Bell with Brass Dome	...		10/3	11/-	12/3
10856	" " Steel "	...		9/6	10/3	11/6
10857	Turn Bell	...		7/8	8/6	9/9

10958
POSTAL HANDLE
WITH
PUSH BELL.
BRASS DOME.



POSTAL HANDLES.				Pol'd	A.C.	C.B.
10957	Push Bell with Brass Dome	...		12/-	13/-	14/4
10958	" " Steel "	...		11/3	12/4	13/8
10959	Turn Bell	...		9/6	10/6	12/-

LETTER PLATES TO MATCH.				Pol'd	A.C.	C.B.
10954	Push Bell with Brass Dome	...		10/3	11/-	12/3
10955	" " Steel "	...		9/6	10/3	11/6
10956	Turn Bell	...		7/8	8/6	9/9

LETTER PLATES AND POSTAL HANDLES, WITH MECHANICAL BELLS.

One-third size.

Each.

No. **10963**

POSTAL HANDLE,
WITH
PUSH BELL.

POSTAL HANDLES.

		Pol'd.	A.C.	C.B.
10963	Push Bell with Brass Dome	12/-	13/-	14/4
10964	" " Steel "	11/3	12/4	13/8
10965	Turn Bell	9/6	10/6	12/-

LETTER PLATES TO MATCH.

		Pol'd.	A.C.	C.B.
10960	Push Bell with Brass Dome	10/3	11/-	12/3
10961	" " Steel "	9/6	10/3	11/6
10962	Turn Bell	7/8	8/6	9/9

All Bell Domes are coloured to match Plates
when finished in A.C. or C.B.

Push Bells with STEEL DOMES are sent
NICKELLED with POLISHED BRASS
PLATES. Turn Bells are sent A.C.

For details of BELLS, see pages of
"EVERITE" Specialities, Nos. 160/161.

CAST KNOCKERS

One-Third Size.

Each.

**9729**

Pol'd ... 3/-
A.C. ... 3/8

**9730**

Pol'd ... 3/-
A.C. ... 3/8

**4907**

Pol'd ... 4/-
A.C. ... 4/8
C.B. ... 5/4

**4695**

Pol'd ... 4/6
A.C. ... 5/3
C.B. ... 6/-

**4687**

Pol'd ... 5/-
A.C. ... 5/9
C.B. ... 6/8

**4679**

Pol'd ... 6/6
A.C. ... 7/6
C.B. ... 8/8

**4678**

Pol'd ... 7/-
A.C. ... 8/-
C.B. ... 9/3

**4656**

	7	8	9in.
Pol'd	8/-	10/9	14/-
A.C.	9/3	12/3	15/9
C.B.	10/6	13/6	18/-

CAST KNOCKERS

One-Third Size.

Each.

**4587**

Pol'd ... 5/6
A.C. ... 6/6
C.B. ... 7/6

**10621**

Pol'd ... 8/6
A.C. ... 9/6
C.B. ... 10/6

**6308**

Pol'd ... 15/-
C.B. ... 18/6

**5372**

Pol'd ... 5/6
A.C. ... 6/3
C.B. ... 7/-

**3881**

Pol'd ... 6/-
A.C. ... 7/-
C.B. ... 8/-

**4323**

Pol'd ... 5/6
A.C. ... 6/6
C.B. ... 7/6

**4708**

Pol'd ... 7/-
A.C. ... 8/3
C.B. ... 9/6

**4349**

Burnished 6/3
A.C. ... 7/3
C.B. ... 8/6

BEDROOM DOOR KNOCKERS

Half-size.

Finished Antique Brass.

Each.

**9749**

"All Saints', York."

3/-

**9751**

"Chapel of Palace of Palermo."

3/-

**9745**

"Rolling Hall."

2/9

**9748**

"Brazen Head House."

4/-

**9750**

"Brewhouse, Winchester College."

2/6

DOOR STOPS

One-Third Size.

Per Dozen.

**3315**

Sanded.

4 x 3 in. 14/6

6 x 1 1/4 in. 27/-

**3251**

Sanded.

4 x 3 in. 17/-

5 x 1 in. 21/-

6 x 1 1/4 in. 27/-

"CLIMAX" SOLID MACHINE-MADE POLISHED BRASS BARREL BOLTS.

A.C. Finish plus 25%

Knobs cannot come loose, being **Riveted** through the Bolt Shoot. These Bolts are the **Strongest** possible, and are perfectly smooth and easy to work.



No. 3105

One-third size.

With Angle Striking Plates, same prices as with Sockets.

No. 3101 Diameter of Shoot ... in. Width of Plate ... in. Countersunk for No. 4			3102 $\frac{1}{2}$ in. 1 in.			3103 $\frac{3}{4}$ in. 1 $\frac{1}{2}$ in.		3105 $\frac{1}{2}$ in. 1 $\frac{1}{2}$ in. 8 screw.	
Size.	Iron Shoot.	Brass Shoot.	Iron Shoot.	Iron Necked.	Brass Shoot.	Iron Shoot.	Brass Shoot.	Iron Shoot.	Brass Shoot.
2 $\frac{1}{2}$ in.	11/3	12/4	12/9	—	15/-	—	—	—	—
3 in.	12/-	13/6	13/6	15/-	16/6	—	—	—	—
3 $\frac{1}{2}$ in.	13/6	15/-	15/-	16/3	18/-	—	—	—	—
4 in.	14/3	16/-	16/6	17/6	19/6	19/6	23/-	—	—
5 in.	16/6	18/9	18/-	20/-	22/-	20/-	26/3	—	—
6 in.	18/-	21/-	19/6	22/6	24/9	25/6	30/-	33/-	43/6
8 in.	—	—	—	—	—	31/6	37/6	40/6	53/6
10 in.	—	—	—	—	—	39/-	46/6	48/-	64/6
12 in.	—	—	—	—	—	45/-	54/-	55/6	75/-

FLAT STRIKING PLATES.

$\frac{1}{2}$ in. ... 9/-

$\frac{3}{4}$ in. ... 12/-

$\frac{1}{2}$ in. ... 13/-

$\frac{1}{2}$ in. ... 16/- gross.

Made Necked in 3102 only.

A SUBSTITUTE FOR NECKED BOLTS.



By using this **ANGLE STRIKING PLATE** with any Straight Shoot Bolt a perfect substitute for a Necked Bolt is produced.

See illustration, which is self-explanatory.



A point to be remembered —

When ordering, **DON'T** order Necked Bolts, but order a few dozen assorted **ANGLE STRIKING PLATES**.

The old Necked Bolt is—

1. More Expensive.
2. Necessitates extra stock.
3. Not nearly so neat.
4. Not nearly so strong.


Made for Bolts with $\frac{1}{2}$, $\frac{3}{4}$, $\frac{1}{2}$ and $\frac{1}{2}$ in. Shoots, 18/- gross.

BRASS BARREL BOLTS.

MACHINE MADE.

Brass Knobs cannot come loose, being rivetted through the shoots.

Dozen.



	$\frac{3}{4}$ in. wide	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6in.
14049	$\frac{3}{4}$ in. Iron Shoot	7/6	8/-	9/-	10/-	11/-	13/-	15/-
	$\frac{3}{4}$ in. Brass "	9/6	10/-	11/-	12/-	13/6	15/6	18/-

	$1\frac{1}{4}$ in. wide	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6	8in.
14140	$\frac{3}{4}$ in. Iron Shoot	9/9	10/6	11/9	12/3	11/3	16/6	20/3
	$\frac{3}{4}$ in. Brass "	12/3	13/-	14/-	15/9	17/3	20/-	25/3


	$1\frac{1}{2}$ in. wide	4	5	6	8	10	12in.
14141	$\frac{3}{4}$ in. Iron Shoot	17/3	19/3	21/-	25/6	30/-	36/-
	$\frac{3}{4}$ in. Brass "	22/3	24/3	26/-	33/6	39/-	48/-

Antique Coppered, plus 25%.

* Special Discount.

Machine Made.
Polished Brass.Full size as
illustrated.**16221**

5/3



Also same section as


14049 $1\frac{1}{2}$ in. long.**14053** ... 4/6

Black Steel, Brass Knob.

14054 ... 3/3

† CAST BRASS BARREL BOLTS.

Dozen.

Half size.
3720
Cast.
Polished,
33/-

	Pol'd.	Wide Shoot.	4	6	8	10in.
6775	$1\frac{1}{4}$	$\frac{3}{4}$ in. Iron	21/-	27/-	34/-	45/-
3156	$1\frac{1}{2}$	$\frac{3}{4}$ in. "	22/-	33/-	39/-	50/-
3156	$1\frac{3}{4}$	$\frac{3}{4}$ in. Brass	24/6	36/-	43/-	56/-

No Back Plate.

† Antique Coppered, plus 15%.

POLISHED CAST BRASS BOLTS

A.C. Plus 15%.

Dozen.

**6766**

Ship Bolt. 1 1/2 in. wide Brass Shoot.


3	3 1/2	4	6	8	10 in.
18/-	21/-	24/-	28/-	42/-	50/-

No Back Plate.

6769

With Brass Back Plate.


Pol'd	25/-	30/-	37/-	48/-	—
C.B.	31/3	37 6	46 3	60/-	—

**3151**

1 in. wide necked Shoot.

2 1/2	3	3 1/2	4	6 in.
16/-	18/-	20/-	22/-	29/-

No Back Plate.

**3451**

Ship Bolt.

3	4	5	6 in.
25/6	33/-	37/-	43/6

**9837**

SQUARE SHOOT.

1 in. wide.

	Pol'd	C.B.
3 in.	21/6	29/-
3 1/2 in.	23/6	31/-
4 in.	25/-	33/-

3454

Sanded Shoot.

3 in.	13/6
4 in.	17/-

**3154**

Brass.

1/2 in. wide.

2 in.	8/3
2 1/2 in.	10/3
3 in.	12/-
3 1/2 in.	14/-
4 in.	16 6

**3689***Machine Made.
Polished Brass.

2 in.	50 8
2 1/2 in.	56/-
3 in.	60/-
3 1/2 in.	66/8
4 in.	80/-

per gross.

*A.C. plus 25%.

CAST FLUSH BOLTS.

Dozen.

A.C. plus 15%.

**3688**

Machine Made—Sanded.

No Striking Plates.

		$\frac{1}{2}$ in. wide.
2 in.	31/-	37/- gross.
2½ in.	32/6	39/- "
3 in.	34/-	41/- "
3½ in.	37/-	44/- "
4 in.	40/-	47/- "
5 in.	—	70/- "
6 in.	—	85/- "

A.C. plus 25%.

**3291**

Cast Polished Flush Bolt.

Wide.	$\frac{1}{2}$	$\frac{3}{4}$	1	1½ in.
3 in.	11/-	—	—	—
4 in.	13/6	14/6	—	—
5 in.	16/-	18/6	—	—
6 in.	18/-	19/6	25/6	—
8 in.	—	24/9	33/-	43/9
10 in.	—	30/-	40/6	50/6
12 in.	—	34/6	48/9	58/6



LEVER FLUSH BOLT, P.W.D. XXIV.

10608

$\frac{1}{4}$ in. wide.	4	5	6	8	10	12 in. long.
Pol'd	31/-	35/-	40/-	48/-	55/9	64/-
C.B.	40/-	45/-	51/-	62/-	74/-	84/6
1 in. wide.						
Pol'd	36/-	40/6	46/-	55/9	68/-	75/9
C.B.	47/3	52/6	59/-	72/-	85/-	98/6
1½ in. wide.						
Pol'd	—	—	54/3	68/-	77/3	88/6
C.B.	—	—	68/6	84/-	98/6	114/3

POLISHED MACHINE-MADE SPRING BOLTS.

One-third size.



6130

To pull with
Chain.

5 in.	5/6
6 in.	6/6
8 in.	7/6
	each.




6129

Locks when
pressed down
and releases
on pressing
the Stud A
5 in.

7/- each.

HEAVY DOOR FASTENINGS.

Half-size.



10079

Pol'd.	A.C.	C.B.
3/9	4/1	4/9 each.



10078

Pol'd.	A.C.	C.B.
5/6	6/4	7/- each.

POLISHED JOINT STAYS.

Single Dozen.



3391

Light.

3	4	5	6	8	10 in.
16/-	18/-	21/-	23/-	27/-	30/-

BRASS INDICATING BOLTS

Hall Size.

Each.

**6127**

Cast	6/-
Nickelled	6/10
C. B.	7/9


**6128**

Pressed	5/-
Nickelled	5/10


**5890**

Cast.

Pol'd	5/6
Nickelled	6/6

**11003**

Pol'd	N.P.	C.B.
5/6	6/4	7/-

**6765**


Cast.

Pol'd	3/9
Nickelled	4/6

Prices include Indicator and iron emergency key to open from the outside, except No. **11003**, with which no key is supplied.

Indicator for
5890, 6765, 6128
and **11003**

White Enamelled
Indicating Dials.

**11015**

C. B.	8/6
-------	-----



Letters are Cream
Vitreous Enamel.

HASPS AND STAPLES.

Dozen.

**3093** Sanded.

$2\frac{1}{2} \times \frac{1}{2}$	$2\frac{1}{2} \times 1$	$3 \times 1\frac{1}{2}$	$4 \times 1\frac{1}{2}$	$4\frac{1}{2} \times 2$ in.
15/6	21/6	28/6	38/-	48/-

**16198**

Dead.

$1\frac{1}{2}$ in.	...	3/3
2 in.	...	5/4
$2\frac{1}{2}$ in.	...	8/-
3 in.	...	12/9

< 6 in. ... >

**6759**

Polished ... 66/-

**6760**

Sanded ... 70/-

**3073**

Sanded.


**6761**

Polished Head, Brass Bolt.

2	$2\frac{1}{2}$	3	$3\frac{1}{2}$ in.
9/-	10/-	11/-	12/6

$\frac{1}{4}$ in.	...	10/-
$\frac{1}{2}$ in.	...	12/-
1 in.	...	15/-
$1\frac{1}{2}$ in.	...	18/6
$1\frac{1}{2}$ in.	...	24/-
$1\frac{3}{4}$ in.	...	38/-
2 in.	...	48/-

POLISHED BRASS LOCKING BAR.

**6758**

6	8	10	12	14	16 in.
10/-	12/-	14/-	17/-	24/-	30/- each.

DOOR CHAINS

Each.

**3435**Very Heavy Cast.
Polished.

8	9	10 in.
9/-	10/6	13/-


**16197**Pressed,
Machine Burnished.

9/- dozen.

**9933**

Cast, Polished.

4	6	8 in.
2/-	2/4	3/-

**9935**

Cast, Polished.

4	6	8 in.
2/3	2/6	3/6

CAST BRASS WARDROBE HOOKS

Half Size.

A.C. Finish plus 15%.

Minimum 1/-

Dozen.

**6099**

1½	1¾	2	2½	2½ in.
3/4	3/9	4/3	5/3	6/-

16119

Electro Brassed.

1½	2 in.
12/-	12/6 gross.
C.B. & R. 12/-	12/6 "

**4230**

Polished.

1½	1¾	2	2½	2½	3 in.
4/3	4/10	5/6	7/6	9/-	14/-



One-Third Size.

4234

Polished	14/-
C.B.	17/6

CAST BRASS WARDROBE HOOKS.

Half Size.

Dozen.



One-third size.

5857

8/6

**9941**

Polished, 10/-

C.B., 12/6

**7010**

Burnished, 7/6

Double is **7009** 14/-**4044**2 1/2 in.
7/62 1/2 in.
9/6**16176**

Electro-Brassed.

2 1/2 in.
1/92 1/2 in.
3/-**4356**2 1/2 in.
8/-2 1/2 in.
9/63 in.
12/-**5123**

Polished,

7/9

A.C., Single, 1/-

Double, 1/2

Treble, 1/5 extra.

PATENT REVOLVING
WARDROBE OR CUPBOARD HOOK.

Wrapped only in three dozen parcels.

Machine made Electro-Brassed Steel.

Wood Screw fixed ready for use.

**16100**

3/-

**16102**

4/6

3-Hook, **16101**

2/6

REVOLVING HOOK.

**4099**

Polished.

2-Hook

11/6

3-Hook

15/-

Less is **4094**

2-Hook

9/-

3-Hook

10/-

16120

3-Hook only.

Electro-Brassed

4/-

C.B. & R.

4/-

One-Third Size.

Dozen.

Half Size.

10423

16/-



Half Size.

10424

13/-



Cast Backs.
1/2 in. Cased
Rods and
Pin Knobs.



11016

Pol'd., 10/-
A.C., 11/9



10425

21/-



5849 Cast.

12/-

10426 Hat Pin.

9/-

5795 Polished.

	5	5 1/2	6	6 1/2	7 in.
	12/6	14/-	15/6	18/-	21/-
C.B.	17/-	20/-	23/-	25/-	30/-



5108

3 1/2 in.

7/-



4728

Polished, 3 in., 11/-



5798

5111 Machine Burnished.

	5	5 1/2	6	6 1/2	7 in.
	7/6	8/9	9/9	11/6	14/-

11017 Polished.

	9/3	10/4	11/3	13/3	16/3
--	-----	------	------	------	------

	5	5 1/2	6	6 1/2	7 in.
	9/-	10/-	11/-	14/9	16/6

16122 Electro Brassed.

	4	5 1/2	6 in.
	2/-	3/-	4/-

C. B. & R.

	2/-	3/-	4/-
--	-----	-----	-----



5877

Polished, 4 1/2 in., 11/-

Hat and Coat

Hat Pins

A.C., 2/6 extra.

A.C., 2/- "

CAST HAT AND COAT HOOKS.

One-third size.


Polished.
A.C. plus 15%.

Dozen.

**4060**

Very Heavy.


6½ in., 30/- 7 in., 35/-

**10044**

	4	5	6 in.
Pol'd,	9/-	12/-	15/6
C.B.,	12/-	15/6	20/-

**10046**

3½ in., 8/6 4½ in., 20/-



18 x ½ in. Tubes.

63012-Hook
3-Hook18/- each.
22/- "**6136**

Pol'd, 28/- C.B., 37/-

**9940**Pol'd, 18/- 5½ in.
C.B., 25/-

CASEMENT FASTENERS.

Dozen.



16200
Stamped Brass.
4/6

3229

Heavy, Cast.

Pol'd	3½ in.	...	30/-
C.B.	38/6

3215

Dead and Burnished.

3 in.	...	22/-
-------	-----	------



3214
Dead and Bevelled.
19/-



11021
Pol'd ... 15/-
A.C. ... 16/6



		Hook.	Plate.
9844	Pol'd	26/6	23/-
	3½ in. / C.B.	33/3	29/-
9846	Pol'd	19/-	16/-
	3½ in. / C.B.	25/-	21/6



3612
is
P.W.D.
V.A.


		Hook.	Plate.
3612	Pol'd	30/-	27/-
	4 in. / C.B.	38/-	34/-
10880	Pol'd	20/-	17/3
	3½ in. / C.B.	26/-	22/9



10605
Hook. Plate.
Pol'd 21/- 18/-
C.B. 29/- 23/9



10919
Hook. Plate.
Pol'd 20/- 17/3
C.B. 28/- 24/-



10071
Hook. Plate.
Pol'd 20/- 17/3
C.B. 28/- 24/-

A.C. on Brass, 15% extra.

CASEMENT FASTENERS.


Dozen.



		Hook	Plate
10070	Pol'd	23/6	20/6
	C.B.	31/6	27/6
10935 Heavy	Pol'd	35/9	32/6
	C.B.	45/-	40/6
10995 Lighter	Pol'd	20/9	17/3
	C.B.	27/9	23/9

**10612**

	Hook	Plate
Pol'd	29/-	26/-
C.B.	37/-	34/-



		Hook	Plate
5199 4in.	Pol'd	30/-	27/-
	C.B.		
5173 3 1/2 in.	Pol'd	24/-	21/-
	C.B.		
5174 3 1/2 in.	Pol'd	23/-	20/-
	C.B.		

**5007**

	Hook	Plate
Pol'd	38/-	35/-
C.B.	50/-	46/6

**9967**

	Hook	Plate
Pol'd	54/-	51/-
C.B.	68/-	63/6

**9970**

	Hook	Plate
Pol'd	55/-	52/-
C.B.	70/-	66/-



		Hook	Plate
5190 4in.	Pol'd	27/-	24/-
	C.B.		
3188 2 1/2 in.	Pol'd	19/-	17/6
	C.B.		


A.C. 15% extra.

DOUBLE CASEMENT FASTENERS

Half size.

WITH SAFETY CATCHES.


each.

**10897**


Pol'd	5/4
A.C.	6/-
C.B.	7/-

If with Grip as on **10071**, page 104**10924**


Pol'd	5/4
A.C.	6/-
C.B.	7/-

**10568**


Pol'd	6/-
A.C.	6/6
C.B.	7/9

**10498**

Pol'd	9/8
A.C.	10/8
C.B.	12/4

**6730**


Dead and Burnished.

5/6**10996**

Pol'd	4/4
A.C.	5/-
C.B.	5/9

THE "EVERITE" MACHINE-MADE, COMBINED CASEMENT STAY AND FASTENER.

Prevents the Casement blowing right back on its hinges even if left unhooked, unless lifted off the upper catch. The lower catch forms a double lock. Automatically locks the casement if left unhooked, and closed by the wind.




14073

	12in.	14in.
Black Iron	12/3	13/-
A.C.	14/-	14/9
	dozen.	



Similar Stay to **14073**
but Cast Fittings,
10903

Closed and
Locked
Position.



Open Position.

10903

	12in.	14in.	
Polished Brass	30/-	33/6	dozen.
A.C.	31/6	35/-	"
C.B.	40/-	45/-	"
Iron, C.B. & R.	22/3	23/6	"

TELESCOPIC CASEMENT STAYS.

Per Dozen.



Evered's and Clarke's

7 inches long closed. 12 inches extended.

6549
Oxydised Coppered Steel.
14/3

6582
Brass.
29/-

6192 Very Heavy.
Brass. C.B.
48/- 60/-

Heavy Oblong
Section
with Automatic
Drop Pin Lock.



Inner Section
 $\frac{3}{16}$ in. \times $\frac{1}{2}$ in.
Outer Section
 $\frac{1}{2}$ in. \times $\frac{1}{2}$ in.

10748

12 in.
Pol'd 28/6

14 in.
32/-

12 in.
A.C. 30/6

14 in.
34/-

Heavier. **10966**

Inside, $\frac{3}{16}$ in. \times $\frac{1}{2}$ in.
C.B. and No. 6 only

Outside, $\frac{1}{2}$ in. \times $\frac{1}{2}$ in.
51/6



Inner Section
 $\frac{1}{2}$ in. round.
Outer Section
 $\frac{1}{2}$ in. round.

10747 Extended.

12 in. 14 in.
Pol'd Brass 35/- 38/6
Ant. Coppered 44/- 51/-

10845 To open inwards.

12 in. 14 in.
Pol'd Brass 40/6 44/-
Ant. Coppered 43/- 46/9

**14319**

By turning the knurled nut any desired friction or an absolute lock can be secured.

12 in. Closed A.C., 64/3 12 in. Closed C.B., 64/3


**14323**Automatic Locking Stay, Steel, Brass Handle, Finished A.C. Bar $\frac{1}{2}$ in. \times $\frac{1}{8}$ in.

20/-

CASEMENT STAYS.

One-third size,

Dozen.



10967
LOCKING STAY.

	10in.	12in.
Pol'd Brass	29/3	35/3
* A.C.	31/6	37/6
Iron, Copper Bronzed	17/3	18/9



Gravity Automatic Stay with Evered's Registered Joint. Absolutely no Rattle.

10898

	12in.	14in.
Pol'd Brass	56/-	60/-
A.C.	58/6	63/6
C.B.	72/-	78/6

14193

Iron, Black	13/-	14/-
Iron, Copper Bronzed	13/6	14/6

Machine-made Stay Bar as on **10967** above.**5768**

Iron. Brass Box.


	10in.	12in.
Copper Bronzed	16/9	17/3

**9801**

	10in.	12in.
Pol'd Brass.	24/-	25/6
A.C.	26/3	27/9

CASEMENT STAYS.


Dozen.

**10558**Bar, $\frac{3}{16} \times \frac{1}{2}$ in.

	10in.	12in.
Pol'd	41/6	43/6
A.C.	47/-	49/-
C.B.	52/-	54/9
No. 6	59/-	62/-

6589Bar, $\frac{1}{2} \times \frac{1}{2}$ in.


	10in.	12in.
Pol'd	28/6	30/9
A.C.	33/-	35/3
C.B.	—	—
No. 6	—	—

**10579**

For Casements opening inwards.

Bar, $\frac{3}{16} \times \frac{1}{2}$ in.

Pol'd		A.C.		C.B. No. 3		No. 6	
10	12	10	12	10	12	10	12in.
42/-	44/-	47/6	49/6	52/6	55/3	59/6	62/6

**10497**Bar, $\frac{3}{16} \times \frac{1}{2}$ in.

Pol'd		A.C.		C.B. No. 3		No. 6	
10	12	10	12	10	12	10	12in.
39/6	41/6	45/-	47/-	50/-	52/9	57/-	60/-

**5488** All Cast.

Pol'd		A.C.		C.B.	
10	12	10	12	10	12
36/-	40/-	41/6	45/6	45/-	50/-


**5431**

Dipped and Burnished.

10	12	15in.
29/6	32/6	42/-

CAST CASEMENT STAYS.


Dozen.



6738

To match
Fasteners
**9844 &
9846**


		10in.	12in.
Pol'd		26/-	29/-
A.C.		29/-	32/-
C.B.		34/6	37/6
	5402 Lighter.		
Pol'd		24/-	27/-
A.C.		27/-	30/-



10890

To match
Fastener
10605

		10in.	12in.
Pol'd.		28/-	31/6
A.C.		31/-	34/6
C.B.		36/6	40/-



10611

To match
Fasteners
10071

		10in.	12in.
Pol'd		28/-	31/6
A.C.		31/-	34/6
C.B.		37/-	40/-



10610

To match
Fasteners
**10070
& 10995**

		10in.	12in.
Pol'd		28/-	31/6
A.C.		31/-	34/6
C.B.		37/-	40/-

**5404** Heavy.

		12in.	14in.
Pol'd		120/-	132/-
A.C.		126/-	138/-
C.B.		150/-	165/-

CABIN HOOKS OR DOOR STAYS.

Dozen.

**3014/16045**

Machine Made.

1½	2	2½	3	3½	4in.
1/6	2/-	2/7	3/8	4/8	6/-

**3596** Polished.

2	2½	3	4	6	8in.
—	7/6	8/6	9/9	13/3	18/6
With Cast Oval Plates, Lighter, 11019					
5/9	6/2	6/6	7/5	9/10	13/2

**3395**

2	2½	3	4in.
Pol'd 6/6	7/3	8/-	10/9
5	6	8in.	
Pol'd 12/6	16/-	24/-	

**3332**

Polished.

2½	3	4	6	8in.
10/-	12/6	16/6	20/-	28/-

Extra for A.C., **3596 11019 3395 3332**

2	2½	3	4	5	6	8in.
1/8	1/8	1/8	2/1	2/3	2/6	1/2

**3331**

3	4	5	6in.
Pol'd 15/6	22/-	27/-	33/-
A.C. 17/-	24/6	30/-	36/3
C.B. 22/6	31/6	34/6	42/6
8	10	12in.	
Pol'd 48/-	68/-	90/-	
A.C. 52/-	74/6	97/6	
C.B. 61/-	85/-	113/-	

**3963**

Polished.

4	6	8	10	12in.
42/-	50/6	63/9	82/6	92/-
44/6	53/9	67/9	89/-	99/6

FRENCH WINDOW BOLTS.

Each.



Over
8ft.
charged
extra.

6994

Iron
Shoot,
 $\frac{1}{2} \times \frac{1}{8}$ in.
32/-

Extra
for
A.C.,
15%



10134

$\frac{1}{2}$ in.
Shoot,
28/6



9976

$\frac{1}{2} \times \frac{1}{8}$ in.
Shoot,
39/-

Extra
for
A.S.,
25%




837


$\frac{1}{2}$ in. Shoot
36/-
 $\frac{1}{4}$ in. Shoot
53/-

CAST BRASS SASH FASTENERS.


Dozen.



Sanded.

Pressed, **16029** $2\frac{1}{2} \times \frac{1}{2}$ in., 16/-Cast, **16032** $2\frac{1}{2} \times \frac{1}{2}$ in., 17/6" **16111** $2\frac{1}{2} \times \frac{1}{2}$ in., 16/6

Sanded.

16030 $2\frac{1}{2} \times \frac{1}{2}$ in. 13/-**16031** $2\frac{1}{2} \times \frac{1}{2}$ in. 16/6**16033** $4 \times \frac{1}{2}$ in. 20/-**10951**

Sanded.


 $2\frac{1}{2} \times \frac{1}{2}$ in. 12/-

Pressed, Dipped.

16316

9/-

Cast, Sanded.

16105 $2\frac{1}{2} \times \frac{1}{2}$ in. 16/6**16104**


Sanded.

 $3 \times 1\frac{1}{2}$ in. 20/-

With Flain Knob and Stud.

16034

20/-

**3655**

Sanded.

Brass. C.B. $3 \times 1\frac{1}{2}$ in. 42/- 51/6**3644**


Pol'd

C.B.

 $2\frac{1}{2} \times 2$ in.

19/3

24/6

**3653**


Pol'd

C.B.

 $3 \times 1\frac{1}{2}$ in.

35/6

44/6

**3562**

Pol'd

29/-

10790

C.B.

35/9

**3175**

Pol'd

A.C.

C.B.

 $2\frac{1}{2} \times \frac{1}{2}$ in.

14/6

17/3

19/3

 $2\frac{1}{2} \times \frac{1}{2}$ in.

15/-

17/9

21/-

 $3 \times \frac{1}{2}$ in.

17/3

20/-

24/6

BRASS SASH LIFTS.

Dozen.

**4031**

16 S.W.G.

Pressed. Polished.

1½	1¾	2in.
24/-	26/-	33/- gross.
A.C.		
29/-	31/-	39/- gross.

3017

Machine Burnished.

1½	1¾	2in.
17/3	23/-	26/- gross.
A.C.		
21/3	28/-	32/- gross.


**10087**

Pressed.

Pol'd, 1½in.	2/- doz.	21/- gross.
A.C. "	2/6 "	26/- "


14072

A.C. on Steel	14/3 gross.
---------------	-------------

**4003**

Cast. 2½in.

Pol'd	9/6
A.C.	12/-
C.B.	13/6

**3231**

Very Strong. Cast.

2½in.

Pol'd	12/6
A.C.	14/6
C.B.	16/6

**10086**


Cast.

1½	1¾	2in.
Pol'd 5/-	6/6	8/6
A.C. 6/3	8/-	10/-
C.B. 7/-	9/-	11/6

**3233**


Cast.

½	1	1½in.
Pol'd 4/6	5/9	6/9
A.C. 6/-	7/3	8/3


**4330**

Strong. Cast.

2	2½	2½in.
Pol'd 6/6	8/-	10/-
A.C. 8/-	9/6	11/6
C.B. 9/6	11/6	14/6


**14313**

2	2½	3in.
Pol'd 4/4	5/-	5/9
A.C. 5/4	6/3	7/3

**6290**

Cast.

2in.	Pol'd	A.C.
3/9	5/3	

**4337**

Cast.

1½ x ½	1½ x ¾	1½ x 1in.
Pol'd 6/-	7/6	9/-
A.C. 7/6	9/-	10/6

**10165**

Cast.

2	2½	3in.
Pol'd 9/-	10/8	13/3
A.C. 10/8	12/4	14/4
C.B. 13/3	14/9	17/3

BRASS SASH LIFTS

Half Size.


Dozen.

**14219**

Pol'd	34/9 gross.
A.C.	54/-
N.P.	42/-

**16118**

Pol'd	3/-
A.C.	3/9

**3225**

Pol'd	A.C.
3 x 1 in.	6/9 8/9
3 1/2 x 1 1/2 in.	10/6 12/9

**4289**

Pol'd	13/3
A.C.	16/9

**3232**

Cast Front.

	2 1/2	3 1/2	3	3 1/2	4 in.
Pol'd	6/9	8/-	8/9	11/6	15/-
A.C.	8/9	10/3	11/-	13/9	17/6

16390

Stamped, double metal face plate.

	2 1/2	3	3 1/2	3 3/4	4 in.
Pol'd	4/-	5/-	5/6	6/-	7/-
A.C.	6/-	7/-	7/6	8/3	9/6

CAST BRASS SASH EYES

**5608**

Pol'd	5/-
A.C.	6/6

**3497**


Sanded	6/4
--------	-----

**164**

Sanded	6/-
--------	-----

**3490**

Pol'd	10/-
A.C.	11/6

**4339**

Dead and Bevelled.

1 1/2 x 1 1/2 in.	7/6
1 1/2 x 2 1/2 in.	12/-

**4346**

Sanded.

2	2 1/2	2 1/2 in. long.
1/2	3/4	1 in. hole.
4/6	5/3	6/6

**6197**

	1/2	3/4	1 in.
Pol'd	5/6	6/6	7/6
A.C.	7/-	8/-	9/-

POLISHED SASH STICK HOOKS.

Cast Brass.

Dozen.

Measured Inside.



4262

1/2 in. 9/6
1 in. 14/-



3413

1/2 in. 13/-
1 in. 18/-



4278

1 in. 15/9



3415

1/2 in. 6/6
1 in. 9/6

POLISHED SASH SCREWS AND STOPS.

Dozen.



3161

2 in. 5/2
2 1/2 in. 5/4
3 in. 5/6
3 1/2 in. —
4 in. —
5 in. —

3160

2 in. 6/5
2 1/2 in. 6/7
3 in. 6/10
3 1/2 in. —
4 in. —
5 in. —

3162

2 in. —
2 1/2 in. —
3 in. 9/1
3 1/2 in. 9/6
4 in. 9/10
5 in. 10/9



6033

1 1/2 in. 6/-
1 in. 7/6
2 in. 8/6

With Chains,
1/6 dozen extra.

SASH CENTRES.

Per Dozen Sets of four pieces.



4393

Light.

1 1/2 in. 8/-
1 in. 11/6
2 in. 14/6



4398

Strong.

2 in. 16/-
2 1/2 in. 19/-
2 3/4 in. 23/9
3 in. 37/-

BRASS SASH ROLLERS.



4361

4361 and 4353

1/2 in. 4/6
1 in. 6/-
1 1/2 in. 6/6
2 in. 7/2
2 1/2 in. 8/3

dozen.



4353

MEAKIN'S SASH OPENER AND FASTENER.

1830

Set.

4 Handles
2 Pulleys
2 Plates } 14/-
1 Fastener
10 yds. of stout Cord. }

Pulleys only.

12/- dozen.

Without Fastener, 7/-



BAKER'S SASH STOP.



Stop in action.

This Stop prevents either Sash being opened more than a fixed distance, and the two Sashes cannot be pushed up together, as is the case with the ordinary stop.

In this position does not interfere with the action of the Sash in any way.

No parts to be lost.

Merely requires screwing in like an ordinary sash screw.



6071

Half-size.

Sanded. Burnished Knob. 30/- doz.

SASH DROPS (Half size.)

9836

2 1/2 in. Pressed ... 3/- dozen pairs.



AXLE PULLEYS.



16109

	1 1/4	2 in.	
Brass Face, Iron Wheel ...	5/6	8/-	dozen.
Brass Face and Wheel ...	9/-	12/-	"

IMPROVED SECRET AXLE PULLEY.

16108

	1 1/4	2 in.	
Painted Face ...	4/-	5/6	dozen.
Brass Face, Iron Wheel ...	6/6	9/-	"

DROP RINGS.

Dozen.



9942

Polished.

2 1/4	3 1/2 in.
6/6	7/9

SHUTTER FIXINGS.

Half Size.

Dozen Sets of Four Pieces.




4396

1 1/4 in.	...	12/9
2 in.	...	15/-
2 1/4 in.	...	18/6

4257

1 1/4 in.	...	14/-
-----------	-----	------

COPPER CORD FOR WINDOW SASH LINE.
:: HOT-HOUSES, &c. ::

Copper Cord.	Circumference.	Working Load.	Price per 100 feet.
No. 1	1 1/4 in.	336 lb.	45/-
" 2	1 in.	224 lb.	35/-
" 3	3/4 in.	168 lb.	30/-
" 4	5/8 in.	112 lb.	25/-
" 5	1/2 in.	75 lb.	15/-
" 6	3/8 in.	50 lb.	12/6
" 7	1/4 in.	34 lb.	10/-

COPPER AND ZINC
:: SASH CHAIN. ::

No. 3	4	5	6	7
Copper Chain, per yard.				
2/6	3/-	3/6	4/6	8/-
Breaking Strain of Copper, about				
250	380	600	800	1200 lb.
Breaking Strain of Zinc, about				
200	250	500	650	950 lb.



Special Discount.

HOOKS AND PLATES.

Per Set of Two each.

1/8	2/1	2/1	2/4	3/2
-----	-----	-----	-----	-----

Special Discount.

CATCHES

A.C. Finish this page plus 15%.


Dozen.



4850
22/-



4796
24/-

**4843**

2 in. wide x 1 in. deep	...	21/-
2½ in. wide x 1 in. deep	...	22/6
2½ in. wide x 1½ in. deep	...	30/-




4840
20/-

**10124**

2½ in. wide x 2 in. deep	45/-
--------------------------	------

10126


2 in. wide x 2½ in. deep	30/-
--------------------------	------



FLUSH RINGS

**3360**

1½ in. deep, 1½ in. wide	8/4
2 in. " 1½ in. "	10/3
2½ in. " 2 in. "	16/-

**3006**

1½ in. deep, 1½ in. wide	...	19/-
1½ in. " 1½ in. "	...	19/9
1½ in. " 1½ in. "	...	25/-
2½ in. " 1½ in. "	...	28/-

**3358**

Sanded.

1½	2	2½ in.
8/6	12/6	15/-

**3000**

1½ in. deep, 1 in. wide	...	18/6
1½ in. " 1½ in. "	...	19/3
2 in. " 1½ in. "	...	20/3
2 in. " 1½ in. "	...	24/-


FLUSH CATCHES

THE "EVEREDY II." PATENT FANLIGHT OPENERS. (Evered's Patent).

The "Everedy II." Opener can be used for opening and closing any type of Fanlight, Skylight, Casement, etc., of either hand, without removal of any parts, or any alteration except the turning of riveted joints.

There are no loose parts to get mislaid.

The Opener has a projection of only 2in. when closed.



10057

Hinged at Top—
Opening Out.

"Everedy II."

3½ in. long when
closed.

Polished Brass,

10057

4/9 each.

Iron,

Copper Bronzed,

10058

40/6 dozen.

Screws included and
wrapped with each.

LONG
"EVEREDY"

14001

Iron,

Copper Bronzed,

49/6

8½ in. long when
closed.



10057

Hinged at Bottom—
Opening In.

Pulley for "Everedy II."
Casement Openers.

Polished Brass,


10067

1/6

Iron, Copper Bronzed,

10068

1/3 each.




10057

Hinged at Side—
Opening Out.

SHORT SCREW FANLIGHT OPENERS.

SUITABLE FOR ANY TYPE OF FANLIGHT.

Length overall, 5in.




10889

Malleable Iron, Brown Japanned.

Brass Wheel.

18/- dozen.

BOXED WITHOUT FIXING SCREWS.



14318

For Recessed
Lights
or
Casements.


13/3 dozen.

Copper Bronzed Steel.

Brass Wheel.

14192

13/3 dozen.



9866

To work with stick.

Iron
27/-

Brass
44/3

dozen.

FANLIGHT CATCHES AND ROLLER STAY.

9868


	6	8	10	12in.
Iron	15/6	16/3	17/-	17/9
Brass	28/-	29/6	31/-	32/6

dozen.

9868



PRESTONS' SYSTEM SCREW FANLIGHT OPENERS (No Loose Parts)



Fixing Screws are boxed with the Goods, but are charged extra.

All Openers boxed in dozens.

All fitted with Evereds' Patent Large Diameter Brass Bushed Wheels.

3503

	12 × $\frac{3}{8}$	15 × $\frac{3}{8}$	18 × $\frac{1}{2}$	21 × $\frac{1}{2}$ in.
Iron, Copper Bronzed	36/-	39/-	54/-	60/- dozen.
Brass	52/-	57/-	81/-	90/- "

Each Opener takes four screws, 1in. × No. 9.

SKYLIGHT OPENER

3505 (is **3503** with Double Pulley).

Each Opener takes four screws, 1in. × No. 9, and two $\frac{3}{4}$ in. × No. 6 up to 15in, or four $\frac{3}{4}$ in. × No. 6 for 18in. and 21in.

	12 × $\frac{3}{8}$	15 × $\frac{3}{8}$	18 × $\frac{1}{2}$	21 × $\frac{1}{2}$ in.
Iron, Copper Bronzed	45/-	48/-	63/-	69/- dozen.
Brass	70/-	75/-	99/-	108/- "



FOR FANLIGHTS OVER DOORS OPENING IN.

3507

Complete with Pulleys and Handles.

	Iron, Copper Bronzed.	Brass.
12 × $\frac{3}{8}$ in.	78/-	114/- dozen.
15 × $\frac{3}{8}$ in.	81/-	120/- "
18 × $\frac{1}{2}$ in.	111/-	160/- "
21 × $\frac{1}{2}$ in.	117/-	170/- "

Cords can be supplied at special prices in the following lengths:—

16103

4ft. 6in.	6ft.	7ft. 6in.	9ft.	10ft. 6in.	12ft.
(Measured double).					

EVEREDS' MACHINE-MADE SOLID JOINT BRASS BUTTS.

ADVANTAGES:

All Sizes Warranted to Gauge.

Each Hinge is identical with its fellow in every respect, all parts being accurately gauged; thus much time may be saved in marking out respective seats. The maximum strength is insured by cutting the hinge out of **one solid piece of drawn metal**, and, being drilled through, the pins are a perfect fit in the joints.

Packed in boxes containing one dozen pairs, the label bearing our Trade Mark and number of screws suitable.

CAUTION.

See that each box is labelled with a label of which this is a facsimile.



MEDIUM SUITE.*

	1 x 1 1/2	1 1/2 x 1 1/2	1 1/2 x 2	1 1/2 x 2 1/2	2 x 1 1/2	2 1/4 x 1 1/2	2 1/2 x 1 1/2	2 1/2 x 2	3 x 1 1/2	3 1/2 x 1 1/2	4 x 2 1/2 in.
3443 With Sanded Fronts and Backs	2/6	2/9	3/-	3/6	4/2	5/-	6/4	8/-	10/-	16/-	25/-
3444 With Sanded Fronts and Pol'd Backs, Lacquered	3/-	3/3	3/4	4/-	4/8	5/6	7/-	9/-	10/10	17/-	27/-
3445 With Pol'd Fronts and Backs, Lac'd	3/6	3/9	3/10	4/6	5/4	6/4	8/-	10/-	12/-	18/-	30/-
Brass Pins extra	-/4	-/5	-/6	-/7	-/8	-/9	-/10	-/11	1/-	1/1	1/2
For Screws No.	2	2	4	4	5	6	7	7	8	9	10

NARROW SUITE.*

	1 1/2 x 1 1/2	2 x 1 1/2	2 1/2 x 1 1/2	3 x 1 1/2 in.
16336 Sanded Fronts and Backs	3/-	3/9	5/-	7/6
16342 Polished Joints, Lacquered	3/6	4/7	6/-	8/6
16342 1/2 Polished Fronts and Joints	4/-	5/7	7/3	10/-
Brass Pins, extra	-/6	-/7	-/8	-/9
For Screws No.	3	4	5	7

Per dozen pairs.

* Special Discount.

EVEREDS' MACHINE MADE BEST SOLID
JOINT BRASS BUTTS.

STRONG SUITE.*

Per Dozen Pairs.

		1½ x 1	2 x 1½	2½ x 1½	3 x 1½	3½ x 2½	4 x 2½	5 x 3½	6 x 4in.
16337	Sanded Fronts and Backs	3/4	6/-	9/-	14/6	22/-	32/-	49/-	75/-
16343	Pol'd Joints, Lacq'd ...	3/10	6/9	10/-	15/6	23/-	33/-	52/6	78/6
16343 ½	Pol'd Fronts and Joints	4/4	7/6	11/-	17/-	25/-	36/-	55/6	84/-
	Brass Pins extra ...	6d.	8d.	10d.	1/-	1/2	1/4	1/10	2/-
	For Screws No.	4	6	8	9	11	12	12	12

*Special Discount.



PRESSED BRASS BUTTS.


Per Dozen Pairs.

Size
Width when open
16059	Light, Dead

IMPROVED LOCK JOINT BRASS BUTTS.

Per Dozen Pairs.

Subject to advance.



16066/3†

Size	1½ x ½	1½ x ¾	1½ x 1	2 x ¾	2½ x 1	2½ x 1½	3 x 1½in.
Brass Pins extra	2d.	2d.	3d.	3d.	4d.	4d.	6d.

16067/5†


Size	...	1 x ½	1½ x ¾	1½ x 1	1½ x 1½	2 x 1	2½ x 1½	2½ x 1¾	3 x 1½in.
Brass Pins extra	...	1d.	2d.	2d.	3d.	3d.	4d.	5d.	6d.

16068/7†

Size	...	1 x ½	1 x ¾	1½ x ¾	1½ x 1	2 x 1	2½ x 1½	2½ x 1¾	3 x 1½	3½ x 1½	4 x 2½in.
Brass Pins extra	...	1d.	1d.	2d.	2d.	3d.	3d.	4d.	5d.	6d.	9d.

CAST BRASS BUTTS

Per Doz. Pairs.




Light, Broad, Sanded.
Suite, **3257** P.W.D. LXIV.

Brass Pins.
Suite, **3450**

Medium, Broad, Sanded.
Suite, **3260** P.W.D. LXIV.


Polished Joints, Brass Pins.
Suite, **3261**



Strong, Sanded Polished Joints.
Brass Pins.
Suite, **3337**

		3257		3450		3260		3261		3337	
Size.	Width.	Price.		Price.		Width.	Price.	Price.		Width.	Price.
1½ × 1½ in.		10/6		10/9							
2 × 1½ in.		13/6		13/9		× 1½ in.	15/9	17/9			
2½ × 1½ in.		16/-		16/6		× 1½ in.	18/-	20/-		× 1½ in.	28/-
2½ × 1½ in.		17/-		17/9		× 1½ in.	20/6	23/-		× 1½ in.	31/-
3 × 1½ in.		25/-		25/9		× 2 in.	28/-	30/6		× 2½ in.	38/6
3½ × 2 in.		32/-		33/-		× 2½ in.	40/-	43/-		× 2½ in.	56/-
4 × 2½ in.		43/6		45/-		× 2½ in.	54/-	57/-		× 3½ in.	76/-
4½ × 2½ in.		63/-		64/6		× 2½ in.	72/6	76/6		× 3½ in.	90/-
5 × 3 in.		73/6		75/6		× 3½ in.	86/-	90/-		× 3½ in.	120/-
6 × 3½ in.		120/-		122/6		× 3½ in.	170/-	175/-		× 4½ in.	200/-

STEEL WASHERED BUTTS



Cast,
Polished Joints.

Medium.

P.W.D. XXII.

3259

Size.	Width.	doz. pairs.
2½ × 1½ in.		40/-
3 × 2½ in.		45/-
3½ × 2½ in.		61/6
4 × 2½ in.		73/-
4 × 3 in.		76/-
4½ × 3 in.		90/-
5 × 3½ in.		114/-
6 × 3½ in.		180/-

Machine Made,
Solid Joint.

16327*

Size.	Width.	doz. pairs.
2½ × 1½ in.		18/-
3 × 1½ in.		21/6
3 × 2 in.		28/-
3½ × 2½ in.		32/-
4 × 2½ in.		33/-
4 × 2½ in.		38/-
4 × 2½ in.		40/-
4 × 3 in.		42/-
4 × 3½ in.		76/-
5 × 3½ in.		60/-
6 × 4 in.		88/-

*Special Discount.

CAST BRASS BUTT HINGES.



PROJECTING BUTTS.

		3265	3266	3274
		Polished Joints.	All Polished.	All Polished.
Size.	Width.	Dozen pairs.		Width. Doz. pairs.
2½ × 1½ in.	...	30/-	33/-	—
3 × 2 in.	...	42/-	45/-	2½ in. 51/-
3½ × 2½ in.	...	60/-	63/6	3 in. 78/-
4 × 2½ in.	...	73/-	76/6	3½ in. 96/-
4½ × 3 in.	...	100/-	104/-	4 in. 126/-
5 × 3½ in.	...	116	120	5 in. 185/-

PROJECTING BUTTS.

Steel Washered.

All Polished.

**6859**

Size.	Width.	pair.
3 × 3 in.		6/6
3½ × 3½ in.	...	9/-
4 × 4 in.		11/6
4½ × 4½ in.	...	14/-
5 × 5 in.	...	16/-

POLISHED SKEW
OR RISING BUTTS.

Best Steel Joints.

Per Pair.



NOTE.—State whether right
or left-hand are required.
The one illustrated is
right-hand.

3110

Medium.

Size.	Width.	pair.
3 × 2½ in.	...	14/6
3½ × 2½ in.	...	16/-
4 × 3 in.	...	20/-
4½ × 3½ in.	...	24/-
5 × 3½ in.	...	28/-
6 × 4½ in.	...	42/-


3142

Strong.

Width.	pair.
2½ in.	17/-
2¾ in.	18/-
3 in.	23/-
3½ in.	27/-
3¾ in.	32/-
4 in.	45/-

BRASS HINGES.

Dozen Pairs.



3338

BACK FLAPS.

*16069 Pressed Sanded Suite, Polished Joints.

3264 Light Cast Sanded Suite.

3338 Very Strong Cast, Sanded Suite. Brass Pins, Polished Joints.

*Subject to Advance.


	$1\frac{1}{2} \times 1\frac{1}{2}$	$1 \times 1\frac{1}{2}$	$1\frac{1}{2} \times 1\frac{1}{2}$	$1\frac{1}{2} \times 2\frac{1}{2}$	$1\frac{1}{2} \times 2\frac{1}{2}$	2×3 in.
16069*	1/8	2/1	3/-	4/-	5/4	6/11
	$1\frac{1}{2} \times 2\frac{1}{2}$	$1\frac{1}{2} \times 2\frac{1}{2}$	2×3	$2\frac{1}{2} \times 3\frac{1}{2}$	3×4 in.	
3264	16/6	21/-	24/-	40/-	67/-	
	$1\frac{1}{2} \times 2\frac{1}{2}$	$1\frac{1}{2} \times 3$	$2 \times 3\frac{1}{2}$	$2\frac{1}{2} \times 4$	$2\frac{1}{2} \times 4\frac{1}{2}$	$3 \times 4\frac{1}{2}$ in.
3338	25/-	32/-	40/-	54/-	69/-	81/-

Solid Joint Machine-Made.

†Subject to Special Discount.

		$1 \times 1\frac{1}{2}$	$1\frac{1}{2} \times 1\frac{1}{2}$	$1\frac{1}{2} \times 2\frac{1}{2}$	$1\frac{1}{2} \times 2\frac{1}{2}$	2×3	$2\frac{1}{2} \times 3\frac{1}{2}$	$2\frac{1}{2} \times 4$ in.
16338	Sanded Fronts and Joints	3/6	5/-	7/6	9/6	15/-	19/6	23/-
16344	Pol'd Joints, Lacq'd	4/-	5/6	8/-	10/3	16/-	21/6	24/-
16344	Pol'd Fronts and Joints	4/6	6/-	8/9	11/3	17/3	23/-	25/6
	Brass Pins, extra	6d.	7d.	8d.	9d.	10d.	1/-	1/2
	For Screws	No.	5	6	7	8	10	11

STRAP HINGES.



16174

3307

Pressed. Polished.

$1\frac{1}{2} \times \frac{5}{8}$	$2 \times \frac{5}{8}$	$2\frac{1}{2} \times \frac{7}{8}$	$2\frac{1}{2} \times \frac{1}{2}$ in.
2/2	2/8	3/6	4/2


Cast, Polished.

$\frac{1}{2} \times 2\frac{1}{2}$	$2 \times 3\frac{1}{2}$	$2 \times 3\frac{1}{2}$	$2 \times 6\frac{1}{2}$ in.
15/-	20/-	23/-	34/-

Measured Open.

PRESSED SEAT HINGE.

Full size.




16064

	$1\frac{1}{2}$	2 in.
Polished	5/-	9/-

PRESSED REFLEX HINGES.

Full size.




16062

Polished	6/6
----------	-----

BRASS HINGES

Dozen Pairs.

FOLDING SCREEN HINGES.



Open. Closed.



Polished. Pressed.

2 3/4 in. long.

16060

3/4 in. ... 8/-

7/8 in. ... 8/-

1 in. ... 9/-

1 1/4 in. ... 9/-

1 1/2 in. ... 9/-

2 in. long.

1864

8/-

9/-

10/-

2 1/4 in. long.

11/-

12/-

dozen.

Cast.

3249

Long.

1/4 x 1 1/4 in. ...

3/4 x 2 in. ...

1 x 2 1/4 in. ...

1 1/4 x 2 1/4 in. ...

1 1/2 x 2 1/4 in. ...

1 3/4 x 2 1/4 in. ...

3252

Best

Sanded. Polished.

4/6

5/3

5/6


6/6

7/3

8/-

each.

W.C. SEAT HINGES.

Light, **1865**

Brass, 3 x 1/2 in. ... 22/6

Strong, **3022**

Sanded, 3 1/2 x 1 in. ... 33/-

3029Polished Gun Metal,
3 1/2 x 1 in. ... 45/-**16063**

Machine made, Sanded.


2 1/4 x 1 1/2 2 1/2 x 1 1/2 2 3/4 x 1 in.
12/- 14/- 16/-

CAST CARD TABLE HINGES

Dozen Pairs.

**4962**2 2 1/4 2 1/2 3 in.
25/- 30/- 36/- 40/-

< Measured >


**4964**2 2 1/4 2 1/2 3 in.
30/- 33/- 36/6 40/-

< Measured >

**4965**

4 x 1 1/2 in. 30/-

< Measured >


**4963**2 2 1/4 2 1/2 3 in.
21/- 25/- 30/- 34/-

BRASS BUTT HINGES.

Dozen Pairs.

Cast Lift-off Butts.

Stop Butts, Pressed.



Left-hand.

State if Left or Right-hand when ordering.

3350

Size.	Width.	
1½ × 1 in.	...	14/6
2 × 1½ in.	...	18/-
2½ × 1½ in.	...	25/-
3 × 1½ in.	...	29/-
4 × 3 in.	...	60/-

16061

¾ in.	2/9
1 in.	3/-
1½ in.	3/8
1¾ in.	4/9
1¾ in.	6/-
2 in.	7/6
2½ in.	9/-
2¾ in.	12/-
3 in.	15/-



2 in.

CAST COUNTER HINGES.

<----- Size ----->

CAST PARLIAMENT HINGE.

Polished Joints.

Sizes open.

3446

Size.	Width.	
2½ × 2½ in.	...	30/-
3 × 3 in.	...	40/-
3½ × 3½ in.	...	50/-
4 × 4 in.	...	72/-
4½ × 4½ in.	...	84/-
5 × 5 in.	...	108/-

**3300** Polished.

Size.	Width of Joint.	
3 × ¾ in.	...	32/-
3½ × 1½ in.	...	40/-
4 × 1½ in.	...	57/-
5 × 1½ in.	...	82/6
6 × 2½ in.	...	104/-

16372

Machine-made, Solid Joint.

* 2½ × 1 in.	...	16/-
* 4 × 1½ in.	...	32/-
* 4½ × 1½ in.	...	48/-

*Special Discount.

CAST CENTRE HINGES.

<----- Measured ----->

Suite **3622**

3 × 3	2½ × 1½	2½ × 1½	3 × 1½	3½ × 1½ in.
15/-	20/-	23/-	27/-	31/-

<----- Measured ----->

Suite **3623**

2½ × 1½	2½ × 1½	3 × 1½	3½ × 1½ in.
20/6	24/-	27/-	33/-

MACHINE-MADE LONG HINGES.



Any length up to 6ft.

16139

	$\frac{1}{2}$		$\frac{3}{4}$		1in. wide.		Measured open.
	21	19	20	18	20	18 W.G.	dozen feet.
Pol'd	6/4	6/10	7/3	8/8	8/3	9/8	"
N.P.	7/3	7/9	8/3	9/8	9/2	10/7	"



16140

Single Strap Piano Hinge, with Five Flaps.

4ft. to 4ft.6in.

4ft.6in. to 4ft.10

4ft.10in. to 5ft.2in.

16/3

17/6

18/6

Single dozen.

1in. wide open.

Polished Brass.

Double Metal.

Finished 20 W.G.

*HELICAL SPRING HINGES.

*Subject to advance.




4979
Japanned Iron.
Adjustable.
4979 1/2

4983
Polished Brass
Adjustable.
4983 1/2

Single Action.

4979	17/-	20/-	26/-	30/-	36/-	48/-
4979 1/2	20/-	23/-	29/-	33/-	39/-	56/-
4983	34/-	42/-	48/-	54/-	66/-	84/-
4983 1/2	40/-	48/-	54/-	60/-	72/-	90/-

Single Dozen.



*HELICAL SPRINGS.

Per Dozen.

*Subject to Advance.

Japanned Iron.


Plain **4953**Adjustable **4953 1/2**

Polished Brass.


Plain **4954**Adjustable **4954 1/2**

	3	3 1/2	4	4 1/2	5	6	7	8	9in.
4953	18/-	21/-	28/-	32/-	39/-	48/-	66/-	78/-	102/-
4953 1/2	21/-	24/-	31/-	35/-	42/-	51/-	69/-	81/-	105/-
4954	32/-	38/-	48/-	54/-	66/-	78/-	100/-	120/-	144/-
4954 1/2	38/-	44/-	54/-	60/-	72/-	84/-	106/-	126/-	150/-

HELICAL SPRING HINGES*



Closed. **4984** $\frac{1}{2}$ Iron.
4986 $\frac{1}{2}$ Brass.



Open, [with one pin A removed.]

EVERED'S ADJUSTABLE.

The ordinary patterns Double-action Spring Hinges require forcing open and then wedging during fixing, whereas these Hinges, when once the pins AA are removed, can be fixed like ordinary springless Hinges. By slightly easing back the square nuts BB with the small spanner sent out with each pair of Hinges, the pins AA can be easily removed. When the Hinges are fixed, the nuts BB are again tightened and the pins AA replaced. By screwing up the nuts BB to a greater or less extent, any desired force can be exerted on the doors thus hung.

Double Action.
Iron, **4984** Brass, **4986**



Size of Spring.

3 $3\frac{1}{2}$ 4 $4\frac{1}{2}$ 5 6 in.

Thickness of Door up to

1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 $2\frac{1}{4}$ in.

Per pair of one Blank Hinge and one Spring.

*Subject to Advance.

4984	4/3	5/-	6/6	7/6	9/-	11/- pair.
4984 $\frac{1}{2}$	4/9	5/6	7/-	8/-	9/6	11/6 "
4986	6/6	8/-	9/6	11/-	13/6	17/6 "
4986 $\frac{1}{2}$	7/6	9/-	10/6	12/-	14/6	18/6 "


Spring Hinge only. Each.

*Subject to Advance.

4984	2/9	3/3	4/-	4/6	5/6	7/- "
4984 $\frac{1}{2}$	3/-	3/6	4/3	4/9	5/9	7/3 "
4986	4/9	5/9	6/9	8/-	9/6	12/6 "
4986 $\frac{1}{2}$	5/3	6/3	7/3	8/6	10/-	13/- "

EVERED'S IMPROVED SMITH'S SPRING & SHOE.

Each.



SHOE ADJUSTABLE FOR ANY THICKNESS OF DOOR
AND ALIGNMENT.

4974		4975	
Strap, 21/-	Shoe, 24/-	Strap, 37/-	Shoe, 40/-
Size of Plate, 8 x 6 1/2 in.	Size of Box, 7 1/2 x 6 1/2 x 2 in.	Size of Plate, 9 1/2 x 8 1/2 in.	Size of Box, 9 x 8 x 2 1/2 in.

* With Adjustable Top Centre, 3/6 extra.

* Subject to advance.

SWITCH PLATES AND ELECTRIC PUSHES

Half Size.

Each.

**10987**

Switch Plate.

	1	2	3	4 way.
Pol'd	1/9	3/-	4/6	6/-

10988

Electric Push.

Pol'd	4/-
-------	-----

**10421**

Switch Plate.

	1	2	3	4 way.
Pol'd	1/6	2/-	3/-	4/-

10422

Electric Push.

Round, Pol'd	2/6
--------------	-----

10984

Switch Plate.

	1	2	3	4 way.
Pol'd	1/11	3/-	4/6	5/9
A.B.	2/1	3/2	5/-	6/5

10985

Push.

	Pol'd	C.B.
	3/-	5/3



Switch Plates.

Extra for—

Way.	A.B.	A.C.	A.S.
1	4d.	6d.	1/-
2	6d.	10d.	1/4
3	8d.	1/1	1/8
4	1/-	1/6	2/-

Pushes.

Extra for—

	A.B.	A.C.	A.S.
	4d.	6d.	1/-

**10441**

Switch Plate.

	1	2	3	4 way.
Pol'd	3/-	4/6	6/4	8/10
C.B.	4/6	5/10	8/2	11/4

5015

Electric Push.

Pol'd	5/6
C.B.	7/6

**9883**

	1	2	3	4 way.
Pol'd	4/3	7/4	10/4	13/2
C.B.	5/4	9/6	13/-	16/6

9882

Electric Push.

Pol'd	7/6
C.B.	9/6

CAST BRASS ELECTRIC BELL PUSHES.

Each.



Pressed.

6529

Pol'd 2/6



Pressed.

3666

Pol'd 2/6



Pressed.

10422

Pol'd 2/6

Extra all Nos. for A.B., 4d. A.C., 6d. A.S., 1/-

**6542**

1 1/2 x 1 1/2 in.

Pol'd 4/-

C.B. 6/6

10062

1 1/2 x 1 1/2 in.

Pol'd 3/6

C.B. 6/-

6541

2 1/4 x 1 1/2 in.

Pol'd C.B.

4/-

6/6

**10063**

Pol'd C.B.

3/6

6/-

**X 3153**

1 1/2 x 4 in.

Pol'd C.B.

4/-

6/6

**X 3151**

Sanded.

1 1/2 x 2 1/2 in.

3/6

**X 3155**

2 1/2 3 1/2 in.

Pol'd 4/3 4/9

A.S. 5/4 6/-

C.B. 7/- 7/9

**10022**

Pol'd, 3/9 C.B., 6/3

**X 3154**

1 1/2 x 4 1/2 in.

Pol'd C.B.

4/-

6/6

Half Size. **CAST ELECTRIC BELL PUSHES.** Each.

**4961**

Pol'd ... 1/2
C.B. ... 6/9

**4751**

Pol'd ... 6/6
C.B. ... 9/6

**3768**

Pol'd ... 6/6
C.B. ... 9/6

Extra for A.B., 4d. A.C., 6d. A.S., 1/-



**MECHANICAL
BELL
FITTINGS**

**4878**

Polished, or Bronzed
and Relieved.
5/9 each.


**X3214**

	3	3 1/2	4 in.
Sanded	10/-	15/-	21/6
dozen.			

6176

Polished.
15/- each.

A.B. ... 16/6
A.C. ... 17/-

**4193**

Polished.

	4	5	6 in.
	6/2	9/6	13/- each.

Wheel and Chain, 1/6 extra.

**4894**

Pol'd ... 18/- pair.
A.B. ... 20/- "
A.C. ... 20/6 "
A.S. ... 22/6 "

BELL FURNITURE



SIDE DRIVE CRANKS.

Driving Cranks on Irons,
ends or side.

Suite. Single.
627 Strong 9/- dozen.

FLAT MORTISE CRANK.


627 Single 33/- dozen.



TURNOVER CRANK.

627 22/- dozen.

BELL PULLS.



6126

Brass, 50/- dozen.

BELL SLIDES.

(Stamped).



4136

21/- dozen.

OBLONG PLATE **681**


2 2½ 3 in.
19/- 24/3 29/- dozen.

673

OVAL PLATE.

2 in., 22/- 3 in., 30/-

PLATE CARRIAGE.



608

Iron Plate,
28/6 per dozen.

623

Heavy Brass Plate,
18/- dozen.


PURCHASE CRANKS.



635

Strong, 28/- dozen.


LEADER CRANKS.



627

Single, 22/- dozen.

PILLAR CRANKS.



627

Single, 24/- dozen.

WHEELS & CHAINS.



685

Flat Mortise,
1½ in., 18/- 1½ in., 26/-
dozen.

BELL FURNITURE.

TURNED EDGE HOUSE
BELLS.

Wire Clappers.
3rd quality, lb.
Prices on application.

BELL SPRINGS.



647

Single, 7/6 dozen.

CARRIAGE SPRINGS.



0656

4/-

656


5/4 doz.

CHECK SPRINGS.

757 Coppered Steel,
6in., 36/- gross.

VENTILATORS.

Dozen.



3354

	Cast Brass.		Sanded.
Length	3	4	6in. wide.
6in.	6/6	—	10/6 each.
8in.	—	10/6	12/9 "
9in.	8/-	—	16/- "

Other sizes on application.




3361

Cast.

3361

3487

1 1/2 in.	10/-	—
1 3/4 in.	11/-	—
2 in.	12/-	16/-
2 1/2 in.	14/6	—
2 3/4 in.	16/6	21/6
3 in.	18/-	26/-
3 1/2 in.	—	32/-
4 in.	—	48/-



14236


Pressed.

Dipped	Pol'd	A.C.
12/-	16/6	19/6

VENTILATOR GRATINGS.

Prices on application.

Also supplied in various designs in lengths pierced from Sheet Metal.



Cast.


3106

The "TOURNIQUET" PERFECT HOSE FIXING.

(JACKSON'S PATENT.)

Full size.


REGISTERED
TRADE MARKS
"EVERED"





10301

This Hose Connector cannot be pulled off
Nose of Tap when fixed.

Can be used on either round or oval nosed
taps, by simply slipping the Hose over nose
of tap, and applying the "Tourniquet"
Fastener. A few turns of the thumb-screw
will fix the Hose so firmly that it is impossible
to remove it until the thumb-screw is loosened.




Made in Three Sizes, as below.

N^o. 1.


1

For 1/2 in. and 3/4 in.
Hose.
Price, 2/- each.

N^o. 2.

2

For 3/4 in. or
1 in. Hose.
Price,
2/6 each.



3

For 1 in.
Hose.
Price,
3/9 each.

UMBRELLA RAILS AND PANS.

STRONG BRASS BINNACLE RING



3588 Burnished.

11 x 3 in.

18 in.

27/- 32/- dozen.



Stiff, **3038**

40/- dozen.

To lift **3573**

10 1/2 x 3 1/4 x 1/8 in.

45/- dozen.



5215

10 12 in.

36/- 54/- dozen.

Half Size.



965

13/- dozen.



5440*

Polished.

36/- dozen.



COPPER BULL RING.

16028

2 1/2 2 3/4 3 in.

25/- 27/- 29/- dozen.

Half Size.



6947

Brass, 10/- dozen. 108/- gross

RAIL BRACKETS

**3061**

2	2½	3in. Projection.
30/-	34/-	36/- 1½in. diam.
—	36/-	41/- 2 in. "
—	—	48/- 2½in. "


dozen.

**3580**

Burnished.

½	¾	1	1½	2in.
9/-	9/9	15/-	19/-	
1½	1½	2in.		
28/-	33/-	50/-		

dozen.

**3587**

Dead and Relieved.

¾	1	1½	1½in.
14/-	16/-	20/-	28/-

dozen.

**6323**

Polished.

2in. diam.	1½in. Projection.
------------	-------------------

50/- dozen.

**346**


Cast, Polished.

¾	1	1½	1½	2in.
17/9	23/6	32/-	42/-	80/-

dozen.

**3062**

2	2½	3in. Projection.
25/-	31/-	42/- dozen.

**875**

Polished.

1½	1½	2	2½	3 in.
8/-	10/-	16/-	24/-	36/- each.

874

Cast,

Polished Pillar.


For 2½in. Rail.

33in. to top of Rail.

85/- each.



DESK AND OTHER RAILS.



Pillar 408

12 inches to top of rail.

With Six Pillars.

408

With Four Pillars.

6321 and One 485

2in. Rail, 2in. Pillar

75/-

60/3 each.

2in. " 1 in. "

86/6

66/9 "

1 1/2 in. " 1 1/2 in. "

110/-


86/- "

1 1/2 in. " 1 1/2 in. "

140/-


107/- "

6 feet long. 9 inches between centres of rails.



485

6321



10616


Cast Pillars,

56/- pair.

485

1/2	1	1 1/2	1 1/2 in.
10/3	11/3	14/-	18/-
each.			


	1/2	1	1 1/2	1 1/2 in.
408	7/6	9/3	11/6	13/6
6321	6/6	8/6	10/-	12/-
each.				



10617

Cast Pillars,

80/- pair.




10622

Prices on receipt of specification.

RAILING OF ALL DESCRIPTIONS.

IN BRASS OR BRONZE.

: To Architects' Designs. :



762

Pillars, 1 $\frac{1}{2}$ in. Rail, $\frac{5}{8}$ \times $\frac{1}{2}$ in.



11052

Heavy Bronze Rail for Cash Desk, as recently supplied.

"EVERITE" SHELF FIXTURES.

Finished Black, N.P. (Nickel Plated) or F.B. (Florentine Bronze),
F.B. at same Prices as N.P.

CHANNEL.

14030

$\frac{3}{16} \times \frac{3}{8}$ in., 1 in. centres.

14060

$\frac{3}{16} \times \frac{3}{8}$ in., 4 c.m. centres.

Black ... 6/- doz. ft.
N.P. ... 9/6 "

In 6 ft. lengths only.



CHANNEL.

14036

$\frac{3}{16} \times \frac{3}{8}$ in., 4 c.m. centres.

Black ... 6/6 doz. ft.
N.P. ... 10/- "

In 6 ft. lengths only.



SOCKET.

1 in. centres. 4 c.m. centres.


	Single	14309	14311
Black		13/6	14/6 gross.
N.P.		20/6	22/6 "
	Double	14310	14312
Black		16/6	17/6 gross.
N.P.		25/6	29/- "

FRONT CROSS PIECE. 14070

Black, 2/6 dozen. N.P., 3/8 dozen.

PLAIN CROSS PIECE. 14186

Black, 1/8 dozen. N.P., 2/6 dozen.



CROSS PIECE.

For end of Shelf.

14187

Black ... 2/- doz.

N.P. ... 2/10 "

Cross Pieces include Screws.

BRACKET. 14143 for 4 c.m. centres.

14304 for 1 in. centres.


	4	6	8	10	12	14	16	18 in.
Black	11/6	12/-	12/6	13/-	13/6	14/-	14/9	16/- dozen
N.P.	15/3	17/-	18/9	20/6	22/3	24/3	26/3	28/6 "

"EVERITE" SHELF FIXTURES.

Finished Black, N.P. (Nickel Plated) or F.B. (Florentine Bronze).

F.B. at same prices as N.P.

BRACKET.



14305 1in. centres.

(Similar to 14304, but for Side Fixing.)

	4	6	8	10	12	14	16	18in.
Black ...	19/-	19/6	20/-	20/6	21/-	21/6	22/3	23/6 doz.
N.P. ...	25/9	27/6	29/3	31/-	32/3	34/9	36/9	39/- "

CHANNEL.


14021

1 1/4 x 3/4 in., 1in. centres.

Black ... 9/- doz. feet.

N.P. ... 17/- "

In random lengths of approx. 14 feet




SOCKET.

3643

Black ... 5/6 doz.

N.P. ... 7/9 "



STANDARD AND SASH BARS AND FITTINGS.

14307 Single.

Black ... 13/6 gross.

N.P. ... 20/6 "




14308 Double.

Black ... 16/6 gross.

N.P. ... 25/6 "

SASH SOCKET.



BRACKET. Face Fixing.

14301

(For Cross-Pieces see "Everite" Shelf Fixtures.)

	4	6	8	10	12	14	16	18in.
14301 Black	9/3	9/9	10/3	10/9	11/3	11/9	12/6	13/9 doz.
N.P.	13/-	14/9	16/6	18/3	20/-	22/-	24/-	26/3 "

"EVERITE" SHELF FIXTURES.



376
SASH BAR.

$\frac{1}{2} \times \frac{7}{8}$ in.

Black ... $5/8$ doz. ft.
N.P. ... $12/-$ "




391
STANDARD BAR.

$1\frac{1}{4} \times \frac{3}{4}$ in.

Black ... $13/3$ doz. ft.
N.P. ... $26/6$ "
Including Fixing Plates.

14320 SCREWS FOR BARS.

		$\frac{8}{16}$	$\frac{9}{16}$ in. long.
Black	...	$4/6$	$5/6$ gross.
N.P.	...	$7/6$	$8/6$ "



14302 BRACKET.

For Side Fixing.

(Note the adjustment for levelling.)

14302	Black.	$14/3$	$14/9$	$15/3$	$15/9$	$16/3$	$16/9$	$17/6$	$18/9$ doz.
	N.P.	$20/6$	$22/3$	$24/-$	$25/9$	$27/6$	$29/6$	$31/6$	$33/9$ "

EVERED'S REGISTERED STEEL BAR.

T SLOT.



Section.
 $\frac{3}{8} \times \frac{3}{4}$ in. \times 16 W.G.
1 in. Centres.

9816 BAR.

Black Steel,
 $6/-$ doz. ft.
N.P.,
 $9/6$ doz. ft.

Stocked only in
6ft. lengths.



14010 SINGLE SOCKET.

$\frac{1}{2}$ in. or $\frac{3}{4}$ in.

Black ... $13/6$ gross.
N.P. ... $20/6$ gross.


14011 DOUBLE SOCKET.

$\frac{1}{2}$ in. or $\frac{3}{4}$ in.

Black ... $16/6$ gross.
N.P. ... $25/6$ gross.

BRACKETS FOR EVERED'S REGISTERED T SLOT STEEL BAR.

$\frac{1}{2}$ in. wide \times 16 W.G.




14004 BRACKET.

These Brackets and Sockets are instantly fixed.
The Brackets can be adjusted for level.

	2	3	4	5	6	7	8 in. projection.
Black	8/9	9/-	9/3	9/6	9/9	10/-	10/3 dozen.
N.P.	11/3	12/2	13/-	13/10	14/9	15/8	16/6 "

	9	10	12 in.	Top Bar, $\frac{1}{2} \times \frac{1}{2}$ in., and heavier stays.
Black	10/6	10/9	11/3 doz.	
N.P.	17/8	18/3	20/- "	

Holes for Crosspieces on 9, 10 and 12 in. are tapped as on Brackets **14301** and **14143**



Showing method of assembling
Brackets **14004** and Cross-
pieces **14006**



CROSSPIECES

For Ends of Shelves

14022

With Screws and Nuts.

Black	...	3/-
N.P.	...	4/3

dozen.

14187

With Screws.

For Brackets 9 in. to 12 in.

Black	...	2/-
N.P.	...	2/10

dozen.

PLAIN CROSSPIECES.

14006

With Screws and Nuts.

Black	...	2/9 doz.
N.P.	...	4/- "

For Brackets up to 8 in.

14186

With Screws.

Black	...	1/8 doz.
N.P.	...	2/6 "

For Brackets 9 in. to 12 in.

BRASS SHOP WINDOW FITTINGS.



426

lin. Pin.

4	5	6	8	10	12in.
12/-	14/6	17/3	21/4	24/9	30/4 doz.



9814

8 10 12 14in.

lin.	8	10	12	14in.
35/6	42/-	51/-	57/-	doz
44/-	51/-	59/-	68/-	"

COUNTER MEASURES.



16185 Sanded.


Marked Nails

" Inches

" Nails, Eighths and Inches

3	lin. wide.
4/-	4/3 each.
4/3	4/6 "
4/6	4/9 "

COLUMN CLAMP.



700

Prices to specification.

These
Column Clamps
can be supplied
with
Hat and Coat Hooks
or other
Fittings attached.

BRASS SHOP FITTINGS.

Dead and Relieved.

Dozen.


For $\frac{1}{2}$ in. or $\frac{3}{4}$ in. Pins.

Medium Strength.



349

	$\frac{1}{2}$	1	$1\frac{1}{2}$	$1\frac{1}{2}$ in.
349	12/-	14/9	18/6	25/-
348	12/6	15/9	19/9	27/6
348 $\frac{1}{2}$ Treble	14/9	17/6	22/-	30/-
985 Quadruple	17/-	22/-	28/6	35/-



348



953

$\frac{1}{2}$ in.	21/-
1 in.	27/-
1 in.	30/-



954

$\frac{1}{2}$ in.	28/-
1 in.	35/-
1 in.	39/-

* Screwed Inside.




955 *

$\frac{1}{2}$ in.	32/- dozen.
1 in.	38/- "
1 in.	50/- "

REMOVABLE
SLIDING SOCKET.

Treble only.

For $\frac{1}{2}$ in. Pins only.

14200


$\frac{1}{2}$ in.	11/-
1 in.	12/6 doz.

HALVED
SOCKET.

9950

Cast.

$\frac{1}{2}$ in.	5/-
1 in.	6/6
$1\frac{1}{2}$ in.	10/-
1 in.	14/-
doz.	



952

$\frac{1}{2}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.
6/3	7/3	13/-	15/6 doz.

SASH SOCKETS.

Dozen.




10408

$\frac{1}{2}$ in.	2/2
$\frac{3}{4}$ in.	3/3
1 in.	4/-

10406

(Registered.)

$\frac{1}{2}$ in.	3/-
$\frac{3}{4}$ in.	4/6
1 in.	6/6



BRASS SHOP WINDOW FITTINGS.

Dead and Relieved.

Dozen.

**4093** To Unscrew.


$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$ in.
8/3	10/9	14/6	20/-	30/-

**343**

$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$ in.
8/3	8/9	12/9	18/-	27/-

**9951** To Unscrew.

$\frac{1}{2}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$ in.
15/6	19/6	25/6	40/-

**352**

$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$ in.
5/6	6/-	6/9	10/- 12/-

**394**

$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$ in.
8/6	9/9	13/6	17/6	27/-

**420**

$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$ in.
2/6	3/6	4/6	6/- 15/-

**366**

$\frac{1}{2}$	$\frac{3}{4}$	1	1 in.
5/-	5/6	6/-	6/6 10/6

**9952**

$\frac{1}{2}$	$\frac{3}{4}$	1 in.
4/6	5/6	7/-

**353**

$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$ in.
5/6	6/6	7/3	10/- 12/-

**474**

$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$ in.
5/6	6/6	7/3	10/- 12/-

**371**

$\frac{1}{2}$	$\frac{3}{4}$	1	1 in.
4/6	5/6	6/-	7/- 10/6

REMOVABLE DOWN ROD.



9955

Fixing Pin,
9d. each.



Cased Tube,
see page 1.
Plate only,

$\frac{1}{2}$ in.	1	$1\frac{1}{2}$ in.
15/-	18/6	23/-
	dozen.	

300

$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.	$1\frac{1}{2}$ in.
6/-	6/9	11/-	16/6 24/-
		dozen.	

Ball Knob.
300


Knob unscrews for fixing Sockets.

LONG FIXING FOR WINDOW STANDS.

10097

Brass.

$\frac{1}{2}$ in.	32/-
$\frac{3}{4}$ in.	34/-
1 in.	39/-
	dozen.



BOOT CLIP.



987

For $\frac{1}{2}$ or $\frac{3}{4}$ in.
10/6 doz.

MANTLE HOOK.




6879

$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.
4/-	4/6	7/- doz.

SOCKET FOR ARMS.

To fix on Horizontal Rods.



10056

$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.
5/6	6/-	6/6 doz.


DRAPERY ARMS.

Polished.



		8	10	12	14	16	18	20	22	24in
370	$\frac{1}{2}$ in. ..	44/-	51/-	60/-	70/-	80/-	90/-	100/-	110/-	120/- gross
372	$\frac{3}{8}$ in. ..	62/-	73/-	84/-	95/-	108/-	120/-	135/-	150/-	180/- "

BONNET ARMS.




566

9/9 dozen.




892

With Wood Top, 11/6 dozen.



6961


32/- dozen.



893

With Plush Top, 16/6 dozen.

777
9/- dozen.



ARMS AND BRACKETS

One-Sixth Size.

Dozen.

**386**


10/9

**384**


9/6

**10480**

10/3

**10479**

12/-

**5900**Polished Arm.
Dead Dipped Carrier.

24/-

**10481**

10/3

**4268**

Polished 30/-

**5867**Polished Arm.
Dead Dipped Carrier.

24/-

**4617**

Polished 30/-

DRAPERY ARMS.

Polished.

All Cross Arms 9in. Long.

One-sixth size.

*With $\frac{1}{8}$ in. pin, 1/6 doz. extra.




9820

Stiff.

15/-

To Swivel.

16/6 dozen.




9821

Stiff.

17/-

To Swivel.

18/6 dozen



9822

Stiff.

15/6

To Swivel.

17/- doz.




9823

Stiff.

17/-

To Swivel.

18/6 dozen.




9825

Stiff.

39/-

To Swivel.

42/- dozen.




9824

Stiff.

25/6

To Swivel.

27/6 dozen.



6103

Stiff.


24/- dozen.

RAIL AND SHELF SUSPENDERS.

780Down Rod,
3ft. 6in. long.

1/2 in.	6/6
1 in.	8/-

each.

**781** Arm.

1/2 in. diam. for

1/2 in.	Down
6/6	1 Rod.


each.

For 1/2 in. Rails.

**433**1/2 in. Down Rod
up to 6ft. overall.

2 Shelves	31/-
3 " "	33/-

each.


788 Polished.6ft. drop, 6ft. wide, 1 1/2 in. Down Rod,
1/2 in. Rails.

£12 0 0 each.

Arms and Sockets extra.

BRASS SHOW CASE FASTENERS AND CATCHES

Half Size.

**10928**

Hodges' Patent.

2 3/4 in.	Pol'd.,	13/-	N.P.,	15/-
3 in.	"	21/-	"	23/6


With Loose Key.

10925


3 in.	Pol'd.,	28/-	N.P.,	31/-
-------	---------	------	-------	------

**10946**

Pol'd	...	8/-
N.P.	...	9/6

**10945**


Pol'd	...	19/9
N.P.	...	22/-

**5614**

Polished	33/- doz.
Nickelled	35/6 "

3888

Smaller	20/- doz.
N.P.	22/- "

**9958**

3 in.

Polished	21/- doz.
Nickelled	23/6 "

10451

2 3/4 in.


Medium	13/- doz.
N.P.	15/- "

10505

2 3/4 in.

With Loose Key.

Medium	
Size	22/- doz.
N.P.	25/- "

**10917**

Polished	20/-
N.P.	23/-

**11051**

Hodges' Patent.

Polished	19/6
N.P.	22/-

**6546**

Dead 6/- doz.

"EVERITE" TRACK AND RUNNER.

MADE IN ENGLAND.

Special Discount.

For use on Sliding Doors of every description.
The two halves of Runner are welded together.

Wrought
Steel
Cases.



Hardened
Steel
Balls.



Fixing Points on Track are
9in. apart.

Small Size for $\frac{1}{2}$ in. \times 4 screws.

- 14144** Runner width $\frac{1}{2}$ in., $\frac{1}{2}$ in. Balls, 8/1 doz.
14146 Track Coppered in 10ft. lengths, 28/3 100ft.


Large Size for $\frac{3}{4}$ in. \times 6 screws.

- 14145** Runner width $\frac{3}{4}$ in., $\frac{3}{4}$ in. Balls, 14/2 doz.
14147 Track Coppered in 10ft. lengths, 36/- 100ft.




Packed in
Dozens.
Delivery
from
Stock.

- 14160** Single Roller width $\frac{1}{2}$ in., 6/4 doz.
14146 Track Coppered 10ft. lengths, 28/3 100ft.



- 14161** Clip for use on $\frac{1}{2}$ in. Plate Glass Doors with **14160**
Clip only, 8/3 doz. in Polished Brass, Antique Copper, or N.P.



- 14162** Double Roller width $\frac{1}{2}$ in., 11/2 doz.
For **14146** Track.

EVERED'S SPECIALITIES

HANDLES OR PULLS FOR FILING CABINETS AND OTHER DRAWERS

SPECIAL DISCOUNT.

Copper Bronzed
Steel.

14210

3½	5	7in.
30/-	43/-	60/-



2 screw holes each
end in the 5in. size.

Per Gross.

Polished
Brass.

14213

3½	5	7in.
37/6	48/-	120/-


WELDED STEEL SHELF BRACKET

SPECIAL DISCOUNT.

VERY STRONG AND NEAT.

Finished Art Black or Florentine Bronzed.

14199



Measured inside the lip.

4	5	6	8	9	10	11	12 in. long.
2½	2½	3½	4½	4½	5	5	5½ in. deep.
58/-	61/-	64/-	69/6	74/-	79/-	84/6	90/- Black.
112/6	117/-	122/-	135/6	139/-	148/-	153/-	157/6 Bronzed.

Per Single Gross.

5in., 9in. and 11in. to suit standard timber.


EVERED'S IMPROVED CUPBOARD TURN.

Patent No. 235389/25.

SPECIAL DISCOUNT.

Neatest and most efficient Cupboard Turn on the market.

Tongue can only be actuated a quarter turn, consequently it is always in the required position.



14154

To fit any door up to two inches in thickness.

Polished Brass	...	12/- dozen.
Antique Copper	...	13/9 "

Boxed in dozens.

Delivery from Stock.

POLISHED TABLE BELL.

SUBJECT TO GENERAL DISCOUNT.



217 A

All Pressed.

Polished	...	44/3 dozen.
Nickel Plated	...	47/- "

THE TURN BELL.

Contains no Springs. Bell Bases and Gongs made of best soft Steel.
Does not require winding. Cover Plates and Keys made of Brass.



14079

A.C. Plate and Gong.
 $4\frac{1}{2} \times 1\frac{1}{2}$ in.



14324


A.C. Plate and Gong.
 $3 \times 1\frac{1}{2}$ in.



14078

A.C. Plate and Gong.
 $3\frac{1}{2} \times 1\frac{1}{2}$ in.

Bell, 3 in. Diameter.



14042

A.C. Plate and Gong.



14066

A.C. Plate and Gong.
 $4 \times 1\frac{1}{2}$ in.



14172

A.C. Plate and Gong
 $3\frac{1}{2} \times 1\frac{1}{2}$ in.



14194

Heavier 4 in. Bell.
Heavy Plate and Key.
 5×3 in.

For prices see Slip attached.

TO FIX:—Drill a hole $\frac{3}{8}$ or $\frac{1}{2}$ in. through the woodwork in the centre of the selected position. Fix the Bell with the square wire in the Centre Bush. The wire should project on the other side about $\frac{1}{2}$ in. If too long cut piece off, then place the Key on the square wire and screw down the plate.

THE "EVERITE" MECHANICAL BELL

For Front Doors.


No Batteries to get out of order.

Made like a Clock.



14077

With Oval Plate, $4\frac{1}{2} \times 1\frac{1}{2}$ in.,
and Nickel-plated Steel Gong.



14061

With Heavy Bronze Push Plate
as illustrated,
and Nickel-plated Steel Gong.



14178

With Plate, $3\frac{1}{2} \times 1\frac{1}{2}$ in., and
Nickel-plated Steel Gong.



14064

With Oblong Plate, $3\frac{1}{2} \times 1\frac{1}{2}$ in.,
and Nickel-plated Steel Gong.



14065

With Oval Plate, $4 \times 4\frac{1}{2}$ in.,
and Nickel-plated Steel Gong.



14075

With Jacobean Plate, $3\frac{1}{2} \times 1\frac{1}{2}$ in.,
and Nickel-plated Steel Gong.

For Prices see slip attached.

Boxed complete with screws and wire for operating the bell.
Winds up by turning clock-wise.


Spare parts can be supplied in case of breakages.

AN IMPORTANT "EFFICIENCY" DEVICE FOR WARDROBES.
EVERED'S EXTENDING WARDROBE HANGER.

With totally enclosed Roller Bearings.

Special Discount.

NO WARDROBE CAN BE COMPLETE WITHOUT IT.



	Sizes	12	14	15	16	17	18in. Closed.
	Finished	20½	24½	26½	28½	30½	32½in. Extended.
14214	Art Black	3/3	3/5	3/6	3/9	4/-	4/3 each.
14216	A.C.	3/9	3/11	4/-	4/3	4/6	4/9 "
14217	N.P.	4/9	4/11	5/-	5/3	5/6	5/9 "

Fixing Screws extra.

Special Sizes supplied if required.

All Wardrobes must be fitted with this Hanger if they are to fulfill their purpose efficiently. It can be fixed in any Wardrobe in a few minutes. By its use the hanging space of the Wardrobe is considerably multiplied, there is room on the Extending Rail for several Coat Hangers, with no danger of one falling immediately you touch its fellow; each garment is securely and properly hung, and any one can be removed with miraculous ease without disturbing the remainder.

Boxed in Half-Dozens.

IF BOXED SINGLY, COMPLETE WITH FIXING SCREWS 6d. EACH EXTRA.

R.

used
ended

TRA.

